



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

30% Winter Windscreen Wash

Revision 12

Revision date 2020-09-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name 30% Winter Windscreen Wash

Product code QAFS026-30%

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

Description Screenwash for Vehicles.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

 Web
 www.superfine.co.uk

 Telephone
 Tel: 01307 463538

 Fax
 Fax: 01307 468505

 Email
 nigel@superfine.co.uk

Email address of the nigel@superfine.co.uk competent person

1.4. Emergency telephone number

Emergency telephone number

01307 463538

8.30am to 17.00pm

National Poisons Information Service:

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Flam. Liq. 3: H226; Eye Irrit. 2: H319;

2.2. Label elements

Hazard pictograms





Revision 12 Revision date 2020-09-23

2.2. Label elements

Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement:	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No
Prevention	smoking.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P403+P235 - Store in a well-ventilated place. Keep cool.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	30% Denatured Alcohol, Less than 5% Anionic Surfactants, Less than 5% Non-ionic Surfactants,
	CI 42090.
2.3. Other hazards	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Other hazards

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	20 - 30%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
methanol	603-001-00-X	67-56-1	200-659-6	01-2119433307-44	0.5 - 1%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;

This mixture is not classified as PBT or vPvB according to current EU criteria.

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--------------------	--

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Causes serious eye irritation.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention
	if irritation or symptoms persist.

Revision 12 Revision date 2020-09-23

	Revision date 2020-09-2
4.3. Indication of any immed	liate medical attention and special treatment needed
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	measures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising	from the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental I	release measures
6.1. Personal precautions, p	protective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precaution	ons
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for	or containment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sect	ions
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling ar	nd storage
7.1. Precautions for safe ha	
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe store	age, including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	Screenwash for Vehicles.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure o	ontrols/personal protection
- 12 The Exposure of	The state of the s

8.1. Control parameters

Revision 12 Revision date 2020-09-23

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
methanol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Monopropylene Glycol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Propane-1,2-diol particulates)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Monopropylene Glycol	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
(Propane-1,2-diol total vapour		
and particulates)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³		
	effects			
	Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic	343 mg/kg
	effects		effects	
methanol	Acute inhalation - Systemic	260 mg/m³		
	effects			
	Acute inhalation - Local effects	260 mg/m³	Acute dermal - Systemic effects	40 mg/kg
	Long-term - inhalation - Systemic	260 mg/m³	Long-term - inhalation - Local	260 mg/m³
	effects		effects	
	Long-term - dermal - Systemic	40 mg/kg		
	effects			
Monopropylene Glycol	Long-term - inhalation - Systemic	168 mg/m³		
	effects			
	Long-term - inhalation - Local	10 mg/m³		
	effects			

Exposure Pattern - General population

Revision 12 Revision date 2020-09-23

Exposure Pattern - General population

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects	114 mg/m³		
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic	206 mg/kg
	effects		effects	
	Long-term - oral - Systemic	87 mg/kg		
	effects			
methanol	Acute inhalation - Systemic	50 mg/m³		
	effects			
	Acute inhalation - Local effects	50 mg/m³	Acute dermal - Systemic effects	8 mg/kg
	Long-term - inhalation - Systemic	50 mg/m³	Long-term - inhalation - Local	50 mg/m³
	effects		effects	
	Long-term - dermal - Systemic	8 mg/kg		
	effects			
Monopropylene Glycol	Long-term - inhalation - Systemic	50 mg/m³		
	effects			
	Long-term - inhalation - Local	10 mg/m³	Long-term - dermal - Systemic	213 mg/m³
	effects		effects	
	Long-term - oral - Systemic	85 mg/m³		
	effects			

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

No personal respiratory protective equipment normally required. In case of insufficient ventilation

Respiratory protection

wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 12 Revision date 2020-09-23

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	
Odour	Characteristic
Odour threshold	No data available
pH	7.5 - 8.9
Melting point	No data available
Initial boiling point	No data available
Flash point	29 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.96 - 0.967 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

SECTION 10: Stability and reactivity

10	.1.	Rea	ctivity

	Flammable liquid. Stable under normal conditions.		
10.2. Chemical stability			
	Flammable liquid. Stable under normal conditions.		
10.3. Possibility of hazardous reactions			
	Oxidising agents. Combustible materials.		
10.4. Conditions to avoid			
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.		
10.5. Incompatible materials			
	Oxidising agents. Combustible materials.		
10.6. Hazardous decomposition products			

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Revision 12 Revision date 2020-09-23

	100000000000000000000000000000000000000		
11.1. Information on toxicological effects			
Acute toxicity	based on available data the classification criteria are not met.		
	Oral ATE = >10,000 mg/kg.		
	Dermal ATE = >10,000 mg/kg.		
	Inhalation - Vapours ATE = 55.55 mg/l.		
Skin corrosion/irritation	based on available data the classification criteria are not met.		
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.		
Respiratory or skin sensitisation	based on available data the classification criteria are not met.		
Germ cell mutagenicity	based on available data the classification criteria are not met.		
Carcinogenicity	based on available data the classification criteria are not met.		
Reproductive toxicity	based on available data the classification criteria are not met.		
STOT-single exposure	based on available data the classification criteria are not met.		
STOT-repeated exposure	based on available data the classification criteria are not met.		
Aspiration hazard	based on available data the classification criteria are not met.		
11.1.2. Mixtures			
	No data available.		
11.1.3. Hazard Information	1 No data available.		
11.1.3. Hazard information	No data available.		
	1		
11.1.4. Toxicological Information	1		
	No data available		
SECTION 12: Ecological info	ormation		
12.1. Toxicity			
	No data available		
12.2. Persistence and degradab	ility		
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.		
12.3. Bioaccumulative potential	• •		
	The product is not bioaccumulating.		
Partition coefficient			
	30% Winter Windscreen Wash No data available Ethanol: Ethyl Alcohol -0.35 log P		
	Monopropylene Glycol -1.07 log P methanol -0.82		
12.4. Mobility in soil			
	This product is soluble in water.		
12.5. Results of PBT and vPvB	assessment		
	This mixture is not classified as PBT or vPvB according to current EU criteria.		
12.6. Other adverse effects			
	No data available.		
SECTION 13: Disposal cons	iderations		
13.1. Waste treatment methods			
	Dispose of waste and residues in accordance with local authority requirements.		
General information			

Revision 12

	Revision date 2020-09-23
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	ormation
Hazard pictograms	
	3
14.1. UN number	
	UN1170
14.2. UN proper shipping name	•
	ETHANOL SOLUTION
14.3. Transport hazard class(es	s)
ADR/RID	3
Subsidiary risk	1 -
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for us	ser
	No additional special precautions.
14.7. Transport in bulk according	ng to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L

Revision 12 Revision date 2020-09-23

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.	
	1 - Description.	
	1 - Product Use.	
	2 - SUPPLEMENTAL HAZARD INFORMATION.	
	3 - Active Ingredients.	
	5 - 5.2. Special hazards arising from the substance or mixture.	
	5 - 5.3. Advice for firefighters.	
	7 - 7.3. Specific end use(s).	
	8 - Skin protection - Handprotection.	
	8 - Eye / face protection.	
	10 - 10.6. Hazardous decomposition products.	
	10 - 10.5. Incompatible materials.	
	11 - Acute toxicity.	
	11 - 11.1. Information on toxicological effects.	
	12 - 12.1. Toxicity.	
	12 - 12.4. Mobility in soil.	
	12 - 12.3. Bioaccumulative potential.	
	12 - 12.5. Results of PBT and vPvB assessment.	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation	
	(EC) No. 1272/2008:.	
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 29 degC.	
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.	
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.	
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	Acute Tox. 3: H301 - Toxic if swallowed.	
	Acute Tox. 3: H311 - Toxic in contact with skin.	
	Acute Tox. 3: H331 - Toxic if inhaled.	
	STOT SE 1: H370 - Causes damage to organs .	
Further information		

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.