



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

Air Freshener Home & Vehicle (Apple Jack Spice Fragrance)

Revision 8

Revision date 2022-11-11

	Revision date 2022-11-11		
SECTION 1: Identification of	the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	Air Freshener Home & Vehicle (Apple Jack Spice Fragrance)		
Product code	QAFS414		
1.2. Relevant identified uses of t	the substance or mixture and uses advised against		
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC3] Air care products; [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;		
Description	A ready to use spray air freshener.		
1.3. Details of the supplier of the	<u> </u>		
Company	Superfine Manufacturing Ltd		
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD		
Web	www.superfine.co.uk		
Telephone	Tel: 01307 463538		
Fax	Fax: 01307 468505		
Email address of the competent person	nigel@superfine.co.uk		
1.4. Emergency telephone numb	1.4. Emergency telephone number		
Emergency telephone number	01307 463538 8.30am to 17.00pm		
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)		
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org		
SECTION 2: Hazards identif	isation		

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Flam. Liq. 3: H226; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

Revision 8
Revision date 2022-11-11

2.2. Label elements

Z.Z. Laber elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Alcohol, Parfum, Eugenol, d-Limonene, Cinnamaldehyde, Coumarin.
	Contains - Denatured Alcohol, acetone glycerol, eugenol, Limonene, cinnamaldehyde, coumarin.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2-dimethyl-1,3-dioxolan-4-ylmetha		100-79-8	202-888-7	01-2120066005-66	1 - 10%	Eye Irrit. 2: H319;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	50 - 60%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
4-Allyl-2-methoxyphenol		97-53-0	202-589-1		1 - 10%	Skin Sens. 1: H317; Eye Irrit. 2: H319;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0.5 - 1%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3-Phenylacrylaldehyde		104-55-2	203-213-9		0 - 0.5%	Acute Tox. 4: H312; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
2H-Chromen-2-one		91-64-5	202-086-7		0 - 0.5%	Acute Tox. 4: H302; Skin Sens. 1: H317; Aquatic Chronic 3: H412;

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

Limonene, CAS No. 5989-27-5 - M Factor (Acute/Chronic) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures



Revision 8

	Revision date 2022-11-11
4.1. Description of first aid meas	sures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Causes serious eye irritation.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin. May cause allergic reactions in susceptible people.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
The Example of the Control of the Co	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the
	surrounding environment.
5.2. Special hazards arising from	n the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	<u>'</u>
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	•
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
	ective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.

Revision 8
Revision date 2022-11-11

SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
	Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage, including any incompatibilities			
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.		
7.3. Specific end use(s)			
	A ready to use spray air freshener.		
Suitable packaging			
	Plastic containers.		
SECTION 8: Exposure controls/personal protection			

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
, ,	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic 5.98 mg/	n³
-2-ene	effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 950 mg/r	1 ³
	effects	
	Long-term - inhalation - Local 1900 mg	m³ Long-term - dermal - Systemic 343 mg/kg
	effects	effects

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m³	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m³ Long-term - d	ermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

Revision

8

Revision date 2022-11-11

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Nitrile rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Pleasant
Odour threshold	No data available
pH	6 - 8.5
Melting point	No data available
Initial boiling point	No data available
Flash point	23 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	0.8 - 0.9
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

8

Air Freshener Home & Vehicle (Apple Jack Spice Fragrance)

Revision Revision date 2022-11-11

9.2 Other in	

Conductivity No data available Surface tension No data available Gas group No data available No data available **Benzene Content** No data available Lead content VOC (Volatile organic No data available compounds)

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin	Skin Sens. 1: H317 - May cause an allergic skin reaction.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.

11.1.2. Mixtures

exposure

Revision date 2022-11-11

	Revision date 2022-11-1
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	n
2,2-dimethyl-1,3-dioxolan-4-ylme	Dermal Rat LD50: >2000 mg/kg Oral Rat LD50: 7000 mg/kg
thanol	Inhalation Rat LC50/4 h: >5.11 mg/l
2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene	Oral Rat LD50: 3500 mg/kg
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg Dermal Rabbit LD50: 15800.0 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l
11.2 Information on other hazar	de
11.2 Information on other nazar	No data is available on this product.
	·
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
Ethanol: Ethyl Alcohol	NOEC / EC10 for marine or 9.6000 mg/l freshwater organisms
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	·
	The product is not bioaccumulating.
Partition coefficient	
	Air Freshener Home & Vehicle No data available Ethanol: Ethyl Alcohol -0.35 log P (Apple Jack Spice Fragrance)
12.4. Mobility in soil	
<u> </u>	This product is soluble in water.
12.5. Results of PBT and vPvB	1 - 1
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
12.6 Endocrine disrupting prope	-
	No data is available on this product.
12.7. Other adverse effects	1
	No data is available on this product.
SECTION 42: Diamond cons	
SECTION 13: Disposal cons	
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	T
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	_
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in

Revision

8

Revision date 2022-11-11

Disposal of packaging

compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1170

14.2. UN proper shipping name

ETHYL ALCOHOL SOLUTION

14.3. Transport hazard class(es)

ADR/RID	
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-

14.4. Packing group

Packing group

14.5. Environmental hazards

Environmental hazards No Marine pollutant No

14.6. Special precautions for user

No additional special precautions.

14.7 Maritime Transport in bulk according to IMO instruments

Not applicable.

ADR/RID

Hazard ID 30
Tunnel Category (D/E)

IMDG

EmS Code F-E S-D

IATA

Packing Instruction (Cargo)

Maximum quantity

Packing Instruction
(Passenger)

Maximum quantity

366
220 L
355
60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC

8

Air Freshener Home & Vehicle (Apple Jack Spice Fragrance)

Revision

Revision date 2022-11-11

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information	
Revision	This document differs from the previous version in the following areas:.
	2 - Other hazards.
	2 - Further information.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	3 - 3.2. Mixtures.
	9 - 9.2.2. Other safety characteristics.
	9 - 9.2.1. Information with regard to physical hazard classes.
	11 - Acute toxicity.
	11 - Repeated or prolonged exposure.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.6 Endocrine disrupting properties.
	12 - 12.7. Other adverse effects.
	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC.
	Skin Sens. 1: H317 - May cause an allergic skin reaction Calculation Method.
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.
Text of Hazard Statements in	Eye Irrit. 2: H319 - Causes serious eye irritation.
Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Acute Tox. 4: H312 - Harmful in contact with skin.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Acute Tox. 4: H302 - Harmful if swallowed.

Powered by

ChemSoft EH&S

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in

Revision

8

Revision date 2022-11-11

Further information

combination with any other materials or in any other process.

