



# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/10

# Air Freshener Home & Vehicle (Apple Jack Spice Fragrance)

Revision 7

Revision date 2020-10-26

	Revision date 2020-10-26		
SECTION 1: Identification of	the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	Air Freshener Home & Vehicle (Apple Jack Spice Fragrance)		
Product code	QAFS414		
1.2. Relevant identified uses of	the substance or mixture and uses advised against		
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC3] Air care products;		
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;		
Description	A ready to use spray air freshener.		
1.3. Details of the supplier of the	e safety data sheet		
Company	Superfine Manufacturing Ltd		
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD		
Web	www.superfine.co.uk		
Telephone	Tel: 01307 463538		
Fax	Fax: 01307 468505		
Email	nigel@superfine.co.uk		
Email address of the competent person	nigel@superfine.co.uk		
1.4. Emergency telephone numb	per		
Emergency telephone number	01307 463538		
	8.30am to 17.00pm		
	National Poisons Information Service: For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)		
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org		

#### **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Flam. Liq. 3: H226; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

#### 2.2. Label elements

Revision date 2020-10-26

#### 2.2. Label elements

Hazard pictograms Signal Word Warning **Hazard Statement** Flam. Liq. 3: H226 - Flammable liquid and vapour. Skin Sens. 1: H317 - May cause an allergic skin reaction. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. **Precautionary Statement:** P102 - Keep out of reach of children. Prevention P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No **Precautionary Statement:** P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact Response lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. **Precautionary Statement:** P403+P235 - Store in a well-ventilated place. Keep cool. Storage **Precautionary Statement:** P501 - Dispose of contents/container to an approved disposal site, in accordance with local

Disposal

SUPPLEMENTAL HAZARD **INFORMATION** 

Ingredients - Denatured Alcohol, Parfum, Eugenol, d-Limonene, Cinnamaldehyde, Coumarin.

#### 2.3. Other hazards

Other hazards This mixture is not classified as PBT or vPvB according to current EU criteria.

### SECTION 3: Composition/information on ingredients

# 3.2. Mixtures

Revision

7

Revision date 2020-10-26

#### 3.2. Mixtures

_	$\overline{}$	4	^-	72	$\sim$	~~	•
_	-	7	·,	<i>( - )</i> .	""		ıx

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2-dimethyl-1,3-dioxolan-4-ylmetha		100-79-8	202-888-7	01-2120066005-66	1 - 10%	Eye Irrit. 2: H319;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	50 - 60%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
4-Allyl-2-methoxyphenol		97-53-0	202-589-1		1 - 10%	Skin Sens. 1: H317; Eye Irrit. 2: H319;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0.5 - 1%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3-Phenylacrylaldehyde		104-55-2	203-213-9		0 - 0.5%	Acute Tox. 4: H312; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
2H-Chromen-2-one		91-64-5	202-086-7		0 - 0.5%	Acute Tox. 3: H301; Acute Tox. 3: H311; Skin Sens. 1: H317; Acute Tox. 3: H331; Aquatic Chronic 2: H411;
dl-Limonene (racemic)		138-86-3	205-341-0		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
7-methyl-3-methyleneocta-1,6-dien e		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319;
2,6,6-Trimethylbicyclo[3.1.1]hept-2- ene (Alpha-Pinene)		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Product Shelf Life RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.		
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.		
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.		

### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.			
Eye contact	Causes serious eye irritation.			
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin. May cause allergic reactions in susceptible people.			
Ingestion	May cause irritation to mucous membranes.			

# 4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

Revision

Revision date 2020-10-26 General information If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically **SECTION 5: Firefighting measures** 5.1. Extinguishing media Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. 5.2. Special hazards arising from the substance or mixture Flammable liquid and vapour. 5.3. Advice for firefighters Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear. **Further information** In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition. 6.2. Environmental precautions Advise local authorities if large spills cannot be contained. 6.3. Methods and material for containment and cleaning up Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition. 6.4. Reference to other sections See section 2, 7, 8, 13 for further information. SECTION 7: Handling and storage 7.1. Precautions for safe handling Adopt best Manual Handling considerations when handling, carrying and dispensing. 7.2. Conditions for safe storage, including any incompatibilities Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children. 7.3. Specific end use(s) A ready to use spray air freshener. Suitable packaging Plastic containers SECTION 8: Exposure controls/personal protection 8.1. Control parameters Occupational exposure controls. 8.1.1. Exposure Limit Values

Revision Revision date 2020-10-26

### 8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
(	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust: WEL 8-hr limit mg/m3 total	inhalable dust: WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

#### **Exposure Pattern - Workers**

	2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	5.98 mg/m³		
L	-2-ene	effects			
ſ	Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³		
		effects			
		Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic	343 mg/kg
		effects		effects	

#### **Exposure Pattern - General population**

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m³	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m <sup>3</sup>	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

### 8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection

# 8.2.1. Appropriate engineering

controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

#### Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection -Handprotection

Nitrile rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special

7

# Air Freshener Home & Vehicle (Apple Jack Spice Fragrance)

Revision

Revision date 2020-10-26

8.2. Exposure c	ontrols
-----------------	---------

-		applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
	Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
	8.2.3. Environmental exposure	Prevent further leakage or spillage if safe to do so.
	controls	

# SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Pleasant
Odour threshold	No data available
pH	6 - 8.5
Melting point	No data available
Initial boiling point	No data available
Flash point	23 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.8 - 0.9
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

# 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

# SECTION 10: Stability and reactivity

10.1. R	eactivity
---------	-----------

10.1. Reactivity	
	Flammable liquid. Stable under normal conditions.
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.
10.3. Possibility of hazardous re	actions
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	

Oxidising agents.

Revision

7

Revision date 2020-10-26

No Hazardous decomposition products when stored and handled correctly.

# SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist ATE = 471.69 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin	Skin Sens. 1: H317 - May cause an allergic skin reaction.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	

No data available.

### 11.1.3. Hazard Information

No data available.

### 11.1.4. Toxicological Information

2,2-dimethyl-1,3-dioxolan-4-ylme thanol	Oral Rat LD50: 7000 mg/kg	Dermal Rabbit LD50: 2000 mg/kg
	Inhalation Rat LC50/4 h: >5.11 mg/l	
2,6,6-Trimethylbicyclo[3.1.1]hept	Oral Rat LD50: 3500 mg/kg	
-2-ene		
Ethanol: Ethyl Alcohol	Oral Rat LD50: >2000 mg/kg	Dermal Rabbit LD50: >2000 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	

# SECTION 12: Ecological information

# 12.1. Toxicity

	No data available
Ethanol: Ethyl Alcohol	NOEC / EC10 for marine or 9.6000 mg/l
	freshwater organisms

### 12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

#### 12.3. Bioaccumulative potential

The product is not bioaccumulating.

### Partition coefficient

Air Freshener Home & Vehicle No data available	Ethanol: Ethyl Alcohol -0.35 log P
(Apple Jack Spice Fragrance)	

Revision

Revision date 2020-10-26 12.4. Mobility in soil This product is soluble in water. 12.5. Results of PBT and vPvB assessment This mixture is not classified as PBT or vPvB according to current EU criteria. 12.6. Other adverse effects No data available. **SECTION 13: Disposal considerations** 13.1. Waste treatment methods Dispose of waste and residues in accordance with local authority requirements. General information Dispose of in compliance with all local and national requirements. Disposal of packaging Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. **SECTION 14: Transport information** Hazard pictograms 14.1. UN number UN1170 14.2. UN proper shipping name ETHYL ALCOHOL SOLUTION 14.3. Transport hazard class(es) ADR/RID 3 Subsidiary risk **IMDG** 3 Subsidiary risk 3 **IATA** Subsidiary risk 14.4. Packing group Packing group Ш 14.5. Environmental hazards **Environmental hazards** No Marine pollutant No 14.6. Special precautions for user No additional special precautions. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable. ADR/RID Hazard ID 30

Revision 7 Revision date 2020-10-26

ADR/RID	
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

No information available

#### SECTION 16: Other information

#### Other information

Revision

This document differs from the previous version in the following areas:.

- 1 Description.
- 1 Product Use.
- 2 2.1. Classification of the substance or mixture.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 3 Active Ingredients.
- 5 5.2. Special hazards arising from the substance or mixture.
- 5 5.3. Advice for firefighters.
- 7 7.3. Specific end use(s).
- 8 Skin protection Handprotection.
- 8 Eye / face protection.
- 10 10.6. Hazardous decomposition products.
- 11 Acute toxicity.
- 12 12.1. Toxicity.
- 12 12.4. Mobility in soil.
- 12 12.3. Bioaccumulative potential.
- 12 12.5. Results of PBT and vPvB assessment.
- 15 Hazard Statement.

Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.

Flam. Liq. 3: H226 - Flammable liquid and vapour. - Flash Point - 23 degC.

Skin Sens. 1: H317 - May cause an allergic skin reaction. - Calculation Method.

Eye Irrit. 2: H319 - Causes serious eye irritation. - Calculation Method.

Revision

7

Revision date 2020-10-26

|--|

# Text of Hazard Statements in Section 3

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. - Calculation Method.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Skin Irrit. 2: H315 - Causes skin irritation.

Aguatic Acute 1: H400 - Very toxic to aguatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Acute Tox. 4: H312 - Harmful in contact with skin.

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

#### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.