



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/11

Air Freshener Home & Vehicle (CK Type Fragrance)

Revision 15

Revision date 2020-09-10

Product code QAFS285 1.2. Relevant identified uses of the substance or mix Product Use [SU21] Consumer products;	ne & Vehicle (CK Type Fragrance) tture and uses advised against uses: Private households (= general public = consumers); [PC3] Air care
Product name Product code QAFS285 1.2. Relevant identified uses of the substance or mix Product Use [SU21] Consumer products;	uses: Private households (= general public = consumers); [PC3] Air care
Product code QAFS285 1.2. Relevant identified uses of the substance or mix Product Use [SU21] Consumer products;	uses: Private households (= general public = consumers); [PC3] Air care
1.2. Relevant identified uses of the substance or mix Product Use [SU21] Consumer products;	uses: Private households (= general public = consumers); [PC3] Air care
Product Use [SU21] Consumer products;	uses: Private households (= general public = consumers); [PC3] Air care
products;	
	al uses: Public demain (administration, education, entertainment, convices
[SU22] Profession craftsmen); [PC3]	al uses: Public domain (administration, education, entertainment, services, Air care products;
Description A ready to use des	signer fragranced air freshener.
1.3. Details of the supplier of the safety data sheet	
Company Superfine Manufact	cturing Ltd
Address Orchardbank Indus Forfar Angus Scotland DD8 1TD	strial Estate
Web www.superfine.co.	uk
Telephone Tel: 01307 463538	3
Fax: 01307 46850	5
Email nigel@superfine.co	o.uk
Email address of the competent person nigel@superfine.com	o.uk
1.4. Emergency telephone number	
Emergency telephone number 01307 463538	
8.30am to 17.00pr	n
For medical advice Scotland) on 111 (nformation Service: e or information you should contact your GP or NHS 111 (or NHS 24 in (for 24 hour health advice) care professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

2.2. Label elements

Revision 15 Revision date 2020-09-10

2.2. Label elements

Z.Z. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains hexyl cinnamal, tetramethyl-Acetyloctahydronaphthalenes. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Alcohol, Parfum, Linalool, Hexyl Cinnamal, Limonene, Butylphenyl methylpropional, Citronellol.
2.3. Other hazards	

Other hazards This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision 15

Revision date 2020-09-10

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2-dimethyl-1,3-dioxolan-4-ylmetha	1	100-79-8	202-888-7	01-2120066005-66	1 - 10%	Eye Irrit. 2: H319;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	50 - 60%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
Diethyl phthalate		84-66-2	201-550-6		1 - 10%	,
1,5-Dimethyl-1-vinylhex-4-en-1-yl		115-95-7	204-116-4	01-2119454789-19	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
3,7-Dimethylocta-1,6-dien-3-ol		78-70-6	201-134-4	01-2119474016-42	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-h examethylindeno[5,6-c]pyran	603-212-00-7	1222-05-5	214-946-9	01-2119488227-29	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
2-Benzylideneoctanal		101-86-0	202-983-3		0 - 0.5%	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
1- (2,3,8,8-Tetramethyl-1,2,3,4,5,6,7,8 -octahydronaphthalen-2-yl)ethanon e		54464-57-2	259-174-3	01-2119489989-04	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
6,6-Dimethyl-2-methylenebicyclo[3. 1.1]heptane		127-91-3	204-872-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
2,6,6-Trimethylbicyclo[3.1.1]hept-2- ene (Alpha-Pinene)		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3,7-Dimethylocta-2,6-dien-1-yl acetate		105-87-3	203-341-5	01-2119973480-35	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 3: H412;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation,headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.	
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.	
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention	
	if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	

Revision 15
Revision date 2020-09-10

	Revision date 2020-09-
4.3. Indication of any imme	ediate medical attention and special treatment needed
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	g measures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising	g from the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental	release measures
6.1. Personal precautions,	protective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precaut	tions
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material	for containment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sec	ctions
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling a	and storage
7.1. Precautions for safe ha	andling
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe sto	orage, including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	A ready to use designer fragranced air freshener.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure	controls/personal protection
8.1. Control parameters	
	Occupational exposure controls.

Revision 15

Revision date 2020-09-10

8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
2 one (rupha rillone)	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
2,6-Di-tert-butyl-p-cresol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
0.0 Discretted 0 the day a historia	respirable dust:	respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Air Freshener Home & Vehicle (CK Type Fragrance) (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
District what state	respirable dust:	respirable dust:
Diethyl phthalate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 10
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
Ethanol: Ethyl Alcohol (Ethanol)	respirable dust: WEL 8-hr limit ppm: 1000	respirable dust: WEL 8-hr limit mg/m3: 1920
Eulanoi. Eulyi Alconoi (Eulanoi)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic 5.98 mg/m³	
-2-ene	effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 950 mg/m³	
	effects	
	Long-term - inhalation - Local 1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg
	effects	effects

Exposure Pattern - General population

Revision 15 Revision date 2020-09-10

Exposure Pattern - General population


2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m³	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

8.2. Exposure controls

Respiratory protection

controls

8.2.3. Environmental exposure



wear suitable respiratory equipment.

Prevent further leakage or spillage if safe to do so.

No personal respiratory protective equipment normally required. In case of insufficient ventilation

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 15 Revision date 2020-09-10

9.1. Information on basic physical and chemical properties

Appearance	Liquid	
Colour	Colourless	
Odour	esigner Fragranced	
Odour threshold	No data available	
pH	4 - 6	
Melting point	No data available	
Initial boiling point	No data available	
Flash point	23 °C	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	0.85 - 0.95 g/cm3	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Viscosity	< 50 centipoise	
Explosive properties	No data available	
Oxidising properties	No data available	
Solubility	Slightly soluble in water	

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

SECTION 10: Stability and reactivity

1	0.	.1	Rea	cti	vity

Flammable liquid. Stable under normal conditions.	
---	--

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Oxidising agents. Combustible materials.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.

Powered by ChemSoft EH&S

Revision 15 Revision date 2020-09-10

Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard bill.1.2. Mixtures	ased on available data the classification criteria are not tye Irrit. 2: H319 - Causes serious eye irritation. ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available. Oral Rat LD50: 3500 mg/kg Dermal Rat LD50: 133848.9mg/kg	met. met. met. met. met. met. met. met.
Serious eye damage/irritation Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard 1.1.2. Mixtures N 1.1.3. Hazard Information N 1.1.4. Toxicological Information	ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not do data available. Oral Rat LD50: 3500 mg/kg	met. met. met. met. met. met.
Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard 1.1.2. Mixtures N 1.1.3. Hazard Information N 1.1.4. Toxicological Information	ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not do data available. Oral Rat LD50: 3500 mg/kg	met. met. met. met. met. met.
Carcinogenicity Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard 1.1.2. Mixtures N 1.1.3. Hazard Information N 1.1.4. Toxicological Information	ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not do data available. Oral Rat LD50: 3500 mg/kg	met. met. met. met.
Reproductive toxicity STOT-single exposure STOT-repeated exposure Aspiration hazard 1.1.2. Mixtures N 1.1.3. Hazard Information N 1.1.4. Toxicological Information	ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not lo data available. Oral Rat LD50: 3500 mg/kg	met. met. met.
STOT-single exposure STOT-repeated exposure Aspiration hazard 1.1.2. Mixtures N 1.1.3. Hazard Information N 1.1.4. Toxicological Information	ased on available data the classification criteria are not ased on available data the classification criteria are not ased on available data the classification criteria are not lo data available. Oral Rat LD50: 3500 mg/kg	met.
Aspiration hazard bar 1.1.2. Mixtures No. 1.1.3. Hazard Information No. 1.1.4. Toxicological Information	ased on available data the classification criteria are not ased on available data the classification criteria are not lo data available. Oral Rat LD50: 3500 mg/kg	met.
Aspiration hazard bar 1.1.2. Mixtures No. 1.1.3. Hazard Information No. 1.1.4. Toxicological Information	ased on available data the classification criteria are not lo data available. lo data available. Oral Rat LD50: 3500 mg/kg	
1.1.2. Mixtures N 1.1.3. Hazard Information N 1.1.4. Toxicological Information	lo data available. lo data available. Oral Rat LD50: 3500 mg/kg	met.
1.1.3. Hazard Information N 1.1.4. Toxicological Information	lo data available. Oral Rat LD50: 3500 mg/kg	
1.1.3. Hazard Information N 1.1.4. Toxicological Information	lo data available. Oral Rat LD50: 3500 mg/kg	
1.1.4. Toxicological Information	Oral Rat LD50: 3500 mg/kg	
1.1.4. Toxicological Information	Oral Rat LD50: 3500 mg/kg	
•		
2,6,6-Trimethylbicyclo[3.1.1]hept		
-2-ene	Dermal Rat LD50: 133848.9mg/kg	
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane		Oral Rat LD50: 37287.23mg/kg
Ethanol: Ethyl Alcohol	Oral Rat LD50: >2000 mg/kg	Dermal Rabbit LD50: >2000 mg/kg
•	Inhalation Rat LC50/4 h: 20 mg/l	
OFOTION 40: Facility of the		
SECTION 12: Ecological inform	lation	
2.1. Toxicity		
l N	lo data available	
Ethanol: Ethyl Alcohol	NOEC / EC10 for marine or 9.6000 mg/l freshwater organisms	
12.2. Persistence and degradability		
	substance biodegrades at a moderate rate and inherentluide lines.	ly biodegradable according to the OECD
12.3. Bioaccumulative potential		
Т	he product is not bioaccumulating.	
Partition coefficient		
	Air Freshener Home & Vehicle No data available (CK Type Fragrance)	Ethanol: Ethyl Alcohol -0.35 log P
12.4. Mobility in soil		
-	his product is soluble in water.	
2.5. Results of PBT and vPvB ass	·	
	his mixture is not classified as PBT or vPvB according t	to current EU criteria.
2.6. Other adverse effects		
	lo data available.	
SECTION 13: Disposal conside		
3.1. Waste treatment methods	TUILVII J	

Revision 15
Revision date 2020-09-10

	Revision date 2020-09-10
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in
	compliance with local and national regulations.
SECTION 14: Transport info	rmation
Hazard pictograms	
	3
14.1. UN number	
	UN1170
14.2. UN proper shipping name	
	ETHYL ALCOHOL SOLUTION
14.3. Transport hazard class(es)	
ADR/RID	3
Subsidiary risk	 -
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for use	er
	No additional special precautions.
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	•
EmS Code	F-E S-D
IATA	1
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	1

Revision 15 Revision date 2020-09-10

IATA

Maximum quantity

60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

RevisionThis document differs from the previous version in the following areas:.

- 1 Product Use.
- 2 2.1. Classification of the substance or mixture.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 3 Active Ingredients.
- 5 5.2. Special hazards arising from the substance or mixture.
- 5 5.3. Advice for firefighters.
- 7 7.3. Specific end use(s).
- 8 Skin protection Handprotection.
- 8 Eye / face protection.
- 10 10.3. Possibility of hazardous reactions.
- 10 10.6. Hazardous decomposition products.
- 10 10.5. Incompatible materials.
- 11 Acute toxicity.
- 12 12.1. Toxicity.
- 12 12.4. Mobility in soil.
- 12 12.3. Bioaccumulative potential.
- 12 12.5. Results of PBT and vPvB assessment.
- 15 Hazard Statement.

Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.

Flam. Liq. 3: H226 - Flammable liquid and vapour. - Flash Point - 23 degC.

Eye Irrit. 2: H319 - Causes serious eye irritation. - Calculation Method.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. - Calculation Method.

Text of Hazard Statements in Section 3

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Flam. Lig. 3: H226 - Flammable liquid and vapour.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Revision 15

Revision date 2020-09-10

Other information	
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

