



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

Air Freshener Home & Vehicle (Cool W Type Fragrance)

Revision 12

Revision date 2022-11-04

| | Revision date 2022-11-02 | | | |
|---------------------------------------|--|--|--|--|
| SECTION 1: Identification of | the substance/mixture and of the company/undertaking | | | |
| 1.1. Product identifier | | | | |
| Product name | Air Freshener Home & Vehicle (Cool W Type Fragrance) | | | |
| Product code | QAFS284 | | | |
| 1.2. Relevant identified uses of t | he substance or mixture and uses advised against | | | |
| Product Use | [SU21] Consumer uses: Private households (= general public = consumers); [PC3] Air care products; | | | |
| | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products; | | | |
| Description | A ready to use designer fragranced air freshener. | | | |
| 1.3. Details of the supplier of the | 1.3. Details of the supplier of the safety data sheet | | | |
| Company | Superfine Manufacturing Ltd | | | |
| Address | Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD | | | |
| Web | www.superfine.co.uk | | | |
| Telephone | Tel: 01307 463538 | | | |
| Fax | Fax: 01307 468505 | | | |
| Email address of the competent person | nigel@superfine.co.uk | | | |
| 1.4. Emergency telephone numb | per | | | |
| Emergency telephone number | 01307 463538 | | | |
| | 8.30am to 17.00pm | | | |
| | For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) | | | |
| | If you are a healthcare professional with an enquiry please visit www.TOXBASE.org | | | |
| SECTION 2: Useranda idantifi | | | | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| 2.1.2. Classification - EC | EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 3: H412; |
|----------------------------|--|
| 1272/2008 | |

12

Air Freshener Home & Vehicle (Cool W Type Fragrance)

Revision

Revision date 2022-11-04

2.2. Label elements

| Hazard pictograms | |
|--|---|
| Signal Word | Warning |
| Hazard Statement | EUH208 - Contains linalyl Acetate, Hexyl Cinnamal, Linalool, Acetyl Cedrene, Woody Acetate. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. |
| Precautionary Statement: Prevention | P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| Precautionary Statement: Response | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention. |
| Precautionary Statement: Storage | P403+P235 - Store in a well-ventilated place. Keep cool. |
| Precautionary Statement: Disposal | P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations. |
| SUPPLEMENTAL HAZARD INFORMATION | Ingredients - Denatured Alcohol, Parfum, Hexyl Cinnamal, Linalool, Limonene, Alpha-isomethyl ionone, Geraniol. |
| | Contains - Denatured Ethanol, 2,2-dimethyl-1,3-dioxolan-4-ylmethanol, Diethyl phthalate, 1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate, 2-Benzylideneoctanal, 3,7-Dimethylocta-1,6-dien-3-ol, 1-Cedr-8-En-9ylethanone, 4-tert-butylcyclohexyl acetate, 7-Acetyl-1,1,3,4,4,6-hexamethyl-1,2,3,4-tetrahydronaphthalene. |
| 2.3. Other hazards | |
| Other hazards | This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties. |
| Further information | |
| | RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY. |
| SECTION 3: Composition/inf | formation on ingredients |

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision 12

Revision date 2022-11-04

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|---|-----------|------------|-----------|------------------------------|-----------------|---|
| 2,2-dimethyl-1,3-dioxolan-4-ylmetha nol | | 100-79-8 | 202-888-7 | 01-2120066005-66 | 1 - 10% | Eye Irrit. 2: H319; |
| Ethanol: Ethyl Alcohol (Ethanol) | | 64-17-5 | 200-578-6 | 01-2119457610-43 | 50 - 60% | Flam. Liq. 2: H225; Eye Irrit. 2: H319; |
| Diethyl phthalate | | 84-66-2 | 201-550-6 | 01-2119486682-27 | 1 - 10% | |
| 1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate | | 115-95-7 | 204-116-4 | 01-2119454789-19 | 0.5 - 1% | Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; |
| 2-Benzylideneoctanal | | 101-86-0 | 202-983-3 | | 0 - 0.5% | Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; |
| 3,7-Dimethylocta-1,6-dien-3-ol | | 78-70-6 | 201-134-4 | 01-2119474016-42 | 0 - 0.5% | Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; |
| 1-Cedr-8-En-9-ylethanone | | 32388-55-9 | 251-020-3 | | 0 - 0.5% | Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; |
| 4-tert-Butylcyclohexyl acetate | | 32210-23-4 | 250-954-9 | 01-2119976286-24 | 0 - 0.5% | Skin Sens. 1: H317; |
| 7-Acetyl-1,1,3,4,4,6-hexamethyl-1,2,3,4-tetrahydronaphthalene | | 21145-77-7 | 244-240-6 | | 0 - 0.5% | Acute Tox. 4: H302; Aquatic Chronic 1: H410; |

2-Benzylideneoctanal, CAS No. 101-86-0 - M Factor (Acute) = 1.

1-Cedr-8-En-9-ylethanone, CAS No. 32388-55-9 - M Factor (Acute/Chronic) = 1.

7-Acetyl-1,1,3,4,4,6-hexamethyl-1,2,3,4-tetrahydronaphthalene, CAS No. 21145-77-7 - M Factor (Chronic) = 1.

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move the exposed person to fresh air. |
|--------------|---|
| Eye contact | Rinse immediately with plenty of water. Contact lenses should be removed. |
| Skin contact | Remove contaminated clothing. Wash with water and soap as a precaution. |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. |

4.2. Most important symptoms and effects, both acute and delayed

| Inhalation | High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system. |
|--------------|--|
| Eye contact | Irritating to eyes. |
| Skin contact | May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin. |
| Ingestion | May cause irritation to mucous membranes. |

4.3. Indication of any immediate medical attention and special treatment needed

| | TREAT SYMPTOMATICALLY. |
|--------------|---|
| Inhalation | Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist. |
| Eye contact | Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist. |
| Skin contact | Seek medical attention if irritation or symptoms persist. |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist. |
| | |

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2. Special hazards arising from the substance or mixture

Revision 12

| | Revision date 2022-11-04 |
|------------------------------------|---|
| 5.2. Special hazards arising from | n the substance or mixture |
| | Flammable liquid and vapour. |
| 5.3. Advice for firefighters | |
| | Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear. |
| Further information | |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| SECTION 6: Accidental release | ase measures |
| 6.1. Personal precautions, prote | ective equipment and emergency procedures |
| | Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition. |
| 6.2. Environmental precautions | |
| | Advise local authorities if large spills cannot be contained. |
| 6.3. Methods and material for co | ontainment and cleaning up |
| | Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition. |
| 6.4. Reference to other sections | |
| | See section 2, 7, 8, 13 for further information. |
| SECTION 7: Handling and s | torage |
| 7.1. Precautions for safe handling | ng |
| | Adopt best Manual Handling considerations when handling, carrying and dispensing. |
| 7.2. Conditions for safe storage, | including any incompatibilities |
| | Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children. |
| 7.3. Specific end use(s) | |
| | A ready to use designer fragranced air freshener. |
| Suitable packaging | |
| | Plastic containers. |
| SECTION 8: Exposure contr | rols/personal protection |
| 8.1. Control parameters | |
| | |
| | Occupational exposure controls. |
| 8.1.1. Exposure Limit Values | |

Revision 12

Revision date 2022-11-04

8.1.1. Exposure Limit Values

| 6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane | WEL 8-hr limit ppm: 25 | WEL 8-hr limit mg/m3: 140 |
|--|------------------------------|------------------------------------|
| | WEL 15 min limit ppm: 50 | WEL 15 min limit mg/m3: 300 |
| | WEL 8-hr limit mg/m3 total | WEL 15 min limit mg/m3 total |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total | WEL 15 min limit mg/m3 total |
| | respirable dust: | respirable dust: |
| Diethyl phthalate | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: 5 |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 10 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| Ethanol: Ethyl Alcohol (Ethanol) | WEL 8-hr limit ppm: 1000 | WEL 8-hr limit mg/m3 : 1920 |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |

DNEL: Derived no-effect level.

Exposure Pattern - Workers

| Ethanol: Ethyl Alcohol | Long-term - inhalation - Systemic 950 mg/m³ | |
|------------------------|---|---|
| | effects | |
| | Long-term - inhalation - Local 1900 mg/m³ | Long-term - dermal - Systemic 343 mg/kg |
| | effects | effects |

Exposure Pattern - General population

| Ethanol: Ethyl Alcohol | Long-term - inhalation - Systemic | 114 mg/m³ | | |
|------------------------|-----------------------------------|-----------------------|-------------------------------|-----------|
| | effects | | | |
| | Long-term - inhalation - Local | 950 mg/m ³ | Long-term - dermal - Systemic | 206 mg/kg |
| | effects | | effects | |
| | Long-term - oral - Systemic | 87 mg/kg | | |
| | effects | | | |

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications,

Revision 12

Revision date 2022-11-04

8.2. Exposure controls

| | we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. |
|-------------------------------|--|
| Respiratory protection | No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment. |
| 8.2.3. Environmental exposure | Prevent further leakage or spillage if safe to do so. |
| controls | |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Liquid |
|----------------------------|---------------------|
| Colour | Colourless |
| Odour | Designer Fragranced |
| Odour threshold | No data available |
| рН | 4 - 6 |
| Melting point | No data available |
| Initial boiling point | No data available |
| Flash point | 23 °C |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Vapour pressure | No data available |
| Relative Vapour Density | No data available |
| Density / Relative Density | 0.85 - 0.95 g/cm3 |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Viscosity | < 50 centipoise |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | No data available |

9.2. Other information

| Conductivity | No data available |
|-----------------------|-------------------|
| Surface tension | No data available |
| Specific gravity | No data available |
| Gas group | No data available |
| Benzene Content | No data available |
| Lead content | No data available |
| VOC (Volatile organic | No data available |
| compounds) | |

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

12

Air Freshener Home & Vehicle (Cool W Type Fragrance)

Revision

Revision date 2022-11-04 10.3. Possibility of hazardous reactions None known. 10.4. Conditions to avoid Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. 10.5. Incompatible materials Oxidising agents. Combustible materials. 10.6. Hazardous decomposition products No Hazardous decomposition products when stored and handled correctly. **SECTION 11: Toxicological information** 11.1 Information on hazard classes This mixture has not been tested as a whole for health effects. The health effects have been

| | I his mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). |
|-------------------------------|--|
| Acute toxicity | based on available data the classification criteria are not met. |
| | Oral ATE = >10,000 mg/kg. |
| | Inhalation - Dust/Mist = >10,000 mg/l. |
| Skin corrosion/irritation | based on available data the classification criteria are not met. |
| Serious eye damage/irritation | Eye Irrit. 2: H319 - Causes serious eye irritation. |
| Respiratory or skin | based on available data the classification criteria are not met. |
| sensitisation | |
| Germ cell mutagenicity | based on available data the classification criteria are not met. |
| Carcinogenicity | based on available data the classification criteria are not met. |
| Reproductive toxicity | based on available data the classification criteria are not met. |
| STOT-single exposure | based on available data the classification criteria are not met. |
| STOT-repeated exposure | based on available data the classification criteria are not met. |
| Aspiration hazard | based on available data the classification criteria are not met. |
| Repeated or prolonged | based on available data the classification criteria are not met. |
| exposure | |
| 11.1.2. Mixtures | |

| | No data available. |
|----------------------------|--------------------|
| 11.1.3. Hazard Information | |

11.1.4. Toxicological Information

| 2,2-dimethyl-1,3-dioxolan-4-ylme thanol | Dermal Rat LD50: >2000 mg/kg | Oral Rat LD50: 7000 mg/kg |
|---|---------------------------------------|-----------------------------------|
| | Inhalation Rat LC50/4 h: >5.11 mg/l | |
| 6,6-Dimethyl-2-methylenebicyclo | Dermal Rat LD50: 133848.9mg/kg | Oral Rat LD50: 37287.23mg/kg |
| [3.1.1]heptane | | |
| Ethanol: Ethyl Alcohol | Oral Rat LD50: 10470.0 mg/kg | Dermal Rabbit LD50: 15800.0 mg/kg |
| | Inhalation Rat LC50/4 h: 20 mg/l | |

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

No data available

No data available.

12

Air Freshener Home & Vehicle (Cool W Type Fragrance)

Revision

Revision date 2022-11-04

| 40.4 Tavialta | |
|---------------------------------|---|
| 12.1. Toxicity | |
| Ethanol: Ethyl Alcohol | NOEC / EC10 for marine or 9.6000 mg/l freshwater organisms |
| | iresniwater organisms |
| 12.2. Persistence and degradal | bility |
| | Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. |
| 12.3. Bioaccumulative potential | I |
| | |
| | The product is not bioaccumulating. |
| Partition coefficient | · |
| | Air Freshener Home & Vehicle No data available Ethanol: Ethyl Alcohol -0.35 log P (Cool W Type Fragrance) |
| 12.4. Mobility in soil | |
| | This product is soluble in water. |
| 12.5. Results of PBT and vPvB | |
| | This substance/mixture is not classified as PBT or vPvB according to current criteria. |
| 12.6 Endocrine disrupting prop | |
| 12.5 Endooning disrupting prop | No data is available on this product. |
| 12.7. Other adverse effects | I NO data is available off this product. |
| 12.1. Other adverse effects | No data is available on this conduct |
| | No data is available on this product. |
| SECTION 13: Disposal con | siderations |
| 13.1. Waste treatment methods | 3 |
| | Dispose of waste and residues in accordance with local authority requirements. |
| General information | |
| | Dispose of in compliance with all local and national requirements. |
| Disposal of packaging | |
| | Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. |
| SECTION 14: Transport info | ormation |
| - | |
| Hazard pictograms | |
| | |
| 14.1. UN number | |
| | UN1170 |
| 14.2. UN proper shipping name | · } |
| | ETHYL ALCOHOL SOLUTION |
| 14.3. Transport hazard class(es | |
| ADR/RID | 3 |
| Subsidiary risk | 1 - |
| IMDG | 3 |
| | |

Powered by ChemSoft EH&S

Revision 12

| | Re | vision date | 2022-11-04 |
|-----------------------------------|------------------------------------|-------------|------------|
| 14.3. Transport hazard class(es) | | | |
| Subsidiary risk | - | | |
| IATA | 3 | | |
| Subsidiary risk | - | | |
| 14.4. Packing group | | | |
| Packing group | Ш | | |
| 14.5. Environmental hazards | | | |
| Environmental hazards | No | | |
| Marine pollutant | No | | |
| 14.6. Special precautions for use | 14.6. Special precautions for user | | |
| | No additional special precautions. | | |
| 14.7 Maritime Transport in bulk | according to IMO instruments | | |
| | Not applicable. | | |
| ADR/RID | | | |
| Hazard ID | 30 | | |
| Tunnel Category | (D/E) | | |
| IMDG | | | |
| EmS Code | F-E S-D | | |
| IATA | | | |
| Packing Instruction (Cargo) | 366 | | |
| Maximum quantity | 220 L | | |
| Packing Instruction | 355 | | |
| (Passenger) | | | |
| Maximum quantity | 60 L | | |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision 12

Revision date 2022-11-04

| Other information | Other information | |
|--|--|--|
| Revision | This document differs from the previous version in the following areas:. 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes. 10 - 10.6. Hazardous decomposition products. 11 - 11.2 Information on other hazards. 12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 15 - Regulations. | |
| Data sources | Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC. Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method. | |
| Text of Hazard Statements in Section 3 | Eye Irrit. 2: H319 - Causes serious eye irritation. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Skin Irrit. 2: H315 - Causes skin irritation. Skin Sens. 1: H317 - May cause an allergic skin reaction. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Acute Tox. 4: H302 - Harmful if swallowed. | |
| Further information | | |
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information | |

relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.