



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/11

Air Freshener Home & Vehicle (Hebridean Breeze Fragrance)

Revision 12

	Revision date 2020-10-20
SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Air Freshener Home & Vehicle (Hebridean Breeze Fragrance)
Product code	QAFS409
1.2. Relevant identified uses o	f the substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC3] Air care products;
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;
Description	A ready to use spray air freshener.
1.3. Details of the supplier of the	ne safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus
	Scotland DD8 1TD
Web	www.superfine.co.uk
	Tel: 01307 463538
Telephone	Fax: 01307 468505
Fax	1
Email	nigel@superfine.co.uk
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone nur	nber
Emergency telephone numbe	01307 463538
	8.30am to 17.00pm
	National Poisons Information Service: For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

2.2. Label elements

Revision

12

Revision date 2020-10-26

2.2. Label elements

z.z. Labei elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains hexyl cinnamal, geraniol, nerol, linalool, linalyl acetate, citronellol, D-limonene, limonene, coumarin. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Alcohol, Parfum, Hexyl Cinnamal, Geraniol, Limonene, Linalool, Coumarin, Citronellol.
2.3. Other hazards	
Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision

12

Revision date 2020-10-26

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2-dimethyl-1,3-dioxolan-4-ylmetha	1	100-79-8	202-888-7	01-2120066005-66	10 - 20%	Eye Irrit. 2: H319;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	50 - 60%	Flam. Liq. 2: H225; Eye Irrit. 2: H319:
2-Benzylideneoctanal		101-86-0	202-983-3		0.5 - 1%	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
2,6-Octadien-1-ol, 3,7-Dimethyl-		106-24-1	203-377-1	01-2119552430-49	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Pentyl salicylate		2050-08-0	911-280-7		0 - 0.5%	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3,7-Dimethylocta-1,6-dien-3-ol		78-70-6	201-134-4	01-2119474016-42	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
2E-3,7-Dimethylocta-2,6-diene-1-ol		106-25-2	203-378-7		0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318;
1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate		115-95-7	204-116-4	01-2119454789-19	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
2H-Chromen-2-one		91-64-5	202-086-7		0 - 0.5%	Acute Tox. 3: H301; Acute Tox. 3: H311; Skin Sens. 1: H317; Acute Tox. 3: H331; Aquatic Chronic 2: H411;
3,7-Dimethyloct-6-en-1-ol		106-22-9	203-375-0	01-2119453995-23	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
1- (4-tert-Butyl-2,6-dimethyl-3,5-dinitro phenyl)ethanone		81-14-1	201-328-9		0 - 0.5%	Carc. 2: H351; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
2,6,6-Trimethylbicyclo[3.1.1]hept-2- ene (Alpha-Pinene)		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1,3,3-trimethyl-2-oxabicyclo{2.2.2]o ctane		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Sens. 1: H317;
1,7,7-Trimethylbicyclo[2.2.1]heptan- 2-one		464-49-3	207-355-2		0 - 0.5%	Flam. Sol. 2: H228; Acute Tox. 4: H302+H332; STOT SE 2: H371;
2,2, Dimethyl-3-Methylene Bicyclo (2,2,1) Heptane		79-92-5	201-234-8	01-2119446293-40	0 - 0.5%	Flam. Sol. 2: H228; Eye Irrit. 2: H319; Aquatic Chronic 1: H410;
turpentine, oil (Turpentine)	650-002-00-6	8006-64-2	232-350-7		0 - 0.5%	Flam. Liq. 3: H226; Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Asp. Tox. 1: H304; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 2: H411;
7-methyl-3-methyleneocta-1,6-dien e		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319;
6,6-Dimethyl-2-methylenebicyclo[3. 1.1]heptane		127-91-3	204-872-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
Hydrocarbons, a natural component of essential: oils - alicylic and aliphatic	l				0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304;
dalphaPinene		7785-70-8	232-087-8		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410:
1-Isopropyl-4-methylbenzene		99-87-6	202-796-7		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Repr. 2: H361; Aquatic Chronic 2: H411;

Revision

12

Revision date 2020-10-26

	Revision date 2	2020-10-26
3.2. Mixtures		
1-Isopropyl-4-methylcyclohexa-1,4-diene	99-85-4 202-794-6 0 - 0.5% Flam. Liq. 3: H226; Asp. Tox. 1: H304;	
Further information		
Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.	
SECTION 4: First aid measu	ures	
4.1. Description of first aid meas	sures	
Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	
4.2. Most important symptoms a	and effects, both acute and delayed	
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nause cause irritation to respiratory system.	ea. May
Eye contact	Causes serious eye irritation.	
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.	
Ingestion	May cause irritation to mucous membranes.	
4.3. Indication of any immediate	e medical attention and special treatment needed	
	TREAT SYMPTOMATICALLY.	
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms person	sist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical if irritation or symptoms persist.	attention
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.	
General information		
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatic	cally.
SECTION 5: Firefighting me	easures	
5.1. Extinguishing media		
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances surrounding environment.	and the
5.2. Special hazards arising from	m the substance or mixture	
	Flammable liquid and vapour.	
5.3. Advice for firefighters		
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and turnout gear.	l full
Further information		
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemic Use extinguishing measures that are appropriate to local circumstances and the surroundi environment.	
SECTION 6: Accidental rele	ease measures	
6.1. Personal precautions, prote	ective equipment and emergency procedures	
, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sou ignition.	rces of
6.2. Environmental precautions		
	Advise local authorities if large spills cannot be contained.	
	σ μ	

Revision 12

Revision date 2020-10-26

6.3. Methods and material for containment and cleaning up Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for

disposal. Avoid sparks, flames, heat and sources of ignition.

6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.

7.3. Specific end use(s)

A ready to use spray air freshener.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
, ,	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
6,6-Dimethyl-2-methylenebicyclo	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
[3.1.1]heptane		
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
turpentine, oil (Turpentine)	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3: 566
	WEL 15 min limit ppm: 150	WEL 15 min limit mg/m3: 850
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

12

Air Freshener Home & Vehicle (Hebridean Breeze Fragrance)

Revision

Revision date 2020-10-26

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	\$ 5.98 mg/m³
-2-ene	effects	S
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³
	effects	s
	Long-term - inhalation - Local	I 1900 mg/m³ Long-term - dermal - Systemic 343 mg/kg
	effects	s effects

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic	1.06 mg/m³	
-2-ene	effects		
	Long-term - oral - Systemic	0.31 mg/kg	
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³	
	effects		
	Long-term - inhalation - Local	950 mg/m ³	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

controls

Nitrile rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

No personal respiratory protective equipment normally required. In case of insufficient ventilation

Respiratory protection

wear suitable respiratory equipment.

8.2.3. Environmental exposure

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

evision 12

Revision date 2020-10-26

9.1. Information on basic physical and chemical properties

Appearance	Liquid
• •	Colourless
Odour	Characteristic
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.85 - 0.95 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
pH	4 - 9
Melting point	No data available
Initial boiling point	No data available
Flash point	23 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Solubility	No data available

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

SECTION 10: Stability and reactivity

10.1.	Rea	ctivity

Flammable liquid. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute toxicity based on available data the classification criteria are not met.

Revision 12

		Revision date 2020-1
1.1. Information on toxicologica	l effects	
Skin corrosion/irritation	based on available data the classification criteria are	e not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Respiratory or skin sensitisation	based on available data the classification criteria are	e not met.
Germ cell mutagenicity	based on available data the classification criteria are	e not met.
Carcinogenicity	based on available data the classification criteria are	e not met.
Reproductive toxicity	based on available data the classification criteria are	e not met.
STOT-single exposure	based on available data the classification criteria are	e not met.
STOT-repeated exposure	based on available data the classification criteria are	e not met.
Aspiration hazard	based on available data the classification criteria are	e not met.
1.1.2. Mixtures		
	No data available.	
1.1.3. Hazard Information		
	No data available.	
1.1.4. Toxicological Information		
2,2-dimethyl-1,3-dioxolan-4-ylme hanol	Oral Rat LD50: 7000 mg/kg	Dermal Rabbit LD50: 2000 mg/kg
	Inhalation Rat LC50/4 h: >5.11 mg/l	
2,6,6-Trimethylbicyclo[3.1.1]hept 2-ene	Oral Rat LD50: 3500 mg/kg	
6,6-Dimethyl-2-methylenebicyclo 3.1.1]heptane	Dermal Rat LD50: 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg
Ethanol: Ethyl Alcohol	Oral Rat LD50: >2000 mg/kg	Dermal Rabbit LD50: >2000 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	
SECTION 12: Ecological info	rmation	
2.1. Toxicity		
2,2-dimethyl-1,3-dioxolan-4-ylme	Daphnia EC50/48h: 96.0000 mg/l	Algae EC50/72h: >92 mg/l
hanol	Fathead minnows LC50/96h: 16.7 mg/l	
Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l	Algae EC50/72h: 275 mg/l
·	Green Algae EC50/48h: >100mg/l	Fathead minnows LC50/96h: 14200 mg/l
	Rainbow trout LC50/96h: 13000 mg/l	Ç
	NOEC / EC10 for marine or 9.6000 mg/l	
	freshwater organisms	
2.2. Persistence and degradabi	lity	
J	Substance biodegrades at a moderate rate and inhe	erently biodegradable according to the OECI
	guide lines.	

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

(Hebridean Breeze Fragrance)		Air Freshener Home & Vehicle No data available	Ethanol: Ethyl Alcohol -0.35 log P
		(Hebridean Breeze Fragrance)	

12.4. Mobility in soil

This product is soluble in water.

12.5. Results of PBT and vPvB assessment

Revision

12

	Revision date 2020-10-26			
12.5. Results of PBT and vPvB assessment				
	This mixture is not classified as PBT or vPvB according to current EU criteria.			
12.6. Other adverse effects				
	No data available.			
SECTION 13: Disposal con	siderations			
13.1. Waste treatment method	s			
	Dispose of waste and residues in accordance with local authority requirements.			
General information	·			
	Dispose of in compliance with all local and national requirements.			
Disposal of packaging				
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.			
SECTION 14: Transport inf	ormation			
Hazard pictograms				
	3			
14.1. UN number				
	UN1170			
14.2. UN proper shipping name	9			
	ETHYL ALCOHOL SOLUTION			
14.3. Transport hazard class(e	s)			
ADR/RID	3			
Subsidiary risk	-			
IMDG Subsidiant risk	3			
Subsidiary risk IATA	3			
Subsidiary risk	-			
14.4. Packing group				
Packing group	III			
14.5. Environmental hazards				
Environmental hazards	No			
Marine pollutant	No			
14.6. Special precautions for u	ser			
	No additional special precautions.			
14.7. Transport in bulk accordi	14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code			
	Not applicable.			
ADR/RID				
Hazard ID	30			
Tunnel Category	(D/E)			
IMDG				

Revision 12 Revision date 2020-10-26

IMDG

EmS Code F-E S-D

IATA

Packing Instruction (Cargo) 366
Maximum quantity 220 L

Packing Instruction (Passenger) 355

(Maximum quantity 60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:
I This document differs from the brevious version in the following areas

- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 5 5.2. Special hazards arising from the substance or mixture.
- 5 5.3. Advice for firefighters.
- 8 Skin protection Handprotection.
- 8 Eye / face protection.
- 10 10.6. Hazardous decomposition products.
- 10 10.5. Incompatible materials.
- 12 12.1. Toxicity.
- 12 12.4. Mobility in soil.
- 12 12.3. Bioaccumulative potential.
- 12 12.5. Results of PBT and vPvB assessment.

Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.

Flam. Liq. 3: H226 - Flammable liquid and vapour. - Flash Point - 23 degC.

Eye Irrit. 2: H319 - Causes serious eye irritation. - Calculation Method.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. - Calculation Method.

Text of Hazard Statements in Section 3

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

ChemSoft EH&S

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Dam. 1: H318 - Causes serious eye damage.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Powered by

Revision

12

Revision date 2020-10-26

Other information				
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Acute Tox. 4: H302 - Harmful if swallowed. Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled Carc. 2: H351 - Suspected of causing cancer . Flam. Sol. 2: H228 - Flammable solid. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled STOT SE 2: H371 - May cause damage to organs . Acute Tox. 4: H312 - Harmful in contact with skin. Acute Tox. 4: H332 - Harmful if inhaled. Repr. 2: H361 - Suspected of damaging fertility or the unborn child .			
Further information				
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.			