



Page 1/8

Air Freshener Home & Vehicle (Spring Fresh Fragrance)

 Revision
 32

 Revision date
 2018-06-21

	Revision date 2016-06-2
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Air Freshener Home & Vehicle (Spring Fresh Fragrance)
Product code	QAFS203
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers);
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	A lingering pleasantly perfumed spray air freshner, suitable for rooms and vehicle deodorising.
1.3. Details of the supplier of the	safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus
	Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email	nigel@superfine.co.uk
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone num	
	01307 463538
Emergency telephone number	
	8.30am to 17.00pm
SECTION 2: Hazards identif	ication
2.1. Classification of the substar	nce or mixture
2.1.2. Classification - EC 1272/2008	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
2.2. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains 6,6-Dimethylbicyclo-(3,1,1)-2-heptene-2-ethyl acetate, hexyl cinnimal, butylphenylmethyl propional, citronellol, coumarin, 4-tert-butylcyclohexyl acetate. May produce an allergic reaction.
Copyright © 2018 ChemSoft, All rights reserve	



Revision 32

Revision date 2018-06-21

2.2. Label elements		
	Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.	
Precautionary Statement: Prevention	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.	
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.	
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.	
2.3. Other hazards		
Other hazards	PBT not identified as a PBT substance.	

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2-dimethyl-1,3-dioxolan-4-ylmetha		100-79-8	202-888-7	01-2120066005-66	1 - 10%	Eye Irrit. 2: H319;
nol						
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	50 - 60%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
6,6-Dimethylbicyclo-(3,1,1) -2-heptene-2-ethyl acetate		128-51-8	204-891-9	01-2119982322-38	0.5 - 1%	Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2:
						H411;
Hexyl cinnamal		101-86-0	202-983-3		0.5 - 1%	Skin Sens. 1: H317; Aquatic Chronic 2: H411;
Butylphenyl methylpropional		80-54-6	201-289-8		0 - 0.5%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Skin Sens. 1: H317; Repr. 2: H361; Aquatic Chronic 2: H411:
Citronellol		106-22-9	203-375-0	01-2119453995-23	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
Coumarin		91-64-5	202-086-7		0 - 0.5%	Acute Tox. 4: H302; Skin Sens. 1: H317; STOT RE 2: H373;
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-h examethylindeno[5,6-c]pyran	603-212-00-7	1222-05-5	214-946-9	01-2119488227-29	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
6-Acetyl-1,1,2,4,4,7-hexamethyltetr akine		1506-02-1	216-133-4		0 - 0.5%	Acute Tox. 4: H302; Aquatic Chronic 1: H410:
4 - Tertiary - Butylcyclohexyl Acetate		32210-23-4	250-954-9	01-2119976286-24	0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 2: H411:
Eucalyptol		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Sens. 1: H317:
dl-Limonene (racemic)		138-86-3	205-341-0		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;

Further information

 Product Shelf Life
 RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

 Active Ingredients
 Ingredients Air Freshener - Denatured Alcohol, Parfum (Linalool, Hexyl Cinnamal, Citronellol).

 SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Move the exposed person to fresh air.



Revision date 2018-06-21

4.1. Description of first aid measures					
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.				
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.				
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.				
4.2. Most important symptoms a	nd effects, both acute and delayed				
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.				
Eye contact	Causes serious eye irritation.				
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.				
Ingestion	May cause irritation to mucous membranes.				
4.3. Indication of any immediate	medical attention and special treatment needed				
	TREAT SYMPTOMATICALLY.				
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.				
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.				
Skin contact	Seek medical attention if irritation or symptoms persist.				
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.				
General information					
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.				
SECTION 5: Firefighting mea					
5.1. Extinguishing media					
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
5.2. Special hazards arising from	n the substance or mixture				
	Burning produces irritating, toxic and obnoxious fumes.				
5.3. Advice for firefighters					
	Wear suitable respiratory equipment when necessary.				
Further information					
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.				
SECTION 6: Accidental relea	ase measures				
6.1. Personal precautions, protective equipment and emergency procedures					
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.				
6.2. Environmental precautions					
	Advise local authorities if large spills cannot be contained.				
6.3. Methods and material for co					
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.				
6.4. Reference to other sections	· · · · · · · · · · · · · · · · · · ·				
	See section 2, 7, 8, 13 for further information.				
SECTION 7: Handling and st					
7.1. Precautions for safe handling					



Revision 32

Revision date 2018-06-21

7.1. Precautions for safe handling			
	Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage, including any incompatibilities			
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.		
7.3. Specific end use(s)			
	No data is available on this product.		
Suitable packaging			
	Plastic containers.		
SECTION 8: Exposure controls/personal protection			

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Diethyl phthalate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 10
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.		
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.		
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.		
Skin protection - Handprotection	Rubber gloves.		
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.		
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.		
SECTION 9: Physical and chemical properties			

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Appearance	Liquid	
Colour	Clear	
Odour	Pleasant	
Odour threshold	No data available	
pH	4.2 - 6	
Melting point	No data available	
Initial boiling point	No data available	
Flash point	23 °C	
Evaporation rate	No data available	
Flammability (solid, gas)	No data available	
Vapour pressure	No data available	
Vapour density	No data available	
Relative density	0.85 - 0.95 g/cm3	
Partition coefficient	No data available	
Autoignition temperature	No data available	
Viscosity	< 50 centipoise	
Explosive properties	No data available	
Oxidising properties	No data available	
Solubility	Immiscible in water	

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

Water solubility

will form an emulsion.

	will form an emulsion.		
SECTION 10: Stability and reactivity			
10.1. Reactivity			
	Flammable liquid. Stable under normal conditions.		
10.2. Chemical stability			
	Flammable liquid. Stable under normal conditions.		
10.3. Possibility of hazardous rea	actions		
	Oxidising agents. Combustible materials.		
10.4. Conditions to avoid			
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.		
10.5. Incompatible materials			
	Oxidising agents.		
10.6. Hazardous decomposition products			
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.		
SECTION 11: Toxicological information			

11.1. Information on toxicological effects



Revision 32

Revision date 2018-06-21

11.1. Information on toxicological effects

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).		
Acute toxicity	based on available data the classification criteria are not met.		
Skin corrosion/irritation	based on available data the classification criteria are not met.		
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.		
Respiratory or skin sensitisation	based on available data the classification criteria are not met.		
Germ cell mutagenicity	based on available data the classification criteria are not met.		
Carcinogenicity	based on available data the classification criteria are not met.		
Reproductive toxicity	based on available data the classification criteria are not met.		
STOT-single exposure	based on available data the classification criteria are not met.		
STOT-repeated exposure	based on available data the classification criteria are not met.		
Aspiration hazard	based on available data the classification criteria are not met.		
11.1.2. Mixtures			
	No data available.		
11.1.3. Hazard Information			
	No data available.		

11.1.4. Toxicological Information

6-Acetyl-1,1,2,4,4,7-hexamethylt etrakine	Oral Rat LD50: 1000	
Butylphenyl methylpropional	Oral Rat LD50: 1390	
Ethanol: Ethyl Alcohol	Oral Rat LD50: >2000 mg/kg	Dermal Rabbit LD50: >2000 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

	No data is available on this product.	
Partition coefficient		
	Air Freshener Home & Vehicle No data available	Ethanol: Ethyl Alcohol 0.35 log P
	(Spring Fresh Fragrance)	

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this p	product.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.



Revision 32

Revision date 2018-06-21

General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	▼
	UN1170
14.2. UN proper shipping name	
44.0 Transactions of the second stars (ETHYL ALCOHOL SOLUTION
14.3. Transport hazard class(es	
ADR/RID	3
Subsidiary risk IMDG	
Subsidiary risk	3
IATA	3
Subsidiary risk	-
14.4. Packing group	<u> </u>
Packing group	111
14.5. Environmental hazards	"'
Environmental hazards Marine pollutant	No
	1
14.6. Special precautions for us	
	No additional special precautions.
14.7. I ransport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
ΙΑΤΑ	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger) Maximum quantity	60 L
SECTION 15: Regulatory information	



Revision date 2018-06-21

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Juemica

No information available

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	4 - Eye contact.
	11 - 11.1.4. Toxicological Information.
	11 - 11.1. Information on toxicological effects.
	11 - Serious eye damage/irritation.
	12 - 12.1. Toxicity.
	16 - Data sources.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008:
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC.
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.
Text of Hazard Statements in	Eye Irrit. 2: H319 - Causes serious eye irritation.
Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Repr. 2: H361 - Suspected of damaging fertility or the unborn child
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

