



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/10

Air Freshener Home & Vehicle (Spring Fresh Fragrance)

Revision 36

	Revision date 2020-10-2
SECTION 1: Identification of	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Air Freshener Home & Vehicle (Spring Fresh Fragrance)
Product code	QAFS203
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC3] Air care products;
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;
Description	A lingering pleasantly perfumed spray air freshner, suitable for rooms and vehicle deodorising.
1.3. Details of the supplier of th	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus
	Scotland
Web	DD8 1TD
	www.superfine.co.uk Tel: 01307 463538
Telephone	Fax: 01307 468505
Fax	1
Email	nigel@superfine.co.uk
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone num	_' nber
Emergency telephone number	
	8.30am to 17.00pm
	National Poisons Information Service: For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

2.2. Label elements

36

Air Freshener Home & Vehicle (Spring Fresh Fragrance)

Revision

Revision date 2020-10-26

22	Lobol	مسمام	nto
,,	ı aneı	eleme	nre

z.z. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains linalool, nopyl acetate, hexyl cinnamal, linalyl acetate, citronellol, coumarin, butylphenyl methylpropional, 4-tert-butylcyclohexyl acetate. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients Air Freshener - Denatured Alcohol, Parfum, Linalool, Hexyl Cinnamal, Butylphenyl methylpropional, Coumarin, Citronellol, Geraniol, Benzyl Benzoate.
2.3. Other hazards	
Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision 36

Revision date 2020-10-26

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2-dimethyl-1,3-dioxolan-4-ylmetha		100-79-8	202-888-7	01-2120066005-66	1 - 10%	Eye Irrit. 2: H319;
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	50 - 60%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
3,7-Dimethylocta-1,6-dien-3-ol		78-70-6	201-134-4	01-2119474016-42	0.5 - 1%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
2-(6,6-Dimethylbicyclo-[3.1.1] -hept-2-en-2-yl)ethyl acetate		128-51-8	204-891-9	01-2119982322-38	0.5 - 1%	Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
2-Benzylideneoctanal		101-86-0	202-983-3		0.5 - 1%	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
3-(4-tert-Butylphenyl) -2-methylpropanal		80-54-6	201-289-8		0 - 0.5%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Skin Sens. 1: H317; Repr. 2: H361; Aquatic Chronic 2: H411;
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-h examethylindeno[5,6-c]pyran	603-212-00-7	1222-05-5	214-946-9	01-2119488227-29	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate		115-95-7	204-116-4	01-2119454789-19	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
2H-Chromen-2-one		91-64-5	202-086-7		0 - 0.5%	Acute Tox. 3: H301; Acute Tox. 3: H311; Skin Sens. 1: H317; Acute Tox. 3: H331; Aquatic Chronic 2: H411;
3,7-Dimethyloct-6-en-1-ol		106-22-9	203-375-0	01-2119453995-23	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
1- (5,6,7,8-tetrahydro-3,5,5,6,8,8-hexa me thyl-2-naphthyl) ethan-1-one		1506-02-1	216-133-4	01-2119539433-40	0 - 0.5%	Acute Tox. 4: H302; Aquatic Chronic 1: H410;
2E-3,7-Dimethylocta-2,6-diene-1-ol		106-25-2	203-378-7		0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Dam. 1: H318;
1,3,3-trimethyl-2-oxabicyclo{2.2.2]o ctane		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Sens. 1: H317;
1,7,7-Trimethylbicyclo[2.2.1]heptan- 2-one		464-49-3	207-355-2		0 - 0.5%	Flam. Sol. 2: H228; Acute Tox. 4: H302+H332; STOT SE 2: H371;
Hydrocarbons, a natural component of essential: oils - alicylic and aliphatic					0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Further	inform	ation

Product Shelf Life RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.
Eye contact	Causes serious eye irritation.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

Revision 36

	Revision 3 Revision date 2020-10-2
4.3. Indication of any imme	ediate medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	g measures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arisin	g from the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	·
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental	release measures
	protective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precaut	, -
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material	for containment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sec	ctions
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling a	and storage
7.1. Precautions for safe ha	andling
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe sto	prage, including any incompatibilities
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	A lingering pleasantly perfumed spray air freshner, suitable for rooms and vehicle deodorising.
Suitable packaging	
	Plastic containers.

Revision 36

Revision date 2020-10-26

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Diethyl phthalate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 10
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3 : 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 950 mg/m³	
	effects	
	Long-term - inhalation - Local 1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg
	effects	effects

Exposure Pattern - General population

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³		
	effects			
	Long-term - inhalation - Local	950 mg/m³ Lon	g-term - dermal - Systemic	206 mg/kg
	effects		effects	
	Long-term - oral - Systemic	87 mg/kg		
	effects			

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Nitrile rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned

36

Air Freshener Home & Vehicle (Spring Fresh Fragrance)

Revision

Revision date 2020-10-26

8.2.	Exposure	controls
V.Z.		

• • • • • • • • • • • • • • • • • • •	
protective gloves with the glove manufacturer.	
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation
	wear suitable respiratory equipment.
8.2.3. Environmental exposure	Prevent further leakage or spillage if safe to do so.
controls	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Pleasant
Odour threshold	No data available
pH	4.2 - 6
Melting point	No data available
Initial boiling point	No data available
Flash point	23 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.85 - 0.95 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Immiscible in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

Water solubility

will form an emulsion.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

Revision 36

Revision date 2020-10-26

10.5. Incompatible materials		
Oxidising agents.		
10.6. Hazardous decomposition products		
No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.		

SECTION 11: Toxicological information

11.1. Information on toxicological effects

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).	
Acute toxicity	based on available data the classification criteria are not met.	
·	Oral ATE = >10,000 mg/kg.	
	Dermal ATE = >10,000 mg/kg.	
	Inhalation - Dust/Mist ATE = 147.27 mg/l.	
Skin corrosion/irritation	based on available data the classification criteria are not met.	
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Respiratory or skin	based on available data the classification criteria are not met.	
sensitisation		
Germ cell mutagenicity	based on available data the classification criteria are not met.	
Carcinogenicity	based on available data the classification criteria are not met.	
Reproductive toxicity	based on available data the classification criteria are not met.	
STOT-single exposure	based on available data the classification criteria are not met.	
STOT-repeated exposure	based on available data the classification criteria are not met.	
Aspiration hazard	based on available data the classification criteria are not met.	
11.1.2. Mixtures		

N	Ю	da	ta	avaı	lab	ole

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

2,2-dimethyl-1,3-dioxolan-4-ylme	Oral Rat LD50: 7000 mg/kg	Dermal Rabbit LD50: 2000 mg/kg
thanol		
	Inhalation Rat LC50/4 h: >5.11 mg/l	
3-(4-tert-Butylphenyl)	Oral Rat LD50: 1390 mg/kg	
-2-methylpropanal		
Ethanol: Ethyl Alcohol	Oral Rat LD50: >2000 mg/kg	Dermal Rabbit LD50: >2000 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	

SECTION 12: Ecological information

12.1. Toxicity

2,2-dimethyl-1,3-dioxolan-4-ylme thanol	Daphnia EC50/48h: 96.0000 mg/l	Algae EC50/72h: >92 mg/l
	Fathead minnows LC50/96h: 16.7 mg/l	
Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l	Algae EC50/72h: 275 mg/l
	Green Algae EC50/48h: >100mg/l	Fathead minnows LC50/96h: 14200 mg/l
	Rainbow trout LC50/96h: 13000 mg/l	
	NOEC / EC10 for marine or 9.6000 mg/l	
	freshwater organisms	

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

Revision

36

	Revision date 2020-10-26
12.3. Bioaccumulative potential	
	The product is not bioaccumulating.
Partition coefficient	
	Air Freshener Home & Vehicle No data available Ethanol: Ethyl Alcohol -0.35 log P (Spring Fresh Fragrance)
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB	assessment
	This mixture is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	•
	No data available.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
13.1. waste treatment methods	Discount for the said and in the said and th
0 117 "	Dispose of waste and residues in accordance with local authority requirements.
General information	F=:
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
Hazard pictograms	
	3
14.1. UN number	
	UN1170
14.2. UN proper shipping name	•
	ETHYL ALCOHOL SOLUTION
14.3. Transport hazard class(es)
ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4. Packing group	
Packing group	
14.5. Environmental hazards	
14.5. Environmental hazards Environmental hazards	No

Revision 36

Revision date 2020-10-26

	1.010011 date 2020 10 20
14.6. Special precautions for us	ser
	No additional special precautions.
14.7. Transport in bulk according	ng to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction (Passenger)	355
Maximum quantity	60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 5 5.2. Special hazards arising from the substance or mixture.
- 5 5.3. Advice for firefighters.
- 8 Skin protection Handprotection.
- 8 Eye / face protection.
- 11 Acute toxicity.
- 12 12.1. Toxicity.
- 12 12.4. Mobility in soil.
- 12 12.3. Bioaccumulative potential.
- 12 12.5. Results of PBT and vPvB assessment.

Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.

Flam. Liq. 3: H226 - Flammable liquid and vapour. - Flash Point - 23 degC. Eye Irrit. 2: H319 - Causes serious eye irritation. - Calculation Method.

Revision 36

Revision date 2020-10-26

Other information

Text of Hazard Statements in Section 3

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. - Calculation Method.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Aguatic Acute 1: H400 - Very toxic to aquatic life.

Acute Tox. 4: H302 - Harmful if swallowed.

Repr. 2: H361 - Suspected of damaging fertility or the unborn child .

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled

Eye Dam. 1: H318 - Causes serious eye damage.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Flam. Sol. 2: H228 - Flammable solid.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled

STOT SE 2: H371 - May cause damage to organs .

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.