



### SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/10

## Air Freshener Home & Vehicle (Spring Fresh Fragrance)

Revision 37

Revision date 2021-10-18

	Revision date 2021-10-18
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Air Freshener Home & Vehicle (Spring Fresh Fragrance)
Product code	QAFS203
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC3] Air care products; [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC3] Air care products;
Description	A lingering pleasantly perfumed spray air freshner, suitable for rooms and vehicle deodorising.
1.3. Details of the supplier of the	
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone numb	per
Emergency telephone number	01307 463538 8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Hazards identif	

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 3: H412;
1272/2008	

#### 2.2. Label elements

Revision 37

Revision date 2021-10-18

#### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains linalool, nopyl acetate, alpha-hexyl cinnamaldehyde, linalyl acetate, coumarin, citronellol. May produce an allergic reaction. Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Alcohol, Parfum, Linalool, Hexyl Cinnamal, Coumarin, Citronellol, Geraniol.

#### 2.3. Other hazards

Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.
Othor Hazardo	This mixture is not siassified as the first vib according to saffort the critical.

### SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### EC 1272/2008

Chemical Name Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
2,2-dimethyl-1,3-dioxolan-4-ylmetha nol	100-79-8	202-888-7	01-2120066005-66	1 - 10%	Eye Irrit. 2: H319;
Ethanol: Ethyl Alcohol (Ethanol)	64-17-5	200-578-6	01-2119457610-43	50 - 60%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
3,7-Dimethylocta-1,6-dien-3-ol	78-70-6	201-134-4	01-2119474016-42	0.5 - 1%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
2-(6,6-Dimethylbicyclo-[3.1.1] -hept-2-en-2-yl)ethyl acetate	128-51-8	204-891-9	01-2119982322-38	0.5 - 1%	Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
2-Benzylideneoctanal	101-86-0	202-983-3		0.5 - 1%	Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-h 603-212-00-7 examethylindeno[5,6-c]pyran	1222-05-5	214-946-9	01-2119488227-29	0 - 0.5%	Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1,5-Dimethyl-1-vinylhex-4-en-1-yl acetate	115-95-7	204-116-4	01-2119454789-19	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;
2H-Chromen-2-one	91-64-5	202-086-7		0 - 0.5%	Acute Tox. 3: H301+H311+H331; Skin Sens. 1: H317; Aquatic Chronic 3: H412;
1- (5,6,7,8-tetrahydro-3,5,5,6,8,8-hexa methyl-2-naphthyl) ethan-1-one	1506-02-1	216-133-4	01-2119539433-40	0 - 0.5%	Acute Tox. 4: H302; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
3,7-Dimethyloct-6-en-1-ol	106-22-9	203-375-0	01-2119453995-23	0 - 0.5%	Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319;

2-Benzylideneoctanal, CAS No. 101-86-0 - M Factor (Acute) = 1.

1,3,4,5,6,7,8-hexahydro-4,6,6,7,8,8-heaxmethylindeno[5,6-c]pyran, CAS No. 1222-05-5 - M Factor



37

# Air Freshener Home & Vehicle (Spring Fresh Fragrance)

Revision

Revision date 2021-10-18

	Revision date 2021-10-18
3.2. Mixtures	
	(Acute/Chronic) = 1. 1-(5,6,7,8-tetrahydro-3,5,5,6,8,8-hexamethyl-2-naphthyl)ethan-1-one, CAS No. 1506-02-1 - M Factor (Acute/Chronic) = 1.
Further information	
Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
SECTION 4: First aid meas	sures
4.1. Description of first aid mea	asures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	High concentration of vapour in enclosed space may cause irritation,headaches and nausea. May cause irritation to respiratory system.
Eye contact	Causes serious eye irritation.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediat	re medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	easures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising fro	om the substance or mixture
	Flammable liquid and vapour.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ease measures
6.1. Personal precautions, prot	tective equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2 Environmental precautions	

6.2. Environmental precautions

Revision 37
Revision date 2021-10-18

6.2. Environmental precautions

Advise local authorities if large spills cannot be contained.

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.

#### 6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

#### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

#### 7.2. Conditions for safe storage, including any incompatibilities

Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.

#### 7.3. Specific end use(s)

A lingering pleasantly perfumed spray air freshner, suitable for rooms and vehicle deodorising.

#### Suitable packaging

Plastic containers.

#### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Occupational exposure controls.

#### 8.1.1. Exposure Limit Values

1,7,7-Trimethylbicyclo[2.2.1]hept an-2-one	WEL 8-hr limit ppm: 2	WEL 8-hr limit mg/m3: 13
	WEL 15 min limit ppm: 3	WEL 15 min limit mg/m3: 19
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	inhalable dust: WEL 15 min limit mg/m3 total
Diethyl phthalate	WEL 8-hr limit ppm: -	respirable dust: WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 10
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

**Exposure Pattern - Workers** 

Revision 37

Revision date 2021-10-18

#### **Exposure Pattern - Workers**

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³		
	effects			
	Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic	343 mg/kg
	effects		effects	

#### **Exposure Pattern - General population**

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³		
	effects			
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic	206 mg/kg
	effects		effects	
	Long-term - oral - Systemic	87 mg/kg		
	effects			

#### 8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

# 8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Nitrile rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

#### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Revision 37

Revision date 2021-10-18

#### 9.1. Information on basic physical and chemical properties

Solubility

Appearance Liquid Colour Clear Odour Pleasant No data available Odour threshold 4.2 - 6 pН Melting point No data available Initial boiling point No data available Flash point 23 °C Evaporation rate No data available Flammability (solid, gas) No data available Vapour pressure No data available Vapour density No data available Relative density 0.85 - 0.95 g/cm3 Partition coefficient No data available Autoignition temperature No data available Viscosity < 50 centipoise **Explosive properties** No data available Oxidising properties No data available

#### 9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available

#### Water solubility

will form an emulsion.

Immiscible in water

#### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Flammable liquid. Stable under normal conditions.

#### 10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

#### 10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

#### 10.5. Incompatible materials

Oxidising agents.

#### 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

#### SECTION 11: Toxicological information

#### 11.1. Information on toxicological effects

Revision 37 Revision date 2021-10-18

4416 () ( ) ( )	1 11 11	
1.1. Information on toxicologica	al effects	
	This mixture has not been tested as a whole for health eff	
	calculated using the methods outlined in Regulation (EC)	
Acute toxicity	based on available data the classification criteria are not	met.
	Oral ATE = >10,000 mg/kg.  Dermal ATE = >10,000 mg/kg.	
	Inhalation - Dust/Mist ATE = 146.3415mg/l.	
kin corrosion/irritation	based on available data the classification criteria are not	met.
erious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Respiratory or skin ensitisation	based on available data the classification criteria are not i	met.
Serm cell mutagenicity	based on available data the classification criteria are not	met.
Carcinogenicity	based on available data the classification criteria are not	met.
Reproductive toxicity	based on available data the classification criteria are not	met.
TOT-single exposure	based on available data the classification criteria are not	met.
TOT-repeated exposure	based on available data the classification criteria are not i	met.
Aspiration hazard	based on available data the classification criteria are not	met.
Repeated or prolonged exposure	based on available data the classification criteria are not	met.
1.1.2. Mixtures		
	No data available.	
1.1.3. Hazard Information		
	No data available.	
1.1.4. Toxicological Information	n	
2,2-dimethyl-1,3-dioxolan-4-ylme	Oral Rat LD50: 7000 mg/kg	Dermal Rabbit LD50: 2000 mg/kg
hanol		
	Inhalation Rat LC50/4 h: >5.11 mg/l	
Ethanol: Ethyl Alcohol	Oral Rat LD50: >2000 mg/kg	Dermal Rabbit LD50: >2000 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	
SECTION 12: Ecological info	ormation	
	ormation	
2.1. Toxicity 2,2-dimethyl-1,3-dioxolan-4-ylme	Daphnia EC50/48h: 96.0000 mg/l	Algae EC50/72h: >92 mg/l
2.1. Toxicity ,2-dimethyl-1,3-dioxolan-4-ylme		Algae EC50/72h: >92 mg/l
2.1. Toxicity ,2-dimethyl-1,3-dioxolan-4-ylme nanol	<b>Daphnia EC50/48h:</b> 96.0000 mg/l	Algae EC50/72h: >92 mg/l  Algae EC50/72h: 275 mg/l
2.1. Toxicity ,2-dimethyl-1,3-dioxolan-4-ylme nanol	Daphnia EC50/48h: 96.0000 mg/l  Fathead minnows LC50/96h: 16.7 mg/l  Daphnia EC50/48h: 12340.0000 mg/l	
2.1. Toxicity ,2-dimethyl-1,3-dioxolan-4-ylme nanol	Daphnia EC50/48h: 96.0000 mg/l  Fathead minnows LC50/96h: 16.7 mg/l  Daphnia EC50/48h: 12340.0000 mg/l	Algae EC50/72h: 275 mg/l
2.1. Toxicity 2.2-dimethyl-1,3-dioxolan-4-ylme nanol	Daphnia EC50/48h: 96.0000 mg/l  Fathead minnows LC50/96h: 16.7 mg/l  Daphnia EC50/48h: 12340.0000 mg/l  Green Algae EC50/48h: >100mg/l  Fa	Algae EC50/72h: 275 mg/l
2.1. Toxicity 2.2-dimethyl-1,3-dioxolan-4-ylme nanol	Daphnia EC50/48h: 96.0000 mg/l  Fathead minnows LC50/96h: 16.7 mg/l  Daphnia EC50/48h: 12340.0000 mg/l  Green Algae EC50/48h: >100mg/l  Rainbow trout LC50/96h: 13000 mg/l	Algae EC50/72h: 275 mg/l
2.1. Toxicity 2.1. Toxicity 2.2-dimethyl-1,3-dioxolan-4-ylme nanol Ethyl Alcohol	Daphnia EC50/48h: 96.0000 mg/l  Fathead minnows LC50/96h: 16.7 mg/l  Daphnia EC50/48h: 12340.0000 mg/l  Green Algae EC50/48h: >100mg/l  Rainbow trout LC50/96h: 13000 mg/l  NOEC / EC10 for marine or 9.6000 mg/l  freshwater organisms	Algae EC50/72h: 275 mg/l
2.1. Toxicity 2.2-dimethyl-1,3-dioxolan-4-ylme hanol Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 96.0000 mg/l  Fathead minnows LC50/96h: 16.7 mg/l  Daphnia EC50/48h: 12340.0000 mg/l  Green Algae EC50/48h: >100mg/l  Rainbow trout LC50/96h: 13000 mg/l  NOEC / EC10 for marine or 9.6000 mg/l  freshwater organisms	Algae EC50/72h: 275 mg/l athead minnows LC50/96h: 15300 mg/l
2.1. Toxicity  2.2-dimethyl-1,3-dioxolan-4-ylme nanol  Ethanol: Ethyl Alcohol  2.2. Persistence and degradab	Daphnia EC50/48h: 96.0000 mg/l  Fathead minnows LC50/96h: 16.7 mg/l  Daphnia EC50/48h: 12340.0000 mg/l  Green Algae EC50/48h: >100mg/l  Rainbow trout LC50/96h: 13000 mg/l  NOEC / EC10 for marine or 9.6000 mg/l  freshwater organisms  pility  Substance biodegrades at a moderate rate and inherently guide lines.	Algae EC50/72h: 275 mg/l athead minnows LC50/96h: 15300 mg/l
2.1. Toxicity 2.2-dimethyl-1,3-dioxolan-4-ylme hanol Ethanol: Ethyl Alcohol  2.2. Persistence and degradab	Daphnia EC50/48h: 96.0000 mg/l  Fathead minnows LC50/96h: 16.7 mg/l  Daphnia EC50/48h: 12340.0000 mg/l  Green Algae EC50/48h: >100mg/l  Rainbow trout LC50/96h: 13000 mg/l  NOEC / EC10 for marine or 9.6000 mg/l  freshwater organisms  pility  Substance biodegrades at a moderate rate and inherently guide lines.	Algae EC50/72h: 275 mg/l athead minnows LC50/96h: 15300 mg/l
2.1. Toxicity 2,2-dimethyl-1,3-dioxolan-4-ylme hanol Ethanol: Ethyl Alcohol  2.2. Persistence and degradab  2.3. Bioaccumulative potential	Daphnia EC50/48h: 96.0000 mg/l  Fathead minnows LC50/96h: 16.7 mg/l  Daphnia EC50/48h: 12340.0000 mg/l  Green Algae EC50/48h: >100mg/l  Rainbow trout LC50/96h: 13000 mg/l  NOEC / EC10 for marine or 9.6000 mg/l  freshwater organisms  pility  Substance biodegrades at a moderate rate and inherently guide lines.	Algae EC50/72h: 275 mg/l athead minnows LC50/96h: 15300 mg/l

Revision 37

Revision date 2021-10-18

	Air Freshener Home & Vehicle No data available	Ethanol: Ethyl Alcohol -0.35 log P
	(Spring Fresh Fragrance)	Editation Edity Algorith -0.00 log 1
2.4. Mobility in soil		
	This product is soluble in water.	
I2.5. Results of PBT and vPv	B assessment	
	This mixture is not classified as PBT or vPvB accord	ing to current EU criteria.
2.6. Other adverse effects		
	No data available.	
SECTION 13: Disposal co	nsiderations	
13.1. Waste treatment method	ds	
	Dispose of waste and residues in accordance with lo	ocal authority requirements.
General information		- •
	Dispose of in compliance with all local and national r	equirements.
Disposal of packaging	1	
	Do NOT reuse empty containers. Empty containers	can be sent to landfill after cleaning if in
	compliance with local and national regulations.	san se sent te landim arter dicarming, ii iii
SECTION 14: Transport in	formation	
Hazard pictograms		
	3	
14.1. UN number		
	UN1170	
14.2. UN proper shipping nan		
	ETHYL ALCOHOL SOLUTION	
14.3. Transport hazard class(		
ADR/RID	3	
Subsidiary risk	<u> </u>	
IMDG	3	
Subsidiary risk	-	
IATA	3	
Subsidiary risk	-	
14.4. Packing group		
Packing group	III	
14.5. Environmental hazards	<u> </u>	
Environmental hazards	No	
Marine pollutant	No	
14.6. Special precautions for	user	
	No additional special precautions.	

Revision 37 Revision date 2021-10-18

	TOVIOLIT GALO 2021 TO T
14.7. Transport in bulk accordi	ng to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L

#### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

No information available

#### **SECTION 16: Other information**

Other information	
Revision	This document differs from the previous version in the following areas:.
	2 - Hazard Statement.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	3 - 3.2. Mixtures.
	10 - 10.6. Hazardous decomposition products.
	11 - Acute toxicity.
	11 - Repeated or prolonged exposure.
	12 - 12.1. Toxicity.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008:.
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC.
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.
Text of Hazard Statements in	Eye Irrit. 2: H319 - Causes serious eye irritation.
Section 3	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aguatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

ChemSoft EH&S

Revision 37

Revision date 2021-10-18

Other information	
	Aquatic Acute 1: H400 - Very toxic to aquatic life.  Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.  Acute Tox. 3: H301+H311+H331 - Toxic if swallowed, in contact with skin or if inhaled Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.  Acute Tox. 4: H302 - Harmful if swallowed.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.