



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/9

All Purpose Cleaner

Revision 25

Revision date 2023-01-18

SECTION 1: Identification of th	he substance/mixture and of	the company/undertaking
---------------------------------	-----------------------------	-------------------------

1.1. Product identifier

Product name All Purpose Cleaner

Product code qafs204

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

Description All Purpose Cleaner.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

 Web
 www.superfine.co.uk

 Telephone
 Tel: 01307 463538

 Fax
 Fax: 01307 468505

Email address of the competent person

Address

nigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number

01307 463538

8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;

2.2. Label elements

Hazard pictograms



Signal Word

rd Danger

Hazard Statement Skin Irrit. 2: H315 - Causes skin irritation.

Revision 25 Revision date 2023-01-18

2.2. Label elements

	Eye Dam. 1: H318 - Causes serious eye damage.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Prevention	
Precautionary Statement:	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P332+P313 - If skin irritation occurs: Get medical advice/attention.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	5 - 15% Anionic Surfactants, 5 - 15% Non-ionic Surfactants, 4.5% Phosphates by weight, Less
	than 5% Amphoteric Surfactants, Pinus Sylvestris Extract, EDTA and salts thereof, CI 10020, CI
	42090.
	Contains - Amides, C8-C18(even numbered) and C18(Unsaturated), N-N-Bis(Hydroxyethyl),
	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-C18 (even numbered) acyl
	derivs.,hydroxides, inner salts, sodium (xylenes and 4-ethylbenzene) sulfonate, Tetrapotassium
	pyrophosphate, Alcohols C11-15 Secondary Ethoxylated, Pine Oil.
2.2 Other hezerde	

2.3. Other hazards

Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The
	substance/mixture does not contain substances with endocrine disrupting properties.

Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Amides, C8-C18(even numbered) and C18(Unsaturated), N,N-Bis(Hydroxyethyl)			931-329-6	01-2119490100-53	1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 2: H411;
1-Propanaminium, 3-amino-N-(carboxymethyl) -N,N-dimethyl-,N-C8-C18 (even numbered) acyl derivs., hydroxides inner salts	,	97862-59-4	931-296-8	01-2119488533-30	1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;
sodium (xylenes and 4-ethylbenzene) sulfonate			701-037-1	01-2119513350-56	1 - 10%	Eye Irrit. 2: H319;
Tetrapotassium pyrophosphate		7320-34-5	230-785-7	01-2119489369-18	1 - 10%	Eye Irrit. 2: H319;
Alcohols C11- 15 Secondary Ethoxylated		68131-40-8			1 - 10%	Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Dam. 1: H318;
Pine Oil		8000-41-7	701-188-3	01-2119553062-49	0.5 - 1%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 1: H410;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	

Revision 25 Revision date 2023-01-18

	Revision date 2025-01-16
4.1. Description of first aid meas	sures
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	Irritating to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Irritating to skin.
Ingestion	Irritating to mucous membranes.
	e medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
5.1. Extinguishing media	This product is not flowmable. The firs outing riching modic appropriate for ourse unding motorials
F.O. On a sight homeonds, a visite a frame	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	
	None known.
5.3. Advice for firefighters	T
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
	ective equipment and emergency procedures
Proceedings, procedures, proce	Wear suitable protective equipment.
6.2. Environmental precautions	Tweet suitable protestive equipment.
o.z. Environmental precadulons	Advise local authorities if large spills cannot be contained. Do not allow large amounts of concentrated product to enter drains.
6.3. Methods and material for co	
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	;
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handling	
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in
	1

Revision 25 Revision date 2023-01-18

7.2. Conditions for safe storage, including any incompatibilities

original container.

7.3. Specific end use(s)

All Purpose Cleaner.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Amides, C8-C18(even numbered) and C18(Unsaturated), N,N-Bis(Hydroxyethyl)	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m3:
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total inhalable dust: WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total inhalable dust: WEL 15 min limit mg/m3 total respirable dust:
Sodium Hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Amides, C8-C18(even	Long-term - inhalation - Systemic	73.4 mg/m³
numbered) and	effects	
C18(Unsaturated),		
N,N-Bis(Hydroxyethyl)		
	Long-term - dermal - Systemic	4.16 <none></none>
	effects	
sodium (xylenes and	Long-term - inhalation - Systemic	26.9 mg/m³
4-ethylbenzene) sulfonate	effects	
	Long-term - dermal - Systemic	136.25 mg/kg
	effects	
Sodium Hydroxide	Acute inhalation - Local effects	2 mg/m³
	Acute dermal - Local effects	2 mg/m³ Long-term - inhalation - Local 1 mg/m³
		effects

Exposure Pattern - General population

Revision 25
Revision date 2023-01-18

Exposure Pattern - General population

Amides, C8-C18(even numbered) and C18(Unsaturated), N,N-Bis(Hydroxyethyl)	Long-term - inhalation - Systemic effects	21.73 mg/m³	
14,14-Dis(i iyuloxyeulyi)	Long-term - oral - Systemic effects	6.25 mg/kg	
sodium (xylenes and 4-ethylbenzene) sulfonate	Long-term - inhalation - Systemic effects	6.6 mg/m³	
	Long-term - dermal - Systemic effects	68.1 mg/kg	Long-term - dermal - Local effects 0.048 mg/cm³
	Long-term - oral - Systemic effects	3.8 mg/kg	
Sodium Hydroxide	Long-term - inhalation - Local effects	1 mg/m³	

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 25 Revision date 2023-01-18

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Green
Odour	Characteristic
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 300 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
pH	9.4 - 10.4
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Solubility	No data available

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	1.07 - 1.085 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

Revision 25 Revision date 2023-01-18

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist ATE = 43.7304 mg/l.
Skin corrosion/irritation	Skin Irrit. 2: H315 - Causes skin irritation.
Serious eye damage/irritation	Eye Dam. 1: H318 - Causes serious eye damage.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

Dermal Rat LD50: >2800 mg/kg	Oral Rat LD50: >412.00 mg/kg
Inhalation Rat LC50/4 h: 1.06 mg/l	
Oral Rat LD50: > 2000 mg/kg	Dermal Rabbit LD50: > 2000 mg/kg
Oral Rat LD50: > 7200 mg/kg	Dermal Rabbit LD50: > 2000 mg/kg
	Inhalation Rat LC50/4 h: 1.06 mg/l Oral Rat LD50: > 2000 mg/kg

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

Alcohols C11- 15 Secondary	Daphnia EC50/48h: 7.3000 mg/l	Fathead minnows LC50/96h: 3.2 - 3.6 mg/l
Ethoxylated Amides, C8-C18(even	Daphnia EC50/48h: 3.2000 mg/l	Algae IC50/72h: 3.9000 mg/l
numbered) and		
C18(Unsaturated),		
N,N-Bis(Hydroxyethyl)	Fish I 050/00hs 0 4000 see //	Alma - F05050ha 40 0 a a //
	Fish LC50/96h: 2.4000 mg/l	Algae EC50/72h: 18.6 mg/l
sodium (xylenes and	Daphnia EC50/48h: 1000.0000 mg/l	Green algae EC50/96h: 230 mg/l
4-ethylbenzene) sulfonate		
	Rainbow trout LC50/96h: >1000 mg/l	
Sodium Hydroxide	Daphnia EC50/48h: 40.0000 mg/l	Fish LC50/96h: 33.0000 mg/l
	Rainbow trout LC50/96h: 45.5 mg/l	

Revision 25
Revision date 2023-01-18

	Revision date 2023-01-18
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	The product is not bioaccumulating.
Partition coefficient	
	All Purpose Cleaner No data available Amides, C8-C18(even numbered) 3.75 Log Pow and C18(Unsaturated), N,N-Bis(Hydroxyethyl)
	Alcohols C11- 15 Secondary 2.72 Log Pow Ethoxylated
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB	assessment
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
12.6 Endocrine disrupting prope	erties
	No data is available on this product.
12.7. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	· · · · · · · · · · · · · · · · · · ·
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	•
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)
	The product is not classified as dangerous for carriage.
14.4. Packing group	·
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for us	er
	The product is not classified as dangerous for carriage.
14.7 Maritime Transport in bulk	according to IMO instruments
	The product is not classified as dangerous for carriage.

Revision 25
Revision date 2023-01-18

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Skin Irrit. 2: H315 - Causes skin irritation Calculation Method.
	Eye Dam. 1: H318 - Causes serious eye damage Calculation Method.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.
Text of Hazard Statements in	Skin Irrit. 2: H315 - Causes skin irritation.
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled
	Flam. Lig. 3: H226 - Flammable liquid and vapour.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.