



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/9

Antibacterial Hand Gel - No Fragrance

Revision 9

Revision date 2022-11-09

1.1. Product identifier

Product name	Antibacterial Hand Gel - No Fragrance
Product code	QAFS340

1.2. Relevant identified uses of the substance or mixture and uses advised against

[SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen);

Description A carefully formulated hand sanitising gel,especially useful when there is no water available.

1.3. Details of the supplier of the safety data sheet

Company	Superfine Manufacturing Ltd
---------	-----------------------------

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Web www.superfine.co.uk

 Telephone
 Tel: 01307 463538

 Fax
 Fax: 01307 468505

Email address of the competent person

nigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number | 01307 463538

8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	Flam. Liq. 3: H226; Eye Irrit. 2: H319
1272/2008	

2.2. Label elements

Hazard pictograms





Revision 9 Revision date 2022-11-09

2.2.	Label	е	len	ner	nts
2.2.	Label	е	len	ner	nts

Signal Word	Warning				
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour.				
	Eye Irrit. 2: H319 - Causes serious eye irritation.				
Precautionary Statement:	P102 - Keep out of reach of children.				
Prevention	P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.				
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.				
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact				
	lenses, if present and easy to do. Continue rinsing.				
	P337+P313 - If eye irritation persists: Get medical advice/attention.				
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.				
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local				
Disposal	regulations.				
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Alcohol, Aqua, Glycerin, Carbomer, Triethanolamine.				
	Contains - Denatured Alcohol, Glycerol.				
2.3. Other hazards	2.3. Other hazards				
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The				
	substance/mixture does not contain substances with endocrine disrupting properties.				
Further information					
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.				

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Glycerol (Glycerol, mist)		56-81-5	200-289-5		1 - 10%	0
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	60 - 70%	6 Flam. Liq. 2: H225; Eye Irrit. 2: H319;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

4.2. Most important symptoms and should, both assist and assists					
Inhalation High concentration of vapour in enclosed space may cause irritation,headaches and naus cause irritation to respiratory system.					
Eye contact Irritating to eyes.					
Skin contact May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.					
Ingestion	May cause irritation to mucous membranes.				

	4.3. Indication of any immediate medical attention and special treatment needed				
		TREAT SYMPTOMATICALLY.			
	Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.			
	Eve contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention			

Revision 9 Revision date 2022-11-09

	Revision date 2022-11-0		
4.3. Indication of any immedia	ate medical attention and special treatment needed		
	if irritation or symptoms persist.		
Skin contact	Seek medical attention if irritation or symptoms persist.		
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.		
General information			
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.		
SECTION 5: Firefighting m	neasures		
5.1. Extinguishing media			
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
5.2. Special hazards arising fr	rom the substance or mixture		
	Flammable liquid and vapour.		
5.3. Advice for firefighters			
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.		
Further information			
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
SECTION 6: Accidental re	lease measures		
6.1. Personal precautions, pro	otective equipment and emergency procedures		
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.		
6.2. Environmental precautior	ns		
	Advise local authorities if large spills cannot be contained.		
6.3. Methods and material for	containment and cleaning up		
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.		
6.4. Reference to other section	ns		
	See section 2, 7, 8, 13 for further information.		
SECTION 7: Handling and	I storage		
7.1. Precautions for safe hand	dling		
	Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storag	ge, including any incompatibilities		
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.		
7.3. Specific end use(s)			
	A carefully formulated hand sanitising gel,especially useful when there is no water available.		
Suitable packaging			
	Plastic containers.		
SECTION OF Francisco			
SECTION 8: Exposure cor	ntrois/personal protection		

8.1. Control parameters

Revision 9 Revision date 2022-11-09

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

cyclohexane	WEL 8-hr limit ppm: 100	WEL 8-hr limit mg/m3: 350
	WEL 15 min limit ppm: 300	WEL 15 min limit mg/m3: 1050
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Glycerol (Glycerol, mist)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

cyclohexane	Acute inhalation - Systemic effects	1400 mg/m³		
	Acute inhalation - Local effects	1400 mg/m³	Long-term - inhalation - Systemic effects	700 mg/m³
	Long-term - inhalation - Local	700 mg/m³	Long-term - dermal - Systemic	2016 mg/kg
	effects		effects	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	950 mg/m³		
	effects			
	Long-term - inhalation - Local	1900 mg/m³	Long-term - dermal - Systemic	343 mg/kg
	effects		effects	
Glycerol	Long-term - inhalation - Local	56 mg/m³		
	effects			

Exposure Pattern - General population

and bearing	A 4 - limb - li-4li O 4 li-	440/2		
cyclohexane	Acute inhalation - Systemic	412 mg/m ³		
	effects			
	Acute inhalation - Local effects	412 mg/m ³	Long-term - inhalation - Systemic	206 mg/m ³
			effects	-
	Long-term - inhalation - Local	206 mg/m ³	Long-term - dermal - Systemic	1186 mg/kg
	effects		effects	
	Long-term - oral - Systemic	59.4 mg/kg		
	effects			
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³		
	effects			
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic	206 mg/kg
	effects		effects	
	Long-term - oral - Systemic	87 mg/kg		
	effects			
Glycerol	Long-term - inhalation - Local	33 mg/m³		
	effects			
	Long-term - oral - Systemic	229 mg/kg		
	effects			

Revision 9
Revision date 2022-11-09

8.2. Exposure controls

Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection
Skin protection Handprotection

Not normally required.

Not normally required.

Respiratory protection

Not normally required.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Gel **Appearance** Colour Clear Odour Alcoholic Odour threshold No data available 6.5 - 7.9 pН No data available Melting point Initial boiling point No data available Flash point 23 °C

Evaporation rate No data available Flammability (solid, gas) No data available Vapour pressure No data available **Relative Vapour Density** No data available Density / Relative Density 0.85 - 0.9 g/cm3 Partition coefficient No data available Autoignition temperature No data available Viscosity < 50000 centipoise **Explosive properties** No data available

Explosive properties No data available

Oxidising properties No data available

Solubility Soluble in water

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
Not applicable.
No data available

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

Revision 9
Revision date 2022-11-09

10.1. Reactivity	Revision date 2022-11-0	
	Flammable liquid. Stable under normal conditions.	
10.2. Chemical stability	<u>'</u>	
•	Flammable liquid. Stable under normal conditions.	
10.3. Possibility of hazardous re	· · · · · · · · · · · · · · · · · · ·	
10.0. I Ossibility of Hazardous re		
40.4.0 199	Oxidising agents. Combustible materials.	
10.4. Conditions to avoid	T	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.	
10.5. Incompatible materials		
	Oxidising agents.	
10.6. Hazardous decomposition	products	
	No Hazardous decomposition products when stored and handled correctly.	
SECTION 11: Toxicological i	information	
11.1 Information on hazard class	ses	
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).	
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.	
Skin corrosion/irritation	based on available data the classification criteria are not met.	
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Respiratory or skin sensitisation	based on available data the classification criteria are not met.	
Germ cell mutagenicity	based on available data the classification criteria are not met.	
Carcinogenicity	based on available data the classification criteria are not met.	
Reproductive toxicity	based on available data the classification criteria are not met.	
STOT-single exposure	based on available data the classification criteria are not met.	
STOT-repeated exposure	based on available data the classification criteria are not met.	
Aspiration hazard	based on available data the classification criteria are not met.	
Repeated or prolonged exposure	based on available data the classification criteria are not met.	
11.1.2. Mixtures		
	No data available.	
11.1.3. Hazard Information		
	No data available.	
11.1.4. Toxicological Information	1	
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg Dermal Rabbit LD50: 15800.0 mg/kg	
	Inhalation Rat LC50/4 h: 20 mg/l	
Glycerol	Oral Rat LD50: 27,200.0 mg/kg	
11.2 Information on other hazard	ds	
	No data is available on this product.	
SECTION 12: Ecological info	·	
12.1. Toxicity	STITULE OF THE STATE OF THE STA	
12. I. TUXIGRY		

No data available

Revision 9 Revision date 2022-11-09

12.1. Toxicity			
Ethanol: Ethyl Alcohol	NOEC / EC10 for marine or 9.6000 mg/l freshwater organisms		
12.2. Persistence and degradab	12.2. Persistence and degradability		
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.		
12.3. Bioaccumulative potential			
	The product is not bioaccumulating.		
Partition coefficient			
	Antibacterial Hand Gel - No No data available Glycerol -1.76 Log Pow		
	Fragrance Ethanol: Ethyl Alcohol -0.35 log P		
12.4 Mobility in soil			
12.4. Mobility in soil	This product is soluble in water.		
12.5. Results of PBT and vPvB	· · · · · · · · · · · · · · · · · · ·		
12.0. I Coulto of F B F dild VI VB	This substance/mixture is not classified as PBT or vPvB according to current criteria.		
12.6 Endocrine disrupting prope	'		
The Endocrine disrapanty proper	No data is available on this product.		
12.7. Other adverse effects	The data is available on the product.		
	No data is available on this product.		
SECTION 13: Disposal cons			
13.1. Waste treatment methods			
15.1. Waste deadlient methods	Dispose of waste and residues in accordance with local authority requirements.		
General information	Dispose of waste and residues in accordance with local authority requirements.		
	T		
	Dispose of in compliance with all local and national requirements		
Disposal of packaging	Dispose of in compliance with all local and national requirements.		
Disposal of packaging			
Disposal of packaging	Dispose of in compliance with all local and national requirements. Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.		
Disposal of packaging SECTION 14: Transport info	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.		
SECTION 14: Transport info	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.		
SECTION 14: Transport info	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.		
SECTION 14: Transport info	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.		
SECTION 14: Transport info	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. ormation UN1170		
SECTION 14: Transport info Hazard pictograms	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. ormation UN1170		
SECTION 14: Transport info Hazard pictograms	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.		
SECTION 14: Transport info Hazard pictograms 14.1. UN number 14.2. UN proper shipping name	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. Dormation UN1170 ETHYL ALCOHOL SOLUTION		

Powered by ChemSoft EH&S

Revision 9
Revision date 2022-11-09

	110 1010 and ==== 110 110 110 110 110 110 110 110 11
14.3. Transport hazard class(es)
IMDG	3
Subsidiary risk] -
IATA	3
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for user	
	No additional special precautions.
14.7 Maritime Transport in bulk according to IMO instruments	
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
IATA	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Revision 9 Revision date 2022-11-09

Other information

Revision	This document differs from the previous version in the following areas:.	
	2 - Other hazards.	
	2 - Hazard pictograms.	
	2 - Precautionary Statement: Prevention.	
	2 - Precautionary Statement: Response.	
	2 - Further information.	
	2 - SUPPLEMENTAL HAZARD INFORMATION.	
	9 - 9.2.2. Other safety characteristics.	
	9 - 9.2.1. Information with regard to physical hazard classes.	
	11 - Repeated or prolonged exposure.	
	11 - 11.2 Information on other hazards.	
	12 - 12.1. Toxicity.	
	12 - 12.6 Endocrine disrupting properties.	
	12 - 12.7. Other adverse effects.	
	15 - Regulations.	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation	
	(EC) No. 1272/2008, as retained and amended in UK law.	
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 23 degC.	
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.	
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.	
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,	
	storage and handling of the product. This information is correct to the best of our knowledge and	
	belief at the date of publication however no guarantee is made to its accuracy. This information	
	relates only to the specific material designated and may not be valid for such material used in	
	combination with any other materials or in any other process.	
	· · · · · · · · · · · · · · · · · · ·	