



Page 1/10

 Revision
 9

 Revision date
 2022-11-10

SECTION 1: Identification of the substance/mixture and of the company/undertaking			
1.1. Product identifier			
Product name	Apple Scented Screen Wash		
Product code	QAFS344		
1.2. Relevant identified uses of t	he substance or mixture and uses advised against		
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);		
	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);		
Description	Screen Wash for Vehicles.		
1.3. Details of the supplier of the	e safety data sheet		
Company	Superfine Manufacturing Ltd		
Address	Orchardbank Industrial Estate		
	Forfar		
	Angus Scotland		
	DD8 1TD		
Web	www.superfine.co.uk		
Telephone	Tel: 01307 463538		
Fax	Fax: 01307 468505		
Email address of the	nigel@superfine.co.uk		
competent person			
1.4. Emergency telephone numb			
Emergency telephone number	01307 463538		
	8.30am to 17.00pm		
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)		
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org		
SECTION 2: Hazards identifi	ication		
2.1. Classification of the substan	nce or mixture		
2.1.2. Classification - EC 1272/2008	Flam. Liq. 3: H226; Eye Irrit. 2: H319;		
2.2. Label elements			



Revision 9 Revision date 2022-11-10

2.2. Label elements	
Hazard pictograms	
Signal Word	Warning
Hazard Statement	Flam. Liq. 3: H226 - Flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	Ingredients - Denatured Alcohol, Less than 5% Non-ionic Surfactants, Less than 5% Anionic Surfactants, Parfum.
	Contains - Denatured Alchohol, C9-11 Alcohol, ethoxylated, methanol.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELE LIFE 1 YEAR FROM DATE OF DELIVERY.

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	40 - 50%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
C9-11 Alcohol, ethoxylated		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
methanol	603-001-00-X	67-56-1	200-659-6	01-2119433307-44	1 - 10%	Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;

SECTION 4: First aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.		
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.		
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.		
4.2. Most important symptoms a	4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	High concentration of vapour in enclosed space may cause irritation, headaches and nausea. May cause irritation to respiratory system.		
Eye contact	Irritating to eyes.		



Revision date 2022-11-10

4.2. Most important symptoms a	nd effects, both acute and delayed
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	Flammable liquid. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising from	n the substance or mixture
	None known.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment. Flammable liquid. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	torage
7.1. Precautions for safe handlin	g
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	
	Flammable liquid. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	



7.3. Specific end use(s)

Screen Wash for Vehicles.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values		
Diethyl phthalate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 10
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
Ethopoly Ethyd Alechol (Ethopol)	respirable dust:	respirable dust: WEL 8-hr limit mg/m3: 1920
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	C C
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
methanol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Monopropylene Glycol	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
(Propane-1,2-diol particulates)	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Monopropylene Glycol	WEL 8-hr limit ppm: 150	WEL 8-hr limit mg/m3: 474
(Propane-1,2-diol total vapour and particulates)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers



Revision 9

Revision date 2022-11-10

Exposure Pattern - Workers Ethanol: Ethyl Alcohol Long-term - inhalation - Systemic 950 mg/m³ effects Long-term - inhalation - Local 1900 mg/m³ Long-term - dermal - Systemic 343 mg/kg effects effects methanol Acute inhalation - Systemic 130 mg/m³ effects Acute inhalation - Local effects 130 mg/m³ Acute dermal - Systemic effects 20 mg/kg Long-term - inhalation - Local 130 mg/m³ Long-term - inhalation - Systemic 130 mg/m³ effects effects Long-term - dermal - Systemic 20 mg/kg effects Monopropylene Glycol Long-term - inhalation - Systemic 168 mg/m³ effects Long-term - inhalation - Local 10 mg/m³ effects

Exposure Pattern - General population

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic	114 mg/m³		
	effects			
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic	206 mg/kg
	effects		effects	
	Long-term - oral - Systemic	87 mg/kg		
	effects			
methanol	Acute inhalation - Systemic	26 mg/m³		
	effects			
	Acute inhalation - Local effects	26 mg/m³	Acute dermal - Systemic effects	5 mg/kg
	Acute oral - Systemic effects	5 mg/kg	Long-term - inhalation - Systemic effects	26 mg/m³
	Long-term - inhalation - Local	26 mg/m³	Long-term - dermal - Systemic	5 mg/kg
	effects		effects	
	Long-term - oral - Systemic	5 mg/kg		
	effects			
Monopropylene Glycol	Long-term - inhalation - Systemic	50 mg/m ³		
	effects			
	Long-term - inhalation - Local	10 mg/m³	Long-term - dermal - Systemic	213 mg/m³
	effects		effects	
	Long-term - oral - Systemic	85 mg/m³		
	effects			

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.



8.2. Exposure controls	
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Blue
Odour	Characteristic
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
pH	6 - 8.4
Melting point	No data available
Initial boiling point	No data available
Flash point	25 °C
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	0.912 - 0.946 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Solubility	No data available

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable liquid. Stable under normal conditions.

10.2. Chemical stability

Flammable liquid. Stable under normal conditions.

10.3. Possibility of hazardous reactions

	None known.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Oxidising agents. Combustible materials.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
-	Oral ATE = >2,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Vapours ATE = >20 mg/l.
	Inhalation - Dust/Mist ATE = >20 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
44.4.0 Mintures	

11.1.2. Mixtures

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

C9-11 Alcohol, ethoxylated	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50 = >300 - <= 2000
		mg/kg:
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg	Dermal Rabbit LD50: 15800.0 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	
methanol	Oral Rat LD50: 100.0 mg/kg	Dermal Rabbit LD50: 300.0 mg/kg
	Inhalation Rat LC50/4 h: 3.0 mg/l	
Monopropylene Glycol	Dermal Rat LD50: >2000 mg/kg	Oral Rat LD50: 22000 mg/kg
	Dermal Rabbit LD50: >2000 mg/kg	Inhalation Rat LC50/4 h: 41 mg/l

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity



Revision 9 Revision date 2022-11-10

Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l	Algae EC50/72h:	275 mg/l
	Green Algae EC50/48h: >100mg/l	Fathead minnows LC50/96h:	-
	Rainbow trout LC50/96h: 13000 mg/l	Golden orfe LC50/48h:	>100 mg/l
	NOEC / EC10 for marine or 9.6000 mg/l		
	freshwater organisms		
methanol	Daphnia EC50/48h: 18260.0000 mg/l	Green algae EC50/96h:	
	Fathead minnows LC50/96h: >100 mg/l	Bluegill sunfish LC50/96h:	15400.0 mg/l
	Lepomis_Macrochirus LC50/96h: 15400 mg/l		40000
Monopropylene Glycol	Daphnia EC50/48h: 4000.0000 mg/l	Green algae EC50/96h:	
	Fathead minnows LC50/96h: 55770 mg/l	Rainbow trout LC50/96h:	+
	EC50 for marine or freshwater 13020.0000 mg/l organisms	LC50 for marine or freshwater organisms	15000.0000 mg/
	. 114 .		
12.2. Persistence and degradat	•		
	Substance biodegrades at a moderate rate and inliguide lines.	herently biodegradable accordir	ig to the OECD
12.3. Bioaccumulative potential			
	The product is not bioaccumulating.		
Partition coefficient			
	Apple Scented Screen Wash No data available	Ethanol: Ethyl Alcohol	-0.35 log P
	Monopropylene Glycol -1.07 log P	methanol	-0.74 Log Pow
12.4. Mobility in soil			
·_····	This product is soluble in water.		
12.5. Results of PBT and vPvB			
	This substance/mixture is not classified as PBT or	vPvB according to current crite	ria
		vi vb according to current crite	na.
12.6 Endocrine disrupting prope			
12.6 Endocrine disrupting prope			
12.6 Endocrine disrupting prope	No data is available on this product.		
	No data is available on this product.		
12.7. Other adverse effects	No data is available on this product. No data is available on this product.		
12.7. Other adverse effects	No data is available on this product. No data is available on this product.		
12.7. Other adverse effects SECTION 13: Disposal cons	No data is available on this product. No data is available on this product. siderations		
	No data is available on this product. No data is available on this product. siderations	local authority requirements.	
12.7. Other adverse effects SECTION 13: Disposal cons	No data is available on this product. No data is available on this product. siderations	local authority requirements.	
12.7. Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment methods	No data is available on this product. No data is available on this product. siderations		
12.7. Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment methods	No data is available on this product. No data is available on this product. siderations Dispose of waste and residues in accordance with		
12.7. Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment methods General information	No data is available on this product. No data is available on this product. siderations Dispose of waste and residues in accordance with	al requirements.	aning, if in
12.7. Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment methods General information Disposal of packaging	No data is available on this product. No data is available on this product. siderations Dispose of waste and residues in accordance with Dispose of in compliance with all local and national Do NOT reuse empty containers. Empty container compliance with local and national regulations.	al requirements.	aning, if in
12.7. Other adverse effects SECTION 13: Disposal cons 13.1. Waste treatment methods General information	No data is available on this product. No data is available on this product. siderations Dispose of waste and residues in accordance with Dispose of in compliance with all local and national Do NOT reuse empty containers. Empty container compliance with local and national regulations.	al requirements.	aning, if in





 Revision
 9

 Revision date
 2022-11-10

14.1. UN number

	UN1170
14.2. UN proper shipping name	
	ETHANOL SOLUTION
14.3. Transport hazard class(es)	
ADR/RID	3
Subsidiary risk	-
IMDG	3
Subsidiary risk	-
ΙΑΤΑ	3
Subsidiary risk	-
14.4. Packing group	
Packing group	111
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for use	er
	No additional special precautions.
14.7 Maritime Transport in bulk according to IMO instruments	
	Not applicable.
ADR/RID	
Hazard ID	30
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
ΙΑΤΑ	
Packing Instruction (Cargo)	366
Maximum quantity	220 L
Packing Instruction	355
(Passenger)	
Maximum quantity	60 L
SECTION 15: Regulatory information	

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.



15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	2 - Other hazards.
	2 - Further information.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	9 - 9.2.2. Other safety characteristics.
	9 - 9.2.1. Information with regard to physical hazard classes.
	11 - Acute toxicity.
	11 - Repeated or prolonged exposure.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.6 Endocrine disrupting properties.
	12 - 12.7. Other adverse effects.
	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Flam. Liq. 3: H226 - Flammable liquid and vapour Flash Point - 25 degC.
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Acute Tox. 3: H301 - Toxic if swallowed.
	Acute Tox. 3: H311 - Toxic in contact with skin.
	Acute Tox. 3: H331 - Toxic if inhaled.
	STOT SE 1: H370 - Causes damage to organs .
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

