



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

Automatic Washing Machine Liquid

Revision 18

Revision date 2018-06-21

1.1. Product identifier

Product name Automatic Washing Machine Liquid
Product code qafs209

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);

Description No data is available on this product.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd
Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Webwww.superfine.co.ukTelephoneTel: 01307 463538FaxFax: 01307 468505Emailnigel@superfine.co.ukEmail address of thenigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number 01307 463538 8.30am to 17.00pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Corr. 1A: H314; Aquatic Chronic 3: H412;

2.2. Label elements

competent person

Hazard pictograms



Signal Word

Danger

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Precautionary Statement:

Prevention

P102 - Keep out of reach of children.

P103 - Read label before use.

Revision 18 Revision date 2018-06-21

2.2. Label elements

	P264 - Wash thoroughly after handling.
Precautionary Statement:	P302+P350 - IF ON SKIN: Gently wash with plenty of soap and water.
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
2.3. Other hazards	

Other hazards PBT not identified as a PBT substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Quaternary coco alkylamine ethoxylate		61791-10-4			1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 2: H411;
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6	01-2119519239-36	1 - 10%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;
Sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Eye Irrit. 2: H319;
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;
Eucalyptol		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Sens. 1: H317;
dl-Limonene (racemic)		138-86-3	205-341-0		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;

Further	inform	ation
----------------	--------	-------

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients Automatic Washing Machine Liquid - Aqua, Acid NTA, 15 - 30% Anionic Surfactant, 5
	-15% Non-ionic Surfactant, Anionic Derivative of a distyryl biphenyl compound (Optical Brightener),
	Parfum (Linalool, Hexyl Clnnamal, Butylphenylmethylpropional, Citronellol, Coumarin).

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses
	should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested
	product.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical

Powered by ChemSoft EH&S

Revision 18 Revision date 2018-06-21

	Revision date 2018-06-2
4.3. Indication of any immediate	medical attention and special treatment needed
	advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medica attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	T Grid Halloon
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising fron	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	·
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	and magnitude
b.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlir	-
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	1 - 3
	No data is available on this product.
Suitable nackaging	1 140 data is available on this product.
Suitable packaging	Digetia containors
	Plastic containers.

Revision 18 Revision date 2018-06-21

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
Diethyl phthalate	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 5
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 10
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2-butoxyethanol	Acute inhalation - Systemic effects	1091 mg/m³	
	Acute inhalation - Local effects	246 mg/m³	Acute dermal - Systemic effects 89 mg/kg
	Long-term - inhalation - Systemic effects	98 mg/m³	Long-term - dermal - Systemic 125 mg/kg effects
Sodium Metasilicate	Long-term - inhalation - Systemic	6.22 mg/m³	5555
Pentahydrate	effects		
	Long-term - dermal - Systemic	1.49 mg/kg	
	effects		
Sodium xylene sulphonate	Long-term - inhalation - Systemic	53.6 mg/m³	
	effects		
	Long-term - dermal - Systemic	7.6 mg/kg	
	effects		

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic effects	· ·	
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects 26.7 mg/kg
	Long-term - inhalation - Systemic effects	59 mg/m³	Long-term - inhalation - Local 147 mg/m³ effects
	Long-term - dermal - Systemic effects	0 0	Long-term - oral - Systemic effects 6.3 mg/kg
Sodium Metasilicate Pentahydrate	Long-term - inhalation - Systemic effects	1.55 mg/m³	
·	Long-term - dermal - Systemic effects		Long-term - oral - Systemic effects 0.74 mg/kg
Sodium xylene sulphonate	Long-term - inhalation - Systemic effects	13.2 mg/m³	
	Long-term - dermal - Systemic effects	3.8 mg/kg	Long-term - oral - Systemic effects 3.8 mg/kg

8.2. Exposure controls

Revision 18 Revision date 2018-06-21

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Skin protection -Handprotection

Respiratory protection

controls

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

8.2.3. Environmental exposure

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid Appearance

Colour

Odour Pleasant

Odour threshold No data available

pН

Melting point

No data available

Initial boiling point

No data available

Flash point

No data available No data available

Evaporation rate Flammability (solid, gas)

No data available

Vapour pressure

No data available

Vapour density

No data available

Relative density

1.095 - 1.14 g/cm3

Partition coefficient

No data available No data available

Autoignition temperature

< 100 centipoise

Viscosity

Explosive properties

No data available No data available

Oxidising properties Solubility

No data available

9.2. Other information

Conductivity Surface tension No data available

No data available

Gas group

No data available

Benzene Content

No data available

Lead content

No data available

compounds

No data available VOC (Volatile organic

SECTION 10: Stability and reactivity

Revision 18 Revision date 2018-06-21

1	0	. 1	l.	R	ea	ctiv	vitv

-			
	Stable under normal conditions. No specific reactivity hazards associated with this product.		
10.2. Chemical stability			
	Stable under normal conditions. No particular stability concerns.		
10.3. Possibility of hazardous reactions			
	Strong acids. Strong oxidising agents.		
10.4. Conditions to avoid			
	Protect from frost.		
10.5. Incompatible materials			
	No incompatible groups noted.		
10.6. Hazardous decomposition products			
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.		

SECTION 11: Toxicological information

11.1. Information on toxicological effects

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).			
Acute toxicity	based on available data the classification criteria are not met.			
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5.			
Serious eye damage/irritation	Corrosivity to eyes is assumed.			
Respiratory or skin sensitisation	based on available data the classification criteria are not met.			
Germ cell mutagenicity	based on available data the classification criteria are not met.			
Carcinogenicity	based on available data the classification criteria are not met.			
Reproductive toxicity	based on available data the classification criteria are not met.			
STOT-single exposure	based on available data the classification criteria are not met.			
STOT-repeated exposure	based on available data the classification criteria are not met.			
Aspiration hazard	based on available data the classification criteria are not met.			
11.1.2. Mixtures				
	No data available.			
11.1.3. Hazard Information				
	No data available.			
11.1.4. Toxicological Information	11.1.4. Toxicological Information			
Sodium xylene sulphonate	Oral Rat LD50: > 7200 mg/kg Dermal Rabbit LD50: > 2000 mg/kg			

SECTION 12: Ecological information

12.1. Toxicity

2-butoxyethanol	EC50 for marine or freshwater >100.0000 mg/l	LC50 for marine or freshwater >100.0000 mg/l	
	organisms	organisms	
Sodium Metasilicate	Daphnia EC50/48h: 1700.0000 mg/l	Fish LC50/96h: 210.0000 mg/l	
Pentahydrate			
	Algae EC50/72h: 207		
Sodium xylene sulphonate	Daphnia EC50/48h: 1000.0000 mg/l	Fish LC50/96h: 1000.0000 mg/l	
	Green algae EC50/96h: >230 mg/l	Algae LC50/96h: 31 mg/l	

Inhalation Rat LC50/4 h: >6.41 mg/l

12.2. Persistence and degradability

Revision 18 Revision date 2018-06-21

40.0 D 1.1	Revision date 2010-00-
12.2. Persistence and degradab	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	Automatic Washing Machine No data available 2-butoxyethanol 0.8 log P Liquid
12.4. Mobility in soil	
•	No data is available on this product.
12.5. Results of PBT and vPvB	<u>'</u>
	No data is available on this product.
12.6. Other adverse effects	1.0 case to a serious on the process.
- I I I I I I I I I I I I I I I I I I I	No data available.
050510N 40 BI	
SECTION 13: Disposal cons	derations
13.1. Waste treatment methods	T
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN1760
14.2. UN proper shipping name	
	CORROSIVE LIQUID, N.O.S. (contains Trisodium Nitrilotriacetate)
14.3. Transport hazard class(es)
ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	[-
14.4. Packing group	T.
Packing group	111

Revision 18 Revision date 2018-06-21

	100000000000000000000000000000000000000	
14.5. Environmental hazards		
Environmental hazards	No	
Marine pollutant	No	
14.6. Special precautions for user		
	No additional special precautions.	
14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		
	Not applicable.	
ADR/RID		
Hazard ID	80	
Tunnel Category	(E)	
IMDG		
EmS Code	F-A S-B	
IATA		
Packing Instruction (Cargo)	856	
Maximum quantity	60 L	
Packing Instruction	852	
(Passenger)		
Maximum quantity 5 L		
CECTION 45: Degulatory information		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Re	gul	lati	ons
----	-----	------	-----

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Calci memaacii			
Revision	This document differs from the previous version in the following areas:.		
	2 - Precautionary Statement: Prevention.		
	2 - Precautionary Statement: Response.		
	2 - Precautionary Statement: Storage.		
	2 - Precautionary Statement: Disposal.		
	11 - 11.1.4. Toxicological Information.		
	11 - Skin corrosion/irritation.		
	11 - 11.1. Information on toxicological effects.		
	12 - 12.1. Toxicity.		
	16 - Data sources.		
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.		

Revision 18 Revision date 2018-06-21

Other information			
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - ≥ 11.5. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects Calculation Method.		
Text of Hazard Statements in Section 3	Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.		
	Acute Tox. 4: H302 - Harmful if swallowed.		
	Eye Irrit. 2: H319 - Causes serious eye irritation.		
	Carc. 2: H351 - Suspected of causing cancer .		
	Met. Corr. 1: H290 - May be corrosive to metals.		
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.		
	STOT SE 3: H335 - May cause respiratory irritation.		
	Acute Tox. 4: H312 - Harmful in contact with skin.		
	Skin Irrit. 2: H315 - Causes skin irritation.		
	Acute Tox. 4: H332 - Harmful if inhaled.		
	Flam. Liq. 3: H226 - Flammable liquid and vapour.		
	Skin Sens. 1: H317 - May cause an allergic skin reaction.		
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.		
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.		
Further information			
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information		
	relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.		