



# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/10

# **Automatic Washing Machine Liquid**

Revision 20 Revision date 2020-11-06

| ı | SECTION | 1: Identification of | f the substance/mixture and | of the company/undertaking |
|---|---------|----------------------|-----------------------------|----------------------------|
|   |         |                      |                             |                            |

#### 1.1. Product identifier

| Product name | Automatic Washing Machine Liquid |
|--------------|----------------------------------|
| Product code | qafs209                          |

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

|             | •  |
|-------------|--|
| Product Use | [SU22] Professional uses: Public domain (administration, education, entertainment, services, |
|             | craftsmen); [PC35] Washing and cleaning products (including solvent based products);         |
| Description | Heavy Duty Liquid Detergent for all automatic machines.                                      |

#### 1.3. Details of the supplier of the safety data sheet

| Company | Superfine Manufacturing Ltd   |
|---------|-------------------------------|
| Address | Orchardbank Industrial Estate |

Forfar Angus Scotland DD8 1TD

Webwww.superfine.co.ukTelephoneTel: 01307 463538FaxFax: 01307 468505Emailnigel@superfine.co.ukEmail address of the<br/>competent personnigel@superfine.co.uk

### 1.4. Emergency telephone number

# Emergency telephone number 01307 463538

8.30am to 17.00pm

National Poisons Information Service:

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

| 2.1.2. Classification - EC | Skin Corr. 1A: H314; Aquatic Chronic 3: H412; |
|----------------------------|---|
| 1272/2008                  |   |

#### 2.2. Label elements

## Hazard pictograms



Revision 20 Revision date 2020-11-06

### 2.2. Label elements

| Signal Word              | Danger  |  |  |
|--------------------------|---|--|--|
| Hazard Statement         | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.                                      |  |  |
|                          | Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.                        |  |  |
| Precautionary Statement: | P102 - Keep out of reach of children.   |  |  |
| Prevention               | P103 - Read label before use.   |  |  |
|                          | P264 - Wash thoroughly after handling.  |  |  |
| Precautionary Statement: | P302+P350 - IF ON SKIN: Gently wash with plenty of soap and water.                                  |  |  |
| Response                 | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact        |  |  |
|                          | lenses, if present and easy to do. Continue rinsing.  |  |  |
| Precautionary Statement: | P501 - Dispose of contents/container to an approved disposal site, in accordance with local         |  |  |
| Disposal                 | regulations.  |  |  |
| SUPPLEMENTAL HAZARD      | Ingredients as required by Regulation (EC) No 648/2004:.  |  |  |
| INFORMATION              | Ingredients Automatic Washing Machine Liquid - Aqua, NTA (nitrilotriacetic acid) and salts thereof, |  |  |
|                          | 15 - 30% Anionic Surfactant, 5 -15% Non-ionic Surfactant, Anionic Derivative of a distyryl biphenyl |  |  |
|                          | compound (Optical Brightener), Parfum (Linalool, Hexyl Clnnamal, Butylphenylmethylpropional,        |  |  |
|                          | Citronellol, Coumarin).   |  |  |
| 2.3. Other hazards       |   |  |  |

This mixture is not classified as PBT or vPvB according to current EU criteria.

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Other hazards

#### EC 1272/2008

| Chemical Name                        | Index No.    | CAS No.    | EC No.    | REACH Registration<br>Number | Conc.<br>(%w/w) | Classification                 |
|--------------------------------------|--------------|------------|-----------|------------------------------|-----------------|--------------------------------|
| Quaternary coco alkylamine           |              | 61791-10-4 |           |                              | 1 - 10%         | Eye Dam. 1: H318; Aquatic      |
| ethoxylate                           |              |            |           |                              |                 | Chronic 2: H411;               |
| trisodium nitrilotriacetate          | 607-620-00-6 | 5064-31-3  | 225-768-6 | 01-2119519239-36             | 1 - 10%         | Carc. 2: H351; Acute Tox. 4:   |
|                                      |              |            |           |                              |                 | H302; Eye Irrit. 2: H319;      |
| sodium (xylenes and                  |              |            | 701-037-1 | 01-2119513350-56             | 1 - 10%         | Eye Irrit. 2: H319;            |
| 4-ethylbenzene) sulfonate            |              |            |           |                              |                 |                                |
| Sodium Metasilicate Pentahydrate     |              | 10213-79-3 | 229-912-9 | 01-2119449811-37             | 1 - 10%         | Met. Corr. 1: H290; Skin Corr. |
|                                      |              |            |           |                              |                 | 1B: H314; STOT SE 3: H335;     |
| 2-butoxyethanol                      | 603-014-00-0 | 111-76-2   | 203-905-0 | 01-2119475108-36             | 1 - 10%         | Acute Tox. 4: H332; Acute      |
|                                      |              |            |           |                              |                 | Tox. 4: H312; Acute Tox. 4:    |
|                                      |              |            |           |                              |                 | H302; Eye Irrit. 2: H319; Skin |
|                                      |              |            |           |                              |                 | Irrit. 2: H315;                |
| 1,3,3-trimethyl-2-oxabicyclo{2.2.2]o |              | 470-82-6   | 207-431-5 |                              | 0 - 0.5%        | Flam. Liq. 3: H226; Skin       |
| ctane                                |              |            |           |                              |                 | Sens. 1: H317;                 |
| 1,7,7-Trimethylbicyclo[2.2.1]heptan- |              | 464-49-3   | 207-355-2 |                              | 0 - 0.5%        | Flam. Sol. 2: H228; Acute      |
| 2-one                                |              |            |           |                              |                 | Tox. 4: H302+H332; STOT        |
|                                      |              |            |           |                              |                 | SE 2: H371;                    |
| sodium hydroxide                     | 011-002-00-6 | 1310-73-2  | 215-185-5 | 01-2119457892-27             | 0 - 0.5%        | Skin Corr. 1A: H314;           |
| Hydrocarbons, a natural component    |              |            |           |                              | 0 - 0.5%        | Flam. Liq. 3: H226; Asp. Tox.  |
| of essential: oils - alicylic and    |              |            |           |                              |                 | 1: H304;                       |
| aliphatic                            | 604 000 00 7 | E000 07 E  | 227-813-5 |                              | 0 0 50/         | Flore Lie 2: 11226: Acr. Toy   |
| D-Limonene                           | 601-029-00-7 | 5989-27-5  | 227-813-5 |                              | 0 - 0.5%        | Flam. Liq. 3: H226; Asp. Tox.  |
|                                      |              |            |           |                              |                 | 1: H304; Skin Irrit. 2: H315;  |
|                                      |              |            |           |                              |                 | Skin Sens. 1: H317; Aquatic    |
|                                      |              |            |           |                              |                 | Acute 1: H400; Aquatic         |
|                                      |              |            |           |                              |                 | Chronic 1: H410;               |

## **Further information**

Product Shelf Life RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

### SECTION 4: First aid measures

# 4.1. Description of first aid measures

| _ | •          |                                       |
|---|------------|---------------------------------------|
|   | Inhalation | Move the exposed person to fresh air. |

Revision 20 Revision date 2020-11-06

| 4.1. Description of first aid measures  Eye contact  Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses   |
|---|
| <b>Eve contact</b> Rinse immediately with plenty of water for 15 minutes holding the evelids open. Contact lenses   |
| should be removed.  |
| Skin contact Remove contaminated clothing. Wash off immediately with plenty of soap and water.  |
| Ingestion DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.   |
| 4.2. Most important symptoms and effects, both acute and delayed  |
| Inhalation May cause irritation to respiratory system.  |
| Eye contact Causes burns. Risk of serious damage to eyes.   |
| Skin contact Causes burns.  |
| Ingestion May cause irritation to mucous membranes.   |
| 4.3. Indication of any immediate medical attention and special treatment needed   |
| Inhalation  Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety da sheet to the doctor in attendance.  |
| Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.  |
| Skin contact  Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medic attention. Show this safety data sheet to the doctor in attendance.  |
| Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.   |
| General information   |
| If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.   |
| SECTION 5: Firefighting measures  |
| 5.1. Extinguishing media  |
| This product is not flammable . Use fire-extinguishing media appropriate for surrounding materia  |
| 5.2. Special hazards arising from the substance or mixture  |
| Burning produces irritating, toxic and obnoxious fumes.   |
| 5.3. Advice for firefighters  |
| Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.  |
| Further information   |
| In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.                                    |
| SECTION 6: Accidental release measures  |
| 6.1. Personal precautions, protective equipment and emergency procedures  |
| Wear suitable protective equipment.   |
| 6.2. Environmental precautions  |
| Advise local authorities if large spills cannot be contained.   |
| 6.3. Methods and material for containment and cleaning up   |
|   |
| For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flus down the drain with plenty of water. |

Revision 20 Revision date 2020-11-06

|                                    | See section 2, 7, 8, 13 for further information.  |  |  |
|------------------------------------|---|--|--|
| SECTION 7: Handling and s          | SECTION 7: Handling and storage   |  |  |
| 7.1. Precautions for safe handling | 7.1. Precautions for safe handling  |  |  |
|                                    | Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. |  |  |
| 7.2. Conditions for safe storage,  | 7.2. Conditions for safe storage, including any incompatibilities   |  |  |
|                                    | Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.                                 |  |  |

7.3. Specific end use(s)

6.4. Reference to other sections

Heavy Duty Liquid Detergent for all automatic machines.

Suitable packaging

Plastic containers.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

Occupational exposure controls.

### 8.1.1. Exposure Limit Values

| 2-butoxyethanol       | WEL 8-hr limit ppm: 25                           | WEL 8-hr limit mg/m3: 123                         |
|-----------------------|--|---|
|                       | WEL 15 min limit ppm: 50                         | WEL 15 min limit mg/m3: 101.2                     |
|                       | WEL 8-hr limit mg/m3 total - inhalable dust:     | WEL 15 min limit mg/m3 total - inhalable dust:    |
|                       | WEL 8-hr limit mg/m3 total -<br>respirable dust: | WEL 15 min limit mg/m3 total - respirable dust:   |
| Diethyl phthalate     | WEL 8-hr limit ppm: -                            | WEL 8-hr limit mg/m3: 5                           |
|                       | WEL 15 min limit ppm: -                          | WEL 15 min limit mg/m3: 10                        |
|                       | WEL 8-hr limit mg/m3 total -<br>inhalable dust:  | WEL 15 min limit mg/m3 total -<br>inhalable dust: |
|                       | WEL 8-hr limit mg/m3 total -<br>respirable dust: | WEL 15 min limit mg/m3 total - respirable dust:   |
| N,N-dimethylformamide | WEL 8-hr limit ppm: 5                            | WEL 8-hr limit mg/m3: 15                          |
|                       | WEL 15 min limit ppm: 10                         | WEL 15 min limit mg/m3: 30                        |
|                       | WEL 8-hr limit mg/m3 total -<br>inhalable dust:  | WEL 15 min limit mg/m3 total -<br>inhalable dust: |
|                       | WEL 8-hr limit mg/m3 total -<br>respirable dust: | WEL 15 min limit mg/m3 total - respirable dust:   |
| sodium hydroxide      | WEL 8-hr limit ppm: -                            | WEL 8-hr limit mg/m3: -                           |
|                       | WEL 15 min limit ppm: -                          | WEL 15 min limit mg/m3: 2                         |
|                       | WEL 8-hr limit mg/m3 total -                     | WEL 15 min limit mg/m3 total -                    |
|                       | inhalable dust:<br>WEL 8-hr limit mg/m3 total  - | inhalable dust:<br>WEL 15 min limit mg/m3 total - |
|                       | respirable dust:                                 | respirable dust:                                  |

DNEL: Derived no-effect level.

**Exposure Pattern - Workers** 

Revision 20
Revision date 2020-11-06

#### **Exposure Pattern - Workers**

| 2-butoxyethanol                               | Acute inhalation - Systemic effects       | 1091 mg/m³             |   |
|---|---|------------------------|---|
|   | Acute inhalation - Local effects          | 246 mg/m <sup>3</sup>  | Acute dermal - Systemic effects 89 mg/kg        |
|   | Long-term - inhalation - Systemic effects | 98 mg/m³               | Long-term - dermal - Systemic 125 mg/kg effects |
| sodium (xylenes and 4-ethylbenzene) sulfonate | Long-term - inhalation - Systemic effects | 53.6 mg/m³             |   |
|   | Long-term - dermal - Systemic effects     | 7.6 mg/kg              |   |
| sodium hydroxide                              | Acute inhalation - Local effects          | 2 mg/m³                |   |
|   | Acute dermal - Local effects              | 2 mg/kg                | Long-term - inhalation - Local 1 mg/m³ effects  |
| Sodium Metasilicate<br>Pentahydrate           | Long-term - inhalation - Systemic effects | 6.22 mg/m³             |   |
|   | Long-term - dermal - Systemic effects     | 1.49 mg/kg             |   |
| trisodium nitrilotriacetate                   | Acute inhalation - Systemic effects       | 5.25 mg/m <sup>3</sup> |   |
|   | Long-term - inhalation - Systemic effects | 3.5 mg/m³              |   |

#### **Exposure Pattern - General population**

| 2-butoxyethanol             | Acute inhalation - Systemic effects      | 426 mg/m³  |  |
|-----------------------------|--|------------|--|
|                             | Acute dermal - Systemic effects          | 89 mg/kg   | Acute oral - Systemic effects 26.7 mg/kg               |
|                             | Long-term - inhalation - Systemic        | 59 mg/m³   | Long-term - inhalation - Local 147 mg/m³               |
|                             | effects<br>Long-term - dermal - Systemic | 75 mg/kg   | effects  Long-term - oral - Systemic effects 6.3 mg/kg |
|                             | effects                                  |            |  |
| sodium (xylenes and         | Long-term - inhalation - Systemic        | 13.2 mg/m³ |  |
| 4-ethylbenzene) sulfonate   | effects                                  |            |  |
|                             | Long-term - dermal - Systemic            | 3.8 mg/kg  | Long-term - oral - Systemic effects 3.8 mg/kg          |
|                             | effects                                  |            |  |
| sodium hydroxide            | Long-term - inhalation - Local           | 1 mg/m³    |  |
| ·                           | effects                                  |            |  |
| Sodium Metasilicate         | Long-term - inhalation - Systemic        | 1.55 mg/m³ |  |
| Pentahydrate                | effects                                  | -          |  |
| •                           | Long-term - dermal - Systemic            | 0.74 mg/kg | Long-term - oral - Systemic effects 0.74 mg/kg         |
|                             | effects                                  | 2 0        | ,                |
| trisodium nitrilotriacetate | Long-term - inhalation - Systemic        | 1.75 mg/m³ |  |
|                             | effects                                  | -          |  |

### 8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

# 8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

### Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard

20 Revision Revision date 2020-11-06

8.2. Exposure controls

EN166. Skin protection -Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration Handprotection and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Respiratory protection No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment. 8.2.3. Environmental exposure

controls

Prevent further leakage or spillage if safe to do so.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

| Appearance                | Liquid             |
|---------------------------|--------------------|
| Colour                    | Clear              |
| Odour                     | Pleasant           |
| Odour threshold           | No data available  |
| рН                        | 13                 |
| Melting point             | No data available  |
| Initial boiling point     | No data available  |
| Flash point               | No data available  |
| Evaporation rate          | No data available  |
| Flammability (solid, gas) | No data available  |
| Vapour pressure           | No data available  |
| Vapour density            | No data available  |
| Relative density          | 1.095 - 1.14 g/cm3 |
| Partition coefficient     | No data available  |
| Autoignition temperature  | No data available  |
| Viscosity                 | < 100 centipoise   |
| Explosive properties      | No data available  |
| Oxidising properties      | No data available  |
| Solubility                | No data available  |

#### 9.2. Other information

| Conductivity          | No data available |
|-----------------------|-------------------|
| Surface tension       | No data available |
| Gas group             | No data available |
| Benzene Content       | No data available |
| Lead content          | No data available |
| VOC (Volatile organic | No data available |
| compounds)            |                   |

## **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

|                          | Stable under normal conditions. No specific reactivity hazards associated with this product. |
|--------------------------|--|
| 10.2. Chemical stability |  |
|                          | Stable under normal conditions. No particular stability concerns.                            |

## 10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

Revision 20 Revision date 2020-11-06

| 10.5. Incompatible materials           |  |  |
|--|--|--|
| Strong acids. Strong oxidising agents. |  |  |
| 10.6. Hazardous decomposition products |  |  |
|  | No Hazardous decomposition products when stored and handled correctly. |  |

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

|                               | This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). |
|-------------------------------|---|
| Acute toxicity                | based on available data the classification criteria are not met.  |
|                               | Oral ATE = >10,000 mg/kg.   |
|                               | Dermal ATE = >10,000 mg/kg.   |
|                               | Inhalation - Dust/Mist ATE = 47.42 mg/l.  |
| Skin corrosion/irritation     | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5.   |
| Serious eye damage/irritation | Corrosivity to eyes is assumed.   |
| Respiratory or skin           | based on available data the classification criteria are not met.  |
| sensitisation                 |   |
| Germ cell mutagenicity        | based on available data the classification criteria are not met.  |
| Carcinogenicity               | based on available data the classification criteria are not met.  |
| Reproductive toxicity         | based on available data the classification criteria are not met.  |
| STOT-single exposure          | based on available data the classification criteria are not met.  |
| STOT-repeated exposure        | based on available data the classification criteria are not met.  |
| Aspiration hazard             | based on available data the classification criteria are not met.  |
| 11.1.2. Mixtures              |   |
|                               | N. C. Maria   |

No data available.

## 11.1.3. Hazard Information

No data available.

### 11.1.4. Toxicological Information

| 2-butoxyethanol                                  | Inhalation Rat LC50/15min: 4500 ppm | Inhalation Rat LC50/30min: 11.0 mg/l |
|--|-------------------------------------|--------------------------------------|
|  | Dermal Rat LD50: 1100 mg/kg         | Oral Rat LD50: 1300 mg/kg            |
| sodium (xylenes and<br>4-ethylbenzene) sulfonate | <b>Oral Rat LD50:</b> > 7200 mg/kg  | Dermal Rabbit LD50: > 2000 mg/kg     |
|  | Inhalation Rat LC50/4 h: >6.41 mg/l |                                      |
| trisodium nitrilotriacetate                      | Oral Rat LD50: 1450 mg/kg           |                                      |

## SECTION 12: Ecological information

## 12.1. Toxicity

| 2-butoxyethanol             | EC50 for marine or freshwater >100.0000 mg/l | LC50 for marine or freshwater >100.0000 mg/l |
|-----------------------------|--|--|
|                             | organisms                                    | organisms                                    |
| sodium (xylenes and         | Daphnia EC50/48h: 1000.0000 mg/l             | Fish LC50/96h: 1000.0000 mg/l                |
| 4-ethylbenzene) sulfonate   |  |  |
| sodium hydroxide            | <b>Daphnia LC50/48h:</b> 40 - 240 mg/l       | Rainbow trout LC50/96h: 45.5 mg/l            |
|                             | Bluegill sunfish LC50/96h: 125 mg/l          | Guppy LC50/96h: 33 - 189 mg/l                |
| Sodium Metasilicate         | Daphnia EC50/48h: 1700.0000 mg/l             | Fish LC50/96h: 210.0000 mg/l                 |
| Pentahydrate                |  |  |
| ·                           | Algae EC50/72h: 207                          |  |
| trisodium nitrilotriacetate | <b>Daphnia EC50/48h:</b> 780.0000 mg/l       | Green algae EC50/96h: 98 - 312 mg/l          |

# 12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

Revision 20 Revision date 2020-11-06

|                                 | Revision date 2020-11-06  |
|---------------------------------|---|
| 12.3. Bioaccumulative potential |   |
|                                 |   |
|                                 | The product is not bioaccumulating.   |
| Partition coefficient           |   |
|                                 | Automatic Washing Machine No data available 2-butoxyethanol 0.8 log P                         |
|                                 | <b>Liquid</b><br><b>sodium hydroxide</b> No data available                                    |
|                                 | Sociali Hydroxide No data avallable   |
| 12.4. Mobility in soil          |   |
|                                 | This product is soluble in water.   |
| 12.5. Results of PBT and vPvB   | assessment  |
|                                 | This mixture is not classified as PBT or vPvB according to current EU criteria.               |
| 12.6. Other adverse effects     | •   |
|                                 | No data available.  |
| SECTION 12: Disposal cons       | idorationa  |
| SECTION 13: Disposal cons       | idei audi is  |
| 13.1. Waste treatment methods   | T   |
|                                 | Dispose of waste and residues in accordance with local authority requirements.                |
| General information             |   |
|                                 | Dispose of in compliance with all local and national requirements.                            |
| Disposal of packaging           |   |
|                                 | Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in |
|                                 | compliance with local and national regulations.   |
| SECTION 14: Transport info      | rmation   |
| Hazard pictograms               |   |
|                                 |   |
|                                 |   |
| 14.1. UN number                 |   |
|                                 | UN1760  |
| 14.2. UN proper shipping name   |   |
|                                 | CORROSIVE LIQUID, N.O.S. (contains Trisodium Nitrilotriacetate)                               |
| 14.3. Transport hazard class(es | )   |
| ADR/RID                         | 8   |
| Subsidiary risk                 | ] -   |
| IMDG                            | 8   |
| Subsidiary risk                 | -   |
| IATA                            | 8   |
| Subsidiary risk                 | <u> </u> -  |
| 14.4. Packing group             |   |
| Packing group                   | 111   |
| 14.5. Environmental hazards     |   |
| Environmental hazards           | No  |
| Marine pollutant                | No  |
|                                 |   |

Revision 20 Revision date 2020-11-06

| 14.6. Special precautions for user   |                                    |
|--|------------------------------------|
|  | No additional special precautions. |
| 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code |                                    |
|  | Not applicable.                    |
| ADR/RID  |                                    |
| Hazard ID  | 80                                 |
| Tunnel Category  | (E)                                |
| IMDG   |                                    |
| EmS Code   | F-A S-B                            |
| IATA   |                                    |
| Packing Instruction (Cargo)  | 856                                |
| Maximum quantity   | 60 L                               |
| Packing Instruction (Passenger)  | 852                                |
| Maximum quantity   | 5 L                                |

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| D   |          |
|-----|----------|
| Rea | ulations |
|     |          |

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

#### 15.2. Chemical safety assessment

No information available

#### SECTION 16: Other information

#### Other information

Revision

This document differs from the previous version in the following areas:.

- 4 Inhalation.
- 4 Ingestion.
- 5 5.3. Advice for firefighters.
- 8 Skin protection Handprotection.
- 8 Eye / face protection.
- 10 10.4. Conditions to avoid.
- 10 10.6. Hazardous decomposition products.
- 10 10.5. Incompatible materials.
- 11 Acute toxicity.
- 12 12.1. Toxicity.
- 12 12.4. Mobility in soil.
- 12 12.3. Bioaccumulative potential.
- 12 12.5. Results of PBT and vPvB assessment.

#### Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.

Revision 20 Revision date 2020-11-06

#### Other information

# Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. - Extreme pH - ≥ 11.5. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. - Calculation Method.

# Text of Hazard Statements in Section 3

Eye Dam. 1: H318 - Causes serious eye damage.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Acute Tox. 4: H302 - Harmful if swallowed. Eye Irrit. 2: H319 - Causes serious eye irritation. Carc. 2: H351 - Suspected of causing cancer. Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation.
Acute Tox. 4: H312 - Harmful in contact with skin.

Skin Irrit. 2: H315 - Causes skin irritation. Acute Tox. 4: H332 - Harmful if inhaled.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Flam. Sol. 2: H228 - Flammable solid.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled

STOT SE 2: H371 - May cause damage to organs .

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Aguatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

#### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.