



Page 1/8

 Revision
 14

 Revision date
 2020-09-17

| SECTION 1: Identification of | the substance/mixture and of the company/undertaking |
|--|---|
| 1.1. Product identifier | |
| Product name | Bilge Cleaner |
| Product code | qafs220 |
| 1.2. Relevant identified uses of t | he substance or mixture and uses advised against |
| Product Use | [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); |
| Description | Product is a concentrated high active Marine cleaning solution. Formulated for cleaning Bilges,. |
| 1.3. Details of the supplier of the | e safety data sheet |
| Company | Superfine Manufacturing Ltd |
| Address | Orchardbank Industrial Estate |
| | Forfar |
| | Angus |
| | Scotland |
| | DD8 1TD |
| Web | www.superfine.co.uk |
| Telephone | Tel: 01307 463538 |
| Fax | Fax: 01307 468505 |
| Email | nigel@superfine.co.uk |
| Email address of the | nigel@superfine.co.uk |
| competent person | |
| 1.4. Emergency telephone numb | ber |
| Emergency telephone number | 01307 463538 |
| | 8.30am to 17.00pm |
| | |
| | National Poisons Information Service: |
| | For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in |
| | Scotland) on 111 (for 24 hour health advice) |
| | |
| | If you are a healthcare professional with an enquiry please visit www.TOXBASE.org |
| SECTION 2: Hazards identifi | ication |
| 2.1. Classification of the substan | nce or mixture |
| 2.1.2. Classification - EC 1272/2008 | Eye Dam. 1: H318; |
| 2.2. Label elements | |
| Hazard pictograms | |
| Copyright © 2020 ChemSoft. All rights reserved | Print date 2020-09-17 |



Revision date 2020-09-17

| 2.2. Label elements | |
|--|--|
| Signal Word | Danger |
| Hazard Statement | Eye Dam. 1: H318 - Causes serious eye damage. |
| Precautionary Statement: Prevention | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| Precautionary Statement: Response | P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/. |
| Precautionary Statement: Disposal | P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations. |
| SUPPLEMENTAL HAZARD | Ingredients as required by Regulation (EC) No 648/2004:. 15 - 30% Non-ionic Surfactants, Pinus Sylvestris, Hexylene Glycol, CI 42090. |
| 2.3. Other hazards | |

Other hazards

This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|----------------------------------|--------------|------------|-----------|------------------------------|-----------------|---|
| C9-11 Alcohol Ethoxylate with EO | | 68439-45-2 | | | 20 - 30% | Acute Tox. 4: H302; Eye Dam. 1: H318: |
| Pine Oil | | | | | 1 - 10% | Acute Tox. 4: H302; Eye Irrit. 2: H319; |
| 2-methylpentane-2,4-diol | 603-053-00-3 | 107-41-5 | 203-489-0 | 01-2119539582-35 | 1 - 10% | Eye Irrit. 2: H319; Skin Irrit. 2: H315; |

Further information

Product Shelf Life

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move the exposed person to fresh air. | |
|--|---|--|
| Eye contact | Rinse immediately with plenty of water. Contact lenses should be removed. | |
| Skin contact | Remove contaminated clothing. Wash with water and soap as a precaution. | |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. | |
| 4.2. Most important symptoms and effects, both acute and delayed | | |
| Inhalation | Irritating to respiratory system. | |
| Eye contact | Causes serious eye damage. | |
| Skin contact | Irritating to skin. | |
| Ingestion | Irritating to mucous membranes. | |
| 4.3. Indication of any immediate | medical attention and special treatment needed | |
| Inhalation | Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist. | |
| Eye contact | Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist. | |
| Skin contact | Seek medical attention if irritation or symptoms persist. | |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist. | |
| General information | | |
| | If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. | |
| | | |

Revision date 2020-09-17

SECTION 5: Firefighting measures

| 5.1. Extinguishing media | |
|-----------------------------------|--|
| | This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. |
| 5.2. Special hazards arising from | n the substance or mixture |
| | None known. |
| 5.3. Advice for firefighters | |
| | Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear. |
| Further information | |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| SECTION 6: Accidental relea | ase measures |
| 6.1. Personal precautions, prote | ctive equipment and emergency procedures |
| | Wear suitable protective equipment. |
| 6.2. Environmental precautions | |
| | Advise local authorities if large spills cannot be contained. |
| 6.3. Methods and material for co | intainment and cleaning up |
| | For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. |
| 6.4. Reference to other sections | |
| | See section 2, 7, 8, 13 for further information. |
| SECTION 7: Handling and s | torage |
| 7.1. Precautions for safe handlin | IG |
| | Adopt best Manual Handling considerations when handling, carrying and dispensing. |
| 7.2. Conditions for safe storage, | including any incompatibilities |
| | Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container. |

7.3. Specific end use(s)

Product is a concentrated high active Marine cleaning solution. Formulated for cleaning Bilges,.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

| 2-methylpentane-2,4-diol | WEL 8-hr limit ppm: 25 | WEL 8-hr limit mg/m3: 123 |
|--------------------------|------------------------------|--------------------------------|
| | WEL 15 min limit ppm: 25 | WEL 15 min limit mg/m3: 123 |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: | inhalable dust: |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |



DNEL: Derived no-effect level.

| Exposure Pattern - Workers | | |
|----------------------------|---|--|
| 2-methylpentane-2,4-diol | Acute inhalation - Local effects 98 mg/m ³ | |
| | Long-term - inhalation - Systemic 14 mg/m ³ effects | Long-term - inhalation - Local 49 mg/m ³ effects |
| | Long-term - dermal - Systemic 2 mg/kg effects | |
| | | |

Exposure Pattern - General population

| 2-methylpentane-2,4-diol | Acute inhalation - Local effects 49 mg/m ³ | |
|--------------------------|--|--|
| | Long-term - inhalation - Systemic 3.5 mg/m ³ effects | Long-term - inhalation - Local 25 mg/m ³ effects |
| | Long-term - dermal - Systemic 1 mg/kg effects | Long-term - oral - Systemic effects 1 mg/kg |

8.2. Exposure controls

| | Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection. |
|---|---|
| 8.2.1. Appropriate engineering controls | Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location. |
| Eye / face protection | Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166. |
| Skin protection - Handprotection | Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. |
| Respiratory protection | No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment. |
| 8.2.3. Environmental exposure controls | Prevent further leakage or spillage if safe to do so. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

| Appearance | Liquid |
|---------------------------|-------------------|
| Colour | Blue |
| Odour | Pine |
| Odour threshold | No data available |
| рH | 5 - 7 |
| Melting point | No data available |
| Initial boiling point | No data available |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Vapour pressure | No data available |
| Vapour density | No data available |
| Relative density | No data available |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Viscosity | < 200 centipoise |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | No data available |

9.2. Other information

| Conductivity | No data available |
|-----------------------|-------------------|
| Surface tension | No data available |
| Specific gravity | 1.01 - 1.03 g/cm³ |
| Gas group | No data available |
| Benzene Content | No data available |
| Lead content | No data available |
| VOC (Volatile organic | No data available |
| compounds) | |

SECTION 10: Stability and reactivity

| 10.1. | Reactivity |
|-------|------------|
|-------|------------|

| | Stable under normal conditions. No specific reactivity hazards associated with this product. | |
|--|--|--|
| 10.2. Chemical stability | | |
| | Stable under normal conditions. No particular stability concerns. | |
| 10.3. Possibility of hazardous reactions | | |
| | Strong acids. Strong oxidising agents. | |
| 10.4. Conditions to avoid | | |
| | Protect from frost. Avoid excessive heat for prolonged periods of time. | |
| 10.5. Incompatible materials | | |
| | Strong acids. Strong oxidising agents. | |
| 10.6. Hazardous decomposition products | | |
| | No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes. | |
| SECTION 11: Toxicological information | | |
| 11.1. Information on toxicological effects | | |
| | This mixture has not been tested as a whole for health effects. The health effects have been | |

calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute toxicity based on available data the classification criteria are not met.



Revision 14

Revision date 2020-09-17

| 11.1. Information on toxicologica | al effects | |
|---|---|--|
| | Oral ATE = 3924.19 mg/kg. | |
| Skin corrosion/irritation | based on available data the classification criteria are not met. | |
| Serious eye damage/irritation | Eye Dam. 1: H318 - Causes serious eye damage. | |
| Respiratory or skin sensitisation | based on available data the classification criteria are not met. | |
| Germ cell mutagenicity | based on available data the classification criteria are not met. | |
| Carcinogenicity | based on available data the classification criteria are not met. | |
| Reproductive toxicity | based on available data the classification criteria are not met. | |
| STOT-single exposure | based on available data the classification criteria are not met. | |
| STOT-repeated exposure | based on available data the classification criteria are not met. | |
| Aspiration hazard | based on available data the classification criteria are not met. | |
| 11.1.2. Mixtures | | |
| | No data available. | |
| 11.1.3. Hazard Information | ۱ <u>ــــــــــــــــــــــــــــــــــــ</u> | |
| | No data available. | |
| 11.1.4. Toxicological Information | n | |
| 2-methylpentane-2,4-diol | Oral Rat LD50: >2000 mg/kg | |
| C9-11 Alcohol Ethoxylate with EO | Oral Rat LD50: 1100 mg/kg | |
| Pine Oil | Oral Rat LD50: 3200 mg/kg Dermal Rabbit LD50: 5 mg/kg | |
| SECTION 12: Ecological information | | |
| 12.1. Toxicity | | |
| | | |
| 2-methylpentane-2,4-diol | Daphnia EC50/48h: 5410.0000 mg/l Algae IC50/72h: 429.0000 mg/l Algae LC50/96h: 8510 mg/l 8510 | |
| - | Algae LC50/96h: 8510 mg/l | |
| 2-methylpentane-2,4-diol | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat | Algae LC50/96h: 8510 mg/l | |
| 2-methylpentane-2,4-diol | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential Partition coefficient | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential Partition coefficient | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. Bilge Cleaner No data available This product is soluble in water. | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. Bilge Cleaner No data available This product is soluble in water. | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil | Algae LC50/96h: 8510 mg/l sility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. Bilge Cleaner No data available This product is soluble in water. assessment | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB | Algae LC50/96h: 8510 mg/l sility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. Bilge Cleaner No data available This product is soluble in water. assessment | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB | Algae LC50/96h: 8510 mg/l ility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. Bilge Cleaner No data available This product is soluble in water. assessment This mixture is not classified as PBT or vPvB according to current EU criteria. No data available. | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB 12.6. Other adverse effects | Algae LC50/96h: 8510 mg/l sility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. Bilge Cleaner No data available This product is soluble in water. assessment This mixture is not classified as PBT or vPvB according to current EU criteria. No data available. siderations | |
| 2-methylpentane-2,4-diol 12.2. Persistence and degradat 12.3. Bioaccumulative potential Partition coefficient 12.4. Mobility in soil 12.5. Results of PBT and vPvB 12.6. Other adverse effects SECTION 13: Disposal cons | Algae LC50/96h: 8510 mg/l sility Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. The product is not bioaccumulating. Bilge Cleaner No data available This product is soluble in water. assessment This mixture is not classified as PBT or vPvB according to current EU criteria. No data available. siderations | |



Revision 14

Revision date 2020-09-17

| General information | |
|-----------------------------------|--|
| | Dispose of in compliance with all local and national requirements. |
| Disposal of packaging | |
| | Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. |
| SECTION 14: Transport info | rmation |
| 14.1. UN number | |
| | The product is not classified as dangerous for carriage. |
| 14.2. UN proper shipping name | · |
| | The product is not classified as dangerous for carriage. |
| 14.3. Transport hazard class(es) |) |
| | The product is not classified as dangerous for carriage. |
| 14.4. Packing group | |
| | The product is not classified as dangerous for carriage. |
| 14.5. Environmental hazards | |
| | The product is not classified as dangerous for carriage. |
| 14.6. Special precautions for us | er |
| | The product is not classified as dangerous for carriage. |
| 14.7. Transport in bulk according | g to Annex II of MARPOL 73/78 and the IBC Code |
| | The product is not classified as dangerous for carriage. |
| SECTION 15: Regulatory inf | ormation |
| 15.1. Safety, health and environ | mental regulations/legislation specific for the substance or mixture |
| Regulations | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |
| 15.2. Chemical safety assessme | COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |

No information available.

SECTION 16: Other information

Other information

| Revision | This document differs from the previous version in the following areas:. |
|----------|--|
| | 1 - Description. |
| | 1 - Product Use. |
| | 2 - SUPPLEMENTAL HAZARD INFORMATION. |
| | 3 - Active Ingredients. |
| | 5 - 5.2. Special hazards arising from the substance or mixture. |
| | 5 - 5.3. Advice for firefighters. |
| | 7 - 7.3. Specific end use(s). |



| Other information | |
|--|--|
| | 8 - Skin protection - Handprotection. 8 - Eye / face protection. 10 - 10.4. Conditions to avoid. |
| | 10 - 10.5. Incompatible materials. 11 - Acute toxicity. |
| | 12 - 12.4. Mobility in soil. 12 - 12.3. Bioaccumulative potential. |
| Data sources | 12 - 12.5. Results of PBT and vPvB assessment. Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:. |
| | Eye Dam. 1: H318 - Causes serious eye damage Calculation Method. |
| Text of Hazard Statements in Section 3 | Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. |
| | Skin Irrit. 2: H315 - Causes skin irritation. |
| Further information | · |
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. |

