



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

Bilge Wash

Revision 18 Revision date 2018-06-28

1.1. Product identifier

| Product name | Bilge Wash |
|--------------|------------|
| Product code | gafs272 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

| 1.2. Polovani ladrianda addo di ano dabotando di mixtaro ana addo davidos agamet | | | |
|---|---|--|--|
| Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services | | | |
| | craftsmen); | | |
| Description | A concentrated high alkaline, heavy duty cleaning/degreasing solution. For all heavy duty hygenic | | |
| | cleaning and degreasing of walls,floors, waste skips & processing areas. | | |

1.3. Details of the supplier of the safety data sheet

| Company | Superfine Manufacturing Ltd |
|---------|-------------------------------|
| Address | Orchardbank Industrial Estate |

Forfar Angus

Scotland DD8 1TD

Webwww.superfine.co.ukTelephoneTel: 01307 463538FaxFax: 01307 468505Emailnigel@superfine.co.ukEmail address of the
competent personnigel@superfine.co.uk

1.4. Emergency telephone number

| Emergency telephone number | 01307 463538 | |
|----------------------------|-------------------|--|
| | 8 30am to 17 00pm | |

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

| 2.1.2. Classification - EC | Skin Corr. 1A: H314; Aquatic Chronic 3: H412; |
|----------------------------|---|
| 1272/2008 | |

2.2. Label elements

Hazard pictograms



Signal Word

Dang

Hazard Statement

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

 $\label{eq:Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.}$

Revision 18 Revision date 2018-06-28

2.2. Label elements

| Precautionary Statement: Prevention | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
|--------------------------------------|--|
| Precautionary Statement: Response | P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/. |
| Precautionary Statement: Storage | P405 - Store locked up. |
| Precautionary Statement: Disposal | P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations. |
| 2.3. Other hazards | |
| | l |

Other hazards PBT not identified as a PBT substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|--|--------------|------------|-----------|------------------------------|-----------------|---|
| C8-18 (even numbered) Alkylamidopropylbetain | | | 931-296-8 | 01-2119488533-30 | 1 - 10% | Eye Dam. 1: H318; Aquatic Chronic 3: H412; |
| Alkyl Dimethyl Betaine | | 66455-29-6 | 266-368-1 | | 1 - 10% | Skin Corr. 1B: H314; Aquatic Chronic 3: H412; |
| sodium hydroxide | 011-002-00-6 | 1310-73-2 | 215-185-5 | 01-2119457892-27 | 1 - 10% | Skin Corr. 1A: H314; |
| Amines, N-C12-C14 (even numbered)- alkyltrimethylenedi-reaction products with chloroacetic acid | | | 941-419-7 | 01-2120050368-56 | 0 - 0.5% | Acute Tox. 4: H302; Skin Corr. 1C: H314; Eye Dam. 1: H318; STOT RE 1: H372; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; |

| Further | informe | ation |
|---------|---------|-------|

| Product Shelf Life | RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY. |
|--------------------|--|
| Active Ingredients | Ingredients HDSS - 15 - 30 % Amphoteric Surfactants, 5 - 15% Anionic Surfactants, Sodium |
| | Hydroxide. |

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move the exposed person to fresh air. | |
|--------------|--|--|
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses | |
| | should be removed. | |
| Skin contact | Remove contaminated clothing. Wash off immediately with plenty of soap and water. | |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested | |
| | product. | |

4.2. Most important symptoms and effects, both acute and delayed

| Inhalation | May cause irritation to respiratory system. | |
|--------------|---|--|
| Eye contact | Causes burns. Risk of serious damage to eyes. | |
| Skin contact | Causes burns. | |
| Ingestion | May cause irritation to mucous membranes. | |

4.3. Indication of any immediate medical attention and special treatment needed

| | <u> </u> |
|------------|---|
| Inhalation | Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical |
| | advice immediately (show the label where possible). Seek medical attention. Show this safety data |
| | sheet to the doctor in attendance. |

Revision 18 Revision date 2018-06-28

| | Revision date 2018-06-2 |
|----------------------------------|--|
| 4.3. Indication of any immediate | e medical attention and special treatment needed |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Skin contact | Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| General information | <u> </u> |
| | If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. |
| SECTION 5: Firefighting me | easures |
| 5.1. Extinguishing media | |
| | This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials |
| 5.2. Special hazards arising fro | m the substance or mixture |
| | Burning produces irritating, toxic and obnoxious fumes. |
| 5.3. Advice for firefighters | |
| | Wear suitable respiratory equipment when necessary. |
| Further information | |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| SECTION 6: Accidental rele | ease measures |
| 6.1. Personal precautions, prot | ective equipment and emergency procedures |
| | Wear suitable protective equipment. |
| 6.2. Environmental precautions | |
| | Advise local authorities if large spills cannot be contained. |
| 6.3. Methods and material for o | containment and cleaning up |
| | For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. |
| 6.4. Reference to other section | s |
| | See section 2, 7, 8, 13 for further information. |
| SECTION 7: Handling and | storage |
| 7.1. Precautions for safe handle | ing |
| | Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
| 7.2. Conditions for safe storage | e, including any incompatibilities |
| | Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container. |
| 7.3. Specific end use(s) | |
| | No data is available on this product. |
| Suitable packaging | |
| | Plastic containers. |
| SECTION 8: Exposure conf | rols/personal protection |

Revision 18 Revision date 2018-06-28

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

| Diethylene Glycol (2,2'-Oxydiethanol) | WEL 8-hr limit ppm: 23 | WEL 8-hr limit mg/m3: 101 |
|--|---|---|
| , | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: | WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: |
| sodium hydroxide | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 |
| | WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: | WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust: |

DNEL: Derived no-effect level.

Exposure Pattern - Workers

| sodium hydroxide | Acute inhalation - Local effects 2 mg/m³ | |
|------------------|--|--|
| | Acute dermal - Local effects 2 mg/kg | Long-term - inhalation - Local 1 mg/m³ |
| | | effects |

Exposure Pattern - General population

| sodium hydroxide | Long-term - inhalation - Local 1 mg/m³ |
|------------------|--|
| | effects |

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Skin protection - Rubber gloves.

Handprotection
Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 18 Revision date 2018-06-28

9.1. Information on basic physical and chemical properties

| Appearance | Liquid |
|---------------------------|---------------------|
| Colour | |
| Odour | Characteristic |
| Odour threshold | No data available |
| Hq | > 13 |
| • | No data available |
| Initial boiling point | |
| Flash point | No data available |
| | No data available |
| Flammability (solid, gas) | |
| | No data available |
| • • | No data available |
| Relative density | 1.077 - 1.085 g/cm3 |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Viscosity | < 50 centipoise |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | Soluble in water |

9.2. Other information

| Conductivity | No data available |
|-----------------------|-------------------|
| Surface tension | No data available |
| Gas group | No data available |
| Benzene Content | No data available |
| Lead content | No data available |
| VOC (Volatile organic | |
| compounds) | |

SECTION 10: Stability and reactivity

| 10 | .1. | Rea | ctiv | /ity |
|----|-----|-----|------|------|
| | | | | |

| 10.1. Reactivity | | |
|--|--|--|
| | Stable under normal conditions. No specific reactivity hazards associated with this product. | |
| 10.2. Chemical stability | | |
| | Stable under normal conditions. No particular stability concerns. | |
| 10.3. Possibility of hazardous reactions | | |
| | Strong acids. Strong oxidising agents. | |
| 10.4. Conditions to avoid | | |
| | Protect from frost. | |
| 10.5. Incompatible materials | | |
| | | |

No incompatible groups noted.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| 11.1. Information on textoological encous | | |
|--|--|--|
| This mixture has not been tested as a whole for health effects. The health effects have to | | |
| | calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). | |
| Acute toxicity | based on available data the classification criteria are not met. | |

Revision 18 Revision date 2018-06-28

| 11.1. Information on toxicologica | al effects | | |
|--------------------------------------|---|--|--|
| Skin corrosion/irritation | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5. | | |
| Serious eye damage/irritation | Causes serious eye damage. | | |
| Respiratory or skin sensitisation | based on available data the classification criteria are not met. | | |
| Germ cell mutagenicity | based on available data the classification criteria are not met. | | |
| Carcinogenicity | based on available data the classification criteria are not met. | | |
| Reproductive toxicity | based on available data the classification criteria are not met. | | |
| STOT-single exposure | based on available data the classification criteria are not met. | | |
| STOT-repeated exposure | based on available data the classification criteria are not met. | | |
| Aspiration hazard | based on available data the classification criteria are not met. | | |
| 11.1.2. Mixtures | | | |
| | No data available. | | |
| 11.1.3. Hazard Information | | | |
| | No data available. | | |
| 11.1.4. Toxicological Information | 1 | | |
| sodium hydroxide | Oral Rat LD50: >500 mg/kg | | |
| SECTION 12: Ecological info | ormation | | |
| 12.2. Persistence and degradab | ility | | |
| | Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. | | |
| 12.3. Bioaccumulative potential | | | |
| | | | |
| | No data is available on this product. | | |
| Partition coefficient | | | |
| | Bilge Wash No data available sodium hydroxide No data available | | |
| 12.4. Mobility in soil | | | |
| • | No data is available on this product. | | |
| 12.5. Results of PBT and vPvB | | | |
| | No data is available on this product. | | |
| 12.6. Other adverse effects | • | | |
| | No data available. | | |
| SECTION 13: Disposal cons | iderations | | |
| 13.1. Waste treatment methods | | | |
| | Dispose of waste and residues in accordance with local authority requirements. | | |
| General information | | | |
| | Dispose of in compliance with all local and national requirements. | | |
| Disposal of packaging | | | |
| | Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. | | |
| SECTION 14: Transport info | rmation | | |
| Hazard pictograms | | | |

Revision 18 Revision date 2018-06-28

| Hazard pictograms | | |
|-----------------------------------|--|--|
| | 8 | |
| 14.1. UN number | | |
| | UN1760 | |
| 14.2. UN proper shipping name | | |
| | CORROSIVE LIQUID, N.O.S. (contains sodium hydroxide) | |
| 14.3. Transport hazard class(es) |) | |
| ADR/RID | 8 | |
| Subsidiary risk |] - | |
| IMDG | 8 | |
| Subsidiary risk | - | |
| IATA | 8 | |
| Subsidiary risk | <u> - </u> | |
| 14.4. Packing group | Γ | |
| Packing group | <u> </u> | |
| 14.5. Environmental hazards | | |
| Environmental hazards | No | |
| Marine pollutant | No No | |
| 14.6. Special precautions for use | er T | |
| | No additional special precautions. | |
| 14.7. Transport in bulk according | g to Annex II of MARPOL 73/78 and the IBC Code | |
| | Not applicable. | |
| ADR/RID | | |
| Hazard ID | 80 | |
| Tunnel Category | (E) | |
| IMDG | | |
| EmS Code | F-A S-B | |
| IATA | | |
| Packing Instruction (Cargo) | 856 | |
| Maximum quantity | 60 L | |
| Packing Instruction | 852 | |
| (Passenger) Maximum quantity | 5 L | |
| Maximum quantity | ~- | |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Regulations | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. |
|-------------|---|
| | |

Revision 18 Revision date 2018-06-28

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

RevisionThis document differs from the previous version in the following areas:. 2 - Precautionary Statement: Disposal.

- 4 Inhalation.
- 4 Ingestion.
- 11 Skin corrosion/irritation.
- 11 11.1. Information on toxicological effects.
- 12 12.1. Toxicity.
- 16 Data sources

Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. - Extreme pH - ≥ 11.5. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. - Calculation Method.

Text of Hazard Statements in Section 3

Eye Dam. 1: H318 - Causes serious eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Skin Irrit. 2: H315 - Causes skin irritation.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Acute Tox. 4: H302 - Harmful if swallowed.

Skin Corr. 1C: H314 - Causes severe skin burns and eye damage.

STOT RE 1: H372 - Causes damage to organs through prolonged or repeated exposure .

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.