



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/9

caustic soda

Revision 14

Revision date 2022-11-22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	caustic soda
REACH Registration Number	01-2119457892-27
Other means of identification	Sodium Hydroxide.
CAS No.	1310-73-2
EC No.	215-185-5
Index No.	011-002-00-6
Product code	shp 30

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); ----- [SU3] Industrial uses: Uses of substances as such or in preparations at industrial sites;
Description	Chemical Chemical Intermediate Detergent. Soaps.

1.3. Details of the supplier of the safety data sheet

Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number	01307 463538 8.30am to 17.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture


2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314;
--------------------------------------	----------------------

caustic soda

Revision 14

Revision date 2022-11-22

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.

2.3. Other hazards

Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties. Reactions with the following materials may generate heat: Strong acids. Water.
---------------	--

Further information

	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--	--

SECTION 3: Composition/information on ingredients

3.1. Substances

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
caustic soda (Sodium hydroxide)	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	90 - 100%	Skin Corr. 1A: H314;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Dust is severely irritating to the upper respiratory system. Symptoms following overexposure may include the following: Coughing. Wheezing/breathing difficulties. , May cause an asthma-like shortness of breath. Sore throat. Burning sensation in mouth. Upper respiratory irritation. Tracheobronchitis, pulmonary oedema.
Eye contact	Causes serious eye damage. May cause chemical eye burns. Symptoms following overexposure may include the following: Severe irritation, burning and tearing, Corneal damage., May cause permanent damage if eye is not immediately irrigated.
Skin contact	Causes severe burns. Blistering may occur. May cause serious chemical burns to the skin., Prolonged contact causes serious tissue damage.
Ingestion	Causes severe burns. May cause burns in mucous membranes, throat, oesophagus and stomach.

caustic soda

Revision 14

Revision date 2022-11-22

4.2. Most important symptoms and effects, both acute and delayed

	Symptoms following overexposure may include the following: Burning sensation in mouth., Nausea, vomiting. Vomiting of blood., Swallowing concentrated chemical may cause severe internal injury.
--	--

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.

General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

SECTION 5: Firefighting measures**5.1. Extinguishing media**

	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials. Do not use water jet as an extinguisher, as this will spread the fire.
--	--

5.2. Special hazards arising from the substance or mixture

	Severe corrosive hazard. When heated, vapours/gases hazardous to health may be formed.
--	--

5.3. Advice for firefighters

	Wear suitable respiratory equipment when necessary. Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
--	--

Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

	Wear suitable protective equipment. Follow precautions for safe handling described in this safety data sheet. Keep unnecessary and unprotected personnel away from the spillage. Avoid inhalation of dust and contact with skin and eyes., Provide adequate ventilation.
--	--

6.2. Environmental precautions

	Avoid the spillage or runoff entering drains, sewers or watercourses. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
--	---

6.3. Methods and material for containment and cleaning up

	Avoid the spillage or runoff entering drains, sewers or watercourses. Remove spillage with vacuum cleaner or collect with a shovel and broom, or similar, Collect and place in suitable waste disposal containers and seal securely., Clean contaminated objects and areas thoroughly, observing environmental regulations.
--	---

6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

SECTION 7: Handling and storage

caustic soda

Revision 14

Revision date 2022-11-22

7.1. Precautions for safe handling

	Handle all packages and containers carefully to minimise spills. Avoid inhalation of dust and contact with skin and eyes. Never add water directly to this product as it may cause a vigorous reaction or boiling., Always dilute by carefully pouring the product into water. Provide adequate ventilation.
--	--

7.2. Conditions for safe storage, including any incompatibilities

	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Suitable container materials: Polyethylene. Stainless steel. Storage class - Corrosive storage.
--	--

7.3. Specific end use(s)

	Chemical Chemical Intermediate Detergent. Soaps.
--	--

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

	Occupational exposure controls.
--	---------------------------------

8.1.1. Exposure Limit Values

caustic soda (Sodium hydroxide)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.



Exposure Pattern - Workers

caustic soda	Acute inhalation - Local effects 2 mg/m ³	Long-term - inhalation - Local effects 1 mg/m ³
	Acute dermal - Local effects 2 mg/kg	

Exposure Pattern - General population

caustic soda	Long-term - inhalation - Local effects 1 mg/m ³
--------------	--

8.2. Exposure controls

8.2.1. Appropriate engineering controls Eye / face protection	 
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location. Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard

caustic soda

Revision 14

Revision date 2022-11-22

8.2. Exposure controls

Skin protection - Handprotection	<p>EN166.</p> <p>Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer., The selected gloves should have a breakthrough time of at least 8 hours. Polyvinyl chloride (PVC). Neoprene. Rubber (natural, latex). Butyl rubber., To protect hands from chemicals, gloves should comply with European Standard EN374.</p>
Skin protection - Other	Wear appropriate clothing to prevent any possibility of skin contact.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible., If ventilation is inadequate, suitable respiratory protection must be worn., Wear a respirator fitted with the following cartridge: Particulate filter, type P2, Particulate filters should comply with European Standard EN143.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Solid/Pellets
Colour	White/Off white
Odour	Odourless
Odour threshold	No data available
pH	> 14 10% Solution
Melting point	318 - 324 °C
Initial boiling point	1378 - 1403 °C
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	10 hPa (20 degC)
Relative Vapour Density	No data available
Density / Relative Density	2.02 - 2.13 (H2O = 1 @ 20 °C)
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Bulk Density	1100 - 1200 kg/m3
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

9.2.1. Information with regard to physical hazard classes

	No data is available on this product.
--	---------------------------------------

9.2.2. Other safety characteristics

caustic soda

Revision 14

Revision date 2022-11-22

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

The following materials may react violently with the product: Acids. Water. Organic nitro compounds.

10.2. Chemical stability

Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

Reacts violently with strong acids. Exothermic reaction with acids Reacts violently with water. Never add water directly to this product as it may cause a vigorous reaction or boiling., Always dilute by carefully pouring the product into water.

10.4. Conditions to avoid

Protect from moisture. Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Strong acids. Strong oxidising agents. Aluminium. Magnesium. Zinc. Other metals or alloys.

10.6. Hazardous decomposition products

Thermal decomposition or combustion products may include the following substances: Toxic and corrosive gases or vapours.

SECTION 11: Toxicological information

11.1 Information on hazard classes

Acute toxicity	Acute toxicity - oral - LD ₅₀ >500 mg/kg, Oral, Rabbit. Acute toxicity - dermal - No specific test data are available. Acute toxicity - inhalation - No specific test data are available.
Skin corrosion/irritation	Causes severe burns.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	Causes burns. Prolonged contact may cause defatting of the skin. Danger of serious damage to health by prolonged exposure.

11.1.2. Mixtures

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

caustic soda	Oral Rat LD50: >500 mg/kg
--------------	---------------------------

11.2 Information on other hazards

No data is available on this product.

caustic soda

Revision 14

Revision date 2022-11-22

SECTION 12: Ecological information

12.1. Toxicity

caustic soda	Daphnia EC50/48h: 40.4 mg/l Rainbow trout LC50/96h: 45.5 mg/l	Fish LC50/96h: 33.0000 mg/l Bluegill sunfish LC50/96h: 125 mg/l
--------------	--	--

12.2. Persistence and degradability

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
--	--

12.3. Bioaccumulative potential

	The product is not bioaccumulating.
--	-------------------------------------

Partition coefficient

	caustic soda No data available
--	--------------------------------

12.4. Mobility in soil

	The product is water-soluble and may spread in water systems.
--	---

12.5. Results of PBT and vPvB assessment

	This substance/mixture is not classified as PBT or vPvB according to current criteria.
--	--

12.6 Endocrine disrupting properties

	No data is available on this product.
--	---------------------------------------

12.7. Other adverse effects

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

General information

	Dispose of in compliance with all local and national requirements.
--	--

Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

SECTION 14: Transport information

Hazard pictograms

	
--	---

14.1. UN number

	UN1823
--	--------

14.2. UN proper shipping name

	SODIUM HYDROXIDE, SOLID
--	-------------------------

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-

caustic soda

Revision 14

Revision date 2022-11-22

14.3. Transport hazard class(es)

IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group	II
---------------	----

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.6. Special precautions for user

	No additional special precautions.
--	------------------------------------

14.7 Maritime Transport in bulk according to IMO instruments

	Not applicable.
--	-----------------

ADR/RID

Hazard ID	80
Tunnel Category	(E)

IMDG

EmS Code	F-A S-B
----------	---------

IATA

Packing Instruction (Cargo)	863
Maximum quantity	50 kg
Packing Instruction (Passenger)	859
Maximum quantity	15 kg

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</p>
-------------	--

15.2. Chemical safety assessment

	No information available.
--	---------------------------

SECTION 16: Other information

caustic soda

Revision 14

Revision date 2022-11-22

Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <p>1 - Other means of identification.</p> <p>2 - Other hazards.</p> <p>2 - Further information.</p> <p>9 - 9.2.2. Other safety characteristics.</p> <p>9 - 9.2.1. Information with regard to physical hazard classes.</p> <p>11 - 11.1.4. Toxicological Information.</p> <p>11 - 11.2 Information on other hazards.</p> <p>12 - 12.1. Toxicity.</p> <p>12 - 12.6 Endocrine disrupting properties.</p> <p>12 - 12.7. Other adverse effects.</p> <p>15 - Regulations.</p>
Text of Hazard Statements in Section 3	<p>Met. Corr. 1: H290 - May be corrosive to metals.</p> <p>Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.</p>

Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---