



SAFETY DATA SHEET according to Regulation (EU) 2015/830

## **CLEAR VIEW**

Page 1/8

 Revision
 10

 Revision date
 2018-07-09

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	CLEAR VIEW
Product code	QAFS712
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers);
	 [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	A clear visibility windscreen barrier. Creates a polymetric barrier that makes water droplets bead and run off. Allowing your windscreen to be clear all year round.
1.3. Details of the supplier of the	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar Angus
	Scotland
	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email	nigel@superfine.co.uk
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone numb	
Emergency telephone number	01307 463538
	8.30am to 17.00pm
SECTION 2: Hazards identifi	ication
2.1. Classification of the substar	nce or mixture
2.1.2. Classification - EC 1272/2008	This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.
2.2. Label elements	
Precautionary Statement: Prevention	P102 - Keep out of reach of children.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
Hazard Statement	No Significant Hazard



### 2.3. Other hazards

### **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. Classification (%w/w)
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	1 - 10% Flam. Liq. 2: H225; Eye Irrit. 2: H319;
methanol	603-001-00-X	67-56-1	200-659-6	01-2119433307-44	0 - 0.5% Flam. Liq. 2: H225; Acute Tox. 3: H331; Acute Tox. 3: H311; Acute Tox. 3: H301; STOT SE 1: H370;

### Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients - Less than 5% Non-ionic Surfactants.

### SECTION 4: First aid measures

### 4.1. Description of first aid measures

4.1. Description of mist are meas	
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.
4.2. Most important symptoms a	nd effects, both acute and delayed
Inhalation	May cause irritation to respiratory system.
Eye contact	May cause irritation to eyes.
Skin contact	May cause skin dryness and irritation.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating toxic and obnovious fumes

Burning produces irritating, toxic and obnoxious fumes.

5.3. Advice for firefighters

Wear suitable respiratory equipment when necessary.

#### Further information

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires.



# Revision 10 Revision date 2018-07-09

Further information			
	Use extinguishing measures that are appropriate to local circumstances and the surrounding		
	environment.		
SECTION 6: Accidental release measures			
6.1. Personal precautions, prote	ctive equipment and emergency procedures		
	Wear suitable protective equipment.		
6.2. Environmental precautions	-		
	Advise local authorities if large spills cannot be contained.		
6.3. Methods and material for co	ontainment and cleaning up		
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.		
6.4. Reference to other sections			
	See section 2, 7, 8, 13 for further information.		
SECTION 7: Handling and s	torage		
7.1. Precautions for safe handlin	ng		
	Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities		
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.		
7.3. Specific end use(s)			
	No data is available on this product.		
Suitable packaging			
	Plastic containers.		
SECTION 8: Exposure contr	ols/personal protection		
8.1. Control parameters			
	Occupational exposure controls.		

### 8.1.1. Exposure Limit Values

Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
methanol	WEL 8-hr limit ppm: 200	WEL 8-hr limit mg/m3: 266
	WEL 15 min limit ppm: 250	WEL 15 min limit mg/m3: 333
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

### DNEL: Derived no-effect level.

### Exposure Pattern - Workers



# Revision 10 Revision date 2018-07-09

Exposure Pattern - Workers

methanol	Acute inhalation - Systemic 260 mg/ effects	m³	
	Acute inhalation - Local effects 260 mg/	m <sup>3</sup> Acute dermal - Systemic effects 40	mg/kg
	Long-term - inhalation - Systemic 260 mg/	m <sup>3</sup> Long-term - inhalation - Local 26	i0 mg/m³
	effects	effects	
	Long-term - dermal - Systemic 40 mg/kg	g	
	effects		

### Exposure Pattern - General population

methanol	Acute inhalation - Systemic effects	50 mg/m³	
	Acute inhalation - Local effects	50 mg/m³	Acute dermal - Systemic effects 8 mg/kg
	Long-term - inhalation - Systemic	50 mg/m³	Long-term - inhalation - Local 50 mg/m <sup>3</sup>
	effects		effects
	Long-term - dermal - Systemic	8 mg/kg	
	effects		

### 8.2. Exposure controls

9.1. Information on basic physical and chemical properties



### 9.1. Information on basic physical and chemical properties

Appearance	Aqueous solution
Colour	Colourless
Odour	Slight
Odour threshold	No data available
pH	5.1 - 7.8
Melting point	No data available
Initial boiling point	No data available
Flash point	64 °C
Evaporation rate	Not applicable.
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.98 - 1 g/cm3
Partition coefficient	Not applicable.
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	
SECTION 10: Stability and reactivity	

## 10.1. Reactivity

	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.
0.3. Possibility of hazardous re	actions
	Strong acids. Strong oxidising agents.
0.4. Conditions to avoid	
	Protect from frost.
0.5. Incompatible materials	
	No incompatible groups noted.
0.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological	information
11.1. Information on toxicologica	al effects
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Acute toxicity



based on available data the classification criteria are not met.

## Revision 10

Revision date 2018-07-09

11.1. Information on toxicological effects		
Skin corrosion/irritation	based on available data the classification criteria are not met.	
Serious eye damage/irritation	based on available data the classification criteria are not met.	
Respiratory or skin sensitisation	based on available data the classification criteria are not met.	
Germ cell mutagenicity	based on available data the classification criteria are not met.	
Carcinogenicity	based on available data the classification criteria are not met.	
Reproductive toxicity	based on available data the classification criteria are not met.	
STOT-single exposure	based on available data the classification criteria are not met.	
STOT-repeated exposure	based on available data the classification criteria are not met.	
Aspiration hazard	based on available data the classification criteria are not met.	
11.1.2. Mixtures		
	No data available.	
11.1.3. Hazard Information		
	No data available.	
11.1.4. Toxicological Information	1	
	No data available	
SECTION 12: Ecological info	rmation	
12.1. Toxicity		
	No data available	
12.2. Persistence and degradab	lity	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.	
12.3. Bioaccumulative potential		
	No data is available on this product.	
Partition coefficient		
	CLEAR VIEW Not applicable. Ethanol: Ethyl Alcohol 0.35 log P	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB a	assessment	
	No data is available on this product.	
12.6. Other adverse effects		
	No data available.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	



### Revision 10

Revision date 2018-07-09

SECTION 14: Transport info	rmation
14.1. UN number	
	The product is not classified as dangerous for carriage.
14.2. UN proper shipping name	
	The product is not classified as dangerous for carriage.
14.3. Transport hazard class(es)	
	The product is not classified as dangerous for carriage.
14.4. Packing group	
	The product is not classified as dangerous for carriage.
14.5. Environmental hazards	
	The product is not classified as dangerous for carriage.
14.6. Special precautions for user	
	The product is not classified as dangerous for carriage.
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	The product is not classified as dangerous for carriage.
SECTION 15: Regulatory inf	ormation
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and
	Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
15.2. Chemical safety assessme	ent

### No information available.

### **SECTION 16: Other information**

### Other information

Revision	This document differs from the previous version in the following areas:. 9 - 9.2. Other information (VOC (Volatile organic compounds)).
	9 - 9.2. Other information (Product Subcategory).
	11 - 11.1.4. Toxicological Information.
	11 - 11.1. Information on toxicological effects.
	12 - 12.1. Toxicity.
	14 - 14.6. Special precautions for user.
	14 - 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code.
	16 - Maximum content of VOC.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Acute Tox. 3: H301 - Toxic if swallowed.
	Acute Tox. 3: H311 - Toxic in contact with skin.
	Acute Tox. 3: H331 - Toxic if inhaled.



 Revision
 10

 Revision date
 2018-07-09

Other information	
	STOT SE 1: H370 - Causes damage to organs .
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

