



| | Page 1/8 |
|---|--|
| | • |
| | Contact Bleach (Thickened) |
| | Revision 15 |
| | Revision date 2018-07-10 |
| SECTION 1: Identification of | the substance/mixture and of the company/undertaking |
| 1.1. Product identifier | |
| Product name | Contact Bleach (Thickened) |
| Product code | QAFS218 |
| 1.2. Relevant identified uses of t | the substance or mixture and uses advised against |
| Product Use | [SU22] Professional uses: Public domain (administration, education, entertainment, services, |
| | craftsmen); |
| Description | No data is available on this product. |
| 1.3. Details of the supplier of the | e safety data sheet |
| Company | Superfine Manufacturing Ltd |
| Address | Orchardbank Industrial Estate |
| | Forfar |
| | Angus |
| | Scotland |
| | DD8 1TD |
| Web | www.superfine.co.uk |
| Telephone | Tel: 01307 463538 |
| Fax | Fax: 01307 468505 |
| Email | nigel@superfine.co.uk |
| Email address of the | nigel@superfine.co.uk |
| competent person 1.4. Emergency telephone numb | |
| Emergency telephone number | 01307 463538 |
| | 8.30am to 17.00pm |
| | |
| SECTION 2: Hazards identif | ication |
| 2.1. Classification of the substar | |
| 2.1.2. Classification - EC | Skin Corr. 1A: H314; STOT SE 3: H335; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; |
| 1272/2008 | <u> </u> |
| 2.2. Label elements | |

2.2. Label elements Hazard pictograms Signal Word Danger **Hazard Statement** Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.



| 2.2. Label elements | |
|--|---|
| Precautionary Statement: Prevention | P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| Precautionary Statement: | P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. |
| Response | P302+P352 - IF ON SKIN: Wash with plenty of water/ . |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing. |
| | P310 -Immediately call a POISON CENTER/doctor/ . |
| SUPPLEMENTAL HAZARD | EUH031 - Contact with acids liberates toxic gas. |
| INFORMATION | P264 - Wash hands and other contacted skin thoroughly after handling. |
| | P361+P364 - Take off immediately all contaminated clothing and wash it before reuse. |
| | P501 - Dispose of contents/container to an approved disposal site, in accordance with local |
| | regulations. |

2.3. Other hazards

| Other hazards | PBT not identified as a PBT substance. |
|---------------|--|
| | |

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|--|--------------|-------------|-----------|------------------------------|-----------------|---|
| Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides | | 308062-28-4 | 931-292-6 | 01-2119490061-47 | 1 - 10% | Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; |
| Sodium Hypochlorite >10% | | 7681-52-9 | 231-668-3 | 01-2119488154-34 | 30 - 40% | EUH031; Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; |
| Alcohols, C12-14, ethoxylated, sulfates, sodium salts | | 68891-38-3 | 500-234-8 | 01-2119488639-16 | 1 - 10% | Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412; |
| sodium hydroxide | 011-002-00-6 | 1310-73-2 | 215-185-5 | 01-2119457892-27 | 0.5 - 1% | Skin Corr. 1A: H314; |

| Further information | |
|---------------------|--|
| Product Shelf Life | RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY. |
| Active Ingredients | Ingredients Thickened Bleach - Chlorine based bleaching agents (Sodium Hypochlorite), 5 - 15% Non-ionic Surfactant, 5 - 15% Anionic Surfactant, Sodium Hydroxide. |

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move the exposed person to fresh air. |
|--------------------------------|---|
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. |
| Skin contact | Remove contaminated clothing. Wash off immediately with plenty of soap and water. |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested |
| | product. |
| 4.2. Most important symptoms a | nd effects, both acute and delayed |
| Inhalation | Causes burns. |
| Eye contact | Causes burns. Risk of serious damage to eyes. |
| Skin contact | Causes burns. |

Ingestion



4.3. Indication of any immediate medical attention and special treatment needed

| Inhalation | Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance. |
|---------------------|--|
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Skin contact | Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| General information | |

| | If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. |
|-----------------------------------|--|
| SECTION 5: Firefighting mea | asures |
| 5.1. Extinguishing media | |
| | This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials |
| 5.2. Special hazards arising from | n the substance or mixture |
| | Burning produces irritating, toxic and obnoxious fumes. |
| 5.3. Advice for firefighters | |
| | Wear suitable respiratory equipment when necessary. |
| Further information | |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| SECTION 6: Accidental relea | ase measures |
| 6.1. Personal precautions, prote | ctive equipment and emergency procedures |
| | Wear suitable protective equipment. |
| 6.2. Environmental precautions | |
| | Advise local authorities if large spills cannot be contained. |
| 6.3. Methods and material for co | ntainment and cleaning up |
| | For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. |
| 6.4. Reference to other sections | |
| | See section 2, 7, 8, 13 for further information. |
| SECTION 7: Handling and st | lorage |
| 7.1. Precautions for safe handlin | g |
| | Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
| 7.2. Conditions for safe storage, | including any incompatibilities |
| | Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container. |
| 7.3. Specific end use(s) | |
| | No data is available on this product. |

Suitable packaging



Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

| 8.1.1. Exposure Limit Values | | | | |
|------------------------------|---|---|--|--|
| sodium hydroxide | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: - | | |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 2 | | |
| | WEL 8-hr limit mg/m3 total - inhalable dust: | WEL 15 min limit mg/m3 total - inhalable dust: | | |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - | | |
| | respirable dust: | respirable dust: | | |

DNEL: Derived no-effect level.

| Exposure Pattern - Workers | | |
|----------------------------|--|--|
| sodium hydroxide | Acute inhalation - Local effects 2 mg/m ³ | |
| | Acute dermal - Local effects 2 mg/kg | Long-term - inhalation - Local 1 mg/m ³ |
| | | effects |

Exposure Pattern - General population

| sodium hydroxide | Long-term - inhalation - Local 1 mg/m ³ |
|------------------|--|
| - | effects |
| | |

8.2. Exposure controls

| | Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection. |
|---|--|
| 8.2.1. Appropriate engineering controls | Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location. |
| Eye / face protection | Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. |
| Skin protection - Handprotection | Rubber gloves. |
| Respiratory protection | No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment. |
| 8.2.3. Environmental exposure controls | Prevent further leakage or spillage if safe to do so. |
| SECTION 9: Physical and ch | iemical properties |

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Liquid | |
|---------------------------|--------------------|--|
| Colour | Clear | |
| Odour | Bleach | |
| Autoignition temperature | No data available | |
| Viscosity | < 450 centipoise | |
| Explosive properties | No data available | |
| Oxidising properties | No data available | |
| Odour threshold | No data available | |
| pH | > 12.5 | |
| Melting point | No data available | |
| Initial boiling point | No data available | |
| Evaporation rate | No data available | |
| Flammability (solid, gas) | No data available | |
| Vapour pressure | No data available | |
| Vapour density | No data available | |
| Relative density | 1.095 - 1.15 g/cm3 | |
| Partition coefficient | No data available | |
| Solubility | No data available | |

9.2. Other information

| Conductivity | No data available |
|--------------------------------------|-------------------|
| Surface tension | No data available |
| Gas group | No data available |
| Benzene Content | No data available |
| Lead content | No data available |
| VOC (Volatile organic | No data available |
| compounds) | |
| SECTION 10: Stability and reactivity | |

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

| | Strong acids. Strong oxidising agents. |
|--|--|
| 10.4. Conditions to avoid | |
| | Protect from frost. |
| 10.5. Incompatible materials | |
| | No incompatible groups noted. |
| 10.6. Hazardous decomposition products | |
| | No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes. |

SECTION 11: Toxicological information

11.1. Information on toxicological effects

| | This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). |
|----------------|---|
| Acute toxicity | based on available data the classification criteria are not met. |



Revision date 2018-07-10

| 11.1. Information on toxicological | leffects |
|------------------------------------|---|
| Skin corrosion/irritation | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - \ge 11.5. |
| Serious eye damage/irritation | Causes serious eye damage. |
| Respiratory or skin sensitisation | based on available data the classification criteria are not met. |
| Germ cell mutagenicity | based on available data the classification criteria are not met. |
| Carcinogenicity | based on available data the classification criteria are not met. |
| Reproductive toxicity | based on available data the classification criteria are not met. |
| STOT-single exposure | STOT SE 3: H335 - May cause respiratory irritation. |
| STOT-repeated exposure | based on available data the classification criteria are not met. |
| Aspiration hazard | based on available data the classification criteria are not met. |
| 11.1.2. Mixtures | |
| | No data available. |
| 11.1.3. Hazard Information | |
| | No data available. |
| 11.1.4. Toxicological Information | |
| sodium hydroxide | Oral Rat LD50: >500 mg/kg |
| SECTION 12: Ecological info | rmation |
| 12.1. Toxicity | |
| | No data available |
| 12.2. Persistence and degradabi | lity |
| | Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. |
| 12.3. Bioaccumulative potential | |
| | |
| | No data is available on this product. |
| Partition coefficient | |
| | Contact Bleach (Thickened) No data available sodium hydroxide No data available |
| 12.4. Mobility in soil | |
| | No data is available on this product. |
| 12.5. Results of PBT and vPvB a | ssessment |
| | No data is available on this product. |
| 12.6. Other adverse effects | |
| | No data available. |
| SECTION 13: Disposal consi | derations |
| 13.1. Waste treatment methods | |
| | Dispose of waste and residues in accordance with local authority requirements. |
| General information | |
| | Dispose of in compliance with all local and national requirements. |
| Disposal of packaging | |
| | Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. |



Revision 15

Revision date 2018-07-10

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

| | UN1791 |
|------------------------------------|---|
| 14.2. UN proper shipping name | |
| | HYPOCHLORITE SOLUTION |
| 14.3. Transport hazard class(es | 3) |
| ADR/RID | 8 |
| Subsidiary risk |]- |
| IMDG | 8 |
| Subsidiary risk | - |
| IATA | 8 |
| Subsidiary risk | - |
| 14.4. Packing group | |
| Packing group | I II |
| 14.5. Environmental hazards | |
| Environmental hazards | Yes |
| Marine pollutant | Yes |
| 14.6. Special precautions for user | |
| | No additional special precautions. |
| 14.7. Transport in bulk according | ng to Annex II of MARPOL 73/78 and the IBC Code |
| | Not applicable. |
| ADR/RID | |
| Hazard ID | 80 |
| Tunnel Category | (E) |
| IMDG | |
| EmS Code | F-A S-B |
| ΙΑΤΑ | |
| Packing Instruction (Cargo) | 856 |
| Maximum quantity | 60 L |
| Packing Instruction | 852 |
| (Passenger) | |
| Maximum quantity | 5L |
| SECTION 15: Regulatory in | formation |
| 15.1. Safety, health and environ | nmental regulations/legislation specific for the substance or mixture |
| Regulations | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 02/405/EC and 2000/24/EC |

93/105/EC and 2000/21/EC



15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

| Revision | This document differs from the previous version in the following areas:. |
|------------------------------|---|
| | 2 - Hazard pictograms. |
| | 12 - 12.1. Toxicity. |
| Data sources | Classification and Procedure used to derive the classification for mixtures according to Regulation |
| | (EC) No. 1272/2008:. |
| | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - ≥ 11.5. |
| | STOT SE 3: H335 - May cause respiratory irritation Calculation Method. |
| | Aquatic Acute 1: H400 - Very toxic to aquatic life Calculation Method. |
| | Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Calculation Method. |
| Text of Hazard Statements in | Acute Tox. 4: H302 - Harmful if swallowed. |
| Section 3 | Skin Irrit. 2: H315 - Causes skin irritation. |
| | Eye Dam. 1: H318 - Causes serious eye damage. |
| | Aquatic Acute 1: H400 - Very toxic to aquatic life. |
| | Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. |
| | EUH031 - Contact with acids liberates toxic gas. |
| | Met. Corr. 1: H290 - May be corrosive to metals. |
| | Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. |
| | STOT SE 3: H335 - May cause respiratory irritation. |
| | Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. |
| | Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. |
| | Eye Irrit. 2: H319 - Causes serious eye irritation. |
| Further information | |
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, |
| | storage and handling of the product. This information is correct to the best of our knowledge and |
| | belief at the date of publication however no guarantee is made to its accuracy. This information |
| | relates only to the specific material designated and may not be valid for such material used in |
| | combination with any other materials or in any other process. |

