



Page 1/9

	Contact Bleach (Thickened)
	Revision 17
	Revision date 2019-08-28
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Contact Bleach (Thickened)
Product code	QAFS218
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services,
-	craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	No data is available on this product.
1.3. Details of the supplier of the	
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar
	Angus
	Scotland
Ner 1	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538 Fax: 01307 468505
Fax Email	nigel@superfine.co.uk
Email address of the	nigel@superfine.co.uk
competent person	ngel@superinte.co.uk
1.4. Emergency telephone numb	ber
Emergency telephone number	01307 463538
	8.30am to 17.00pm
	National Poisons Information Service:
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in
	Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Hazards identif	cation
2.1. Classification of the substar	ice or mixture
2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
2.2. Label elements	
Hazard pictograms	



Revision 17 Revision date 2019-08-28

2.2. Label elements	
Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
Dress tionen (Statement)	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310+P330+P331 - IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. Do NOT induce vomiting.
Keshouse	 P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	EUH031 - Contact with acids liberates toxic gas. P234 - Keep only in original container.
	P264 - Wash hands and other contacted skin thoroughly after handling.
	P302+P352 - IF ON SKIN: Wash with plenty of water/ .
	P361+P364 - Take off immediately all contaminated clothing and wash it before reuse.
	Ingredients as required by Regulation (EC) No 648/2004:.
	Ingredients Thickened Bleach - Chlorine based bleaching agents (Sodium Hypochlorite), 5 - 15% Non-ionic Surfactant, 5 - 15% Anionic Surfactant, Sodium Hydroxide.
2.3. Other hazards	
Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.

Further information

SODIUM HYPOCHLORITE SOLUTION 5.5% CI ACTIVE.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47		Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Alcohols, C12-14, ethoxylated, sulfates, sodium salts		68891-38-3	500-234-8	01-2119488639-16	1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Sodium Hypochlorite Solution, % Cl Active		7681-52-9	231-668-3	01-2119488154-34	1 - 10%	EUH031; Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; STOT SE 3: H335; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0.5 - 1%	Skin Corr. 1A: H314;

Further information

Product Shelf Life

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Keep the affected person warm and at rest. Get medical attention immediately.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses



4.1. Description of first aid me				
	should be removed. Get medical attention immediately.			
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water. Get medical attention immediately.			
Ingestion	Never give anything by mouth to an unconscious person. DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Get medical attention immediately.			
1.2. Most important symptoms	and effects, both acute and delayed			
Inhalation	Gas or Vapours in high concentrations may irritate the respiratory system. Contact with acids liberates Toxic Gas (CHLORINE).			
Eye contact	Causes burns. Risk of serious damage to eyes. May cause permanent damage if eye is not immediately irrigated.			
Skin contact	Causes burns.			
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.			
	te medical attention and special treatment needed			
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.			
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.			
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medica attention. Show this safety data sheet to the doctor in attendance.			
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.			
General information				
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.			
SECTION 5: Firefighting m	neasures			
5.1. Extinguishing media				
	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials Extinguishing media Water spray.			
5.2. Special hazards arising fro	om the substance or mixture			
	Burning produces irritating, toxic and obnoxious fumes.			
5.3. Advice for firefighters				
	Wear suitable respiratory equipment when necessary.			
Further information	· ·			
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
SECTION 6: Accidental rel	lease measures			
6.1. Personal precautions, pro	tective equipment and emergency procedures			
	Wear personal protective equipment listed in section 8. Avoid contact with eyes and skin. Avoid inhalation of vapour or spray/mist. Provide adequate ventilation.			
6.2. Environmental precaution	S			
	Advise local authorities if large spills cannot be contained.			
6.3. Methods and material for	containment and cleaning up			



6.3. Methods and material for co	ntainment and cleaning up
	Contain and collect extinguishing water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	9
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid release to the environment. Refer to special instructions/Safety data sheets. Provide adequate ventilation. Contact with acids liberates Toxic Gas (CHLORINE).
7.2. Conditions for safe storage,	including any incompatibilities
	Protect from frost, heat and sunlight. Store in a cool, dry area. Store in original container. Keep container tightly closed. Keep away from acids, Combustible materials, Ammonia. May be corrosive to metals.
7.3. Specific end use(s)	
	See section 1.2 for uses.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure control	ols/personal protection
8.1. Control parameters	

8.1.1. Exposure Limit Values

sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

Occupational exposure controls.

DNEL: Derived no-effect level.

Exposure Pattern - Workers		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Long-term - inhalation - Systemic 175 mg/m ³ effects Long-term - dermal - Systemic 2750 mg/kg effects	
sodium hydroxide	Acute inhalation - Local effects 2 mg/m ³	
	Acute dermal - Local effects 2 mg/kg	Long-term - inhalation - Local 1 mg/m ³ effects

Exposure Pattern - General population

Alcohols, C12-14, ethoxylated,	Long-term - inhalation - Systemic	52 mg/m³		
sulfates, sodium salts	effects			
	Long-term - dermal - Systemic	1650 mg/kg	Long-term - oral - Systemic effects 15 mg/l	٨g
	effects			
sodium hydroxide	Long-term - inhalation - Local	1 mg/m³		
	effects			

8.2. Exposure controls



Revision 17 Revision date 2019-08-28

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Avoid inhalation of vapour or spray/mist. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection. Provide eyewash station and safety shower. Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location. Avoid inhalation of vapour or spray/mist.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. EN 166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Skin protection - Other	Wear rubber apron. Wear rubber footwear.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/141/145/143/149.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Bleach
Odour threshold	No data available
pH	> 12.5
Melting point	No data available
Initial boiling point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.095 - 1.15 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 450 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

9.2. Other information

Revision 17 Revision date 2019-08-28

9.2. Other information	
Conductivity	No data available
•	No data available
	No data available
	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	
SECTION 10: Stability and re	eactivity
10.1. Reactivity	
	Stable under normal conditions. Contact with acids liberates Toxic Gas (CHLORINE).
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.
10.3. Possibility of hazardous re	actions
	Strong acids. Strong oxidising agents. Contact with acids liberates Toxic Gas (CHLORINE).
10.4. Conditions to avoid	
	Protect from frost. Avoid excessive heat for prolonged periods of time. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Strong acids. Amines. contact with metals may result in decomposition with the formation of Oxygen.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly. Oxygen. hypochlorus acid Chlorine.
SECTION 11: Toxicological i	information
11.1. Information on toxicologica	al effects
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5. Corrosive to skin.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	

11.1.3. Hazard Information

No data available.

No data available.

11.1.4. Toxicological Information



Revision 17

Revision date 2019-08-28

11.1.4. Toxicological Information	1	
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50: 4100 mg/kg
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Daphnia EC50/48h: 7.4000 mg/l Algae EC50/72h: 27.7 mg/l	Fish LC50/96h: 7.1000 mg/l
sodium hydroxide	Daphnia LC50/48h: 40 - 240 mg/l	Rainbow trout LC50/96h: 45.5 mg/l
•	Bluegill sunfish LC50/96h: 125 mg/l	Guppy LC50/96h: 33 - 189 mg/l
12.2. Dereistance and degrade	116.	
12.2. Persistence and degradab	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.	
12.3. Bioaccumulative potential	•	
	No data is available on this product.	
Partition coefficient		
	Contact Bleach (Thickened) No data available	Alcohols, C12-14, ethoxylated, 0.3 Log Pow sulfates, sodium salts
	sodium hydroxide No data available	Sunaces, Sourian Sans
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB		
	No data is available on this product.	
12.6. Other adverse effects	•	
	No data available.	
SECTION 13: Disposal cons	iderations	
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance wit	h local authority requirements.
General information		
	Dispose of in compliance with all local and nation	nal requirements.
Disposal of packaging		
	Do NOT reuse empty containers. Empty container compliance with local and national regulations.	ers can be sent to landfill after cleaning, if in
SECTION 14: Transport info	rmation	
Hazard pictograms		
14.1. UN number		
	UN1791	



Revision 17 Revision date 2019-08-28

14.2. UN proper shipping name			
	HYPOCHLORITE SOLUTION		
14.3. Transport hazard class(es))		
ADR/RID	8		
Subsidiary risk	-		
IMDG	8		
Subsidiary risk	-		
ΙΑΤΑ	8		
Subsidiary risk	-		
14.4. Packing group			
Packing group			
14.5. Environmental hazards			
Environmental hazards	Yes		
Marine pollutant	Yes		
14.6. Special precautions for user			
	No additional special precautions.		
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code		
	Not applicable.		
ADR/RID			
Hazard ID	80		
Tunnel Category	(E)		
IMDG			
EmS Code	F-A S-B		
ΙΑΤΑ			
Packing Instruction (Cargo)	856		
Maximum quantity	60 L		
Packing Instruction	852		
(Passenger) Maximum quantity	5 L		
· · ·			
SECTION 15: Regulatory inf			
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture		
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.		
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.		

15.2. Chemical safety assessment



Commission Regulation (EU) No 2015/830 of 28 May 2015.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other inform	SECTION 16: Other information		
Other information			
Revision	This document differs from the previous version in the following areas:. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - Active Ingredients. 12 - 12.1. Toxicity.		
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - ≥ 11.5. Aquatic Acute 1: H400 - Very toxic to aquatic life Calculation Method. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Calculation Method.		
Text of Hazard Statements in Section 3	 Acute Tox. 4: H302 - Harmful if swallowed. Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. EUH031 - Contact with acids liberates toxic gas. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. STOT SE 3: H335 - May cause respiratory irritation. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Eye Irrit. 2: H319 - Causes serious eye irritation. 		
Further information	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.		

