



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

Contact Bleach (Thickened)

Revision 18
Revision date 2022-11-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Contact Bleach (Thickened)
Product code	QAFS218

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	Thickened Bleach for Cleaning.

1.3. Details of the supplier of the safety data sheet

Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk

1.4. Emergency telephone number


Emergency telephone number	01307 463538 8.30am to 17.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Skin Corr. 1A: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
--------------------------------------	--

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Contact Bleach (Thickened)

Revision 18

Revision date 2022-11-04

2.2. Label elements

Precautionary Statement: Prevention	Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	P260 - Do not breathe dust/fume/gas/mist/vapours/spray. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P301+P310+P330+P331 - IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse mouth. Do NOT induce vomiting. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	EUH031 - Contact with acids liberates toxic gas. P234 - Keep only in original container. P264 - Wash hands and other contacted skin thoroughly after handling. P302+P352 - IF ON SKIN: Wash with plenty of water/ . P361+P364 - Take off immediately all contaminated clothing and wash it before reuse. Ingredients as required by Regulation (EC) No 648/2004:. Ingredients Thickened Bleach - Chlorine based bleaching agents (Sodium Hypochlorite), 5 - 15% Non-ionic Surfactant, 5 - 15% Anionic Surfactant, Sodium Hydroxide. Contains - Sodium Hypochlorite Solution 5.5% Active Cl, Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides, Alcohols, C12-14, ethoxylated, sulfates, sodium salts.

2.3. Other hazards

Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
----------------------	--

Further information

	SODIUM HYPOCHLORITE SOLUTION 5.5% Cl ACTIVE. Shelf life 6 months from date of delivery.
--	---

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Amines, C12-14 (even numbered) -alkyldimethyl, N-oxides		308062-28-4	931-292-6	01-2119490061-47	1 - 10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
Alcohols, C12-14, ethoxylated, sulfates, sodium salts		68891-38-3	500-234-8	01-2119488639-16	1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Sodium Hypochlorite Solution, ... % Cl Active		7681-52-9	231-668-3	01-2119488154-34	1 - 10%	EUH031; Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

	Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides, CAS No. 308062-28-4 - M Factor (Acute) = 1. Sodium Hypochlorite Solution,% Cl Active, CAS No. 7681-52-9 - M Factor (Acute) = 10, M Factor (Chronic) = 1.
--	---

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Keep the affected person warm and at rest. Get medical attention immediately.
-------------------	---

Contact Bleach (Thickened)

Revision 18

Revision date 2022-11-04

4.1. Description of first aid measures

Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Get medical attention immediately.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water. Get medical attention immediately.
Ingestion	Never give anything by mouth to an unconscious person. DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Gas or Vapours in high concentrations may irritate the respiratory system. Contact with acids liberates Toxic Gas (CHLORINE).
Eye contact	Causes burns. Risk of serious damage to eyes. May cause permanent damage if eye is not immediately irrigated.
Skin contact	Causes burns.
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.

General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials. Extinguishing media. - Water spray.
--	---

5.2. Special hazards arising from the substance or mixture

	Burning produces irritating, toxic and obnoxious fumes.
--	---

5.3. Advice for firefighters

	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
--	--

Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Wear personal protective equipment listed in section 8. Avoid contact with eyes and skin. Avoid inhalation of vapour or spray/mist. Provide adequate ventilation.
--	---

6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

6.3. Methods and material for containment and cleaning up

Contact Bleach (Thickened)

Revision 18

Revision date 2022-11-04

6.3. Methods and material for containment and cleaning up

Absorb with inert, absorbent material. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Contain and collect extinguishing water.

6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid release to the environment. Refer to special instructions/Safety data sheets. Provide adequate ventilation. Contact with acids liberates Toxic Gas (CHLORINE).

7.2. Conditions for safe storage, including any incompatibilities

Protect from frost, heat and sunlight. Store in a cool, dry area. Store in original container. Keep container tightly closed. Keep away from acids, Combustible materials, Ammonia. May be corrosive to metals.

7.3. Specific end use(s)

Thickened Bleach for Cleaning.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m3:
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total respirable dust:
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m3:
	WEL 15 min limit ppm:	WEL 15 min limit mg/m3:
	WEL 8-hr limit mg/m3 total inhalable dust:	WEL 15 min limit mg/m3 total inhalable dust:
	WEL 8-hr limit mg/m3 total respirable dust:	WEL 15 min limit mg/m3 total respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total inhalable dust: -	WEL 15 min limit mg/m3 total inhalable dust: -
	WEL 8-hr limit mg/m3 total respirable dust: -	WEL 15 min limit mg/m3 total respirable dust: -

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Contact Bleach (Thickened)

Revision 18

Revision date 2022-11-04


Exposure Pattern - Workers

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Long-term - inhalation - Systemic effects 175 mg/m ³ Long-term - dermal - Systemic effects 2750 mg/kg
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Long-term - inhalation - Systemic effects 6.2 mg/m ³ Long-term - dermal - Systemic effects 11 mg/kg
sodium hydroxide	Acute inhalation - Local effects 2 mg/m ³ Acute dermal - Local effects 2 mg/kg Long-term - inhalation - Local effects 1 mg/m ³

Exposure Pattern - General population

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Long-term - inhalation - Systemic effects 52 mg/m ³ Long-term - dermal - Systemic effects 1650 mg/kg	Long-term - oral - Systemic effects 15 mg/kg
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Long-term - inhalation - Systemic effects 1.53 mg/m ³ Long-term - dermal - Systemic effects 5.5 mg/kg	Long-term - oral - Systemic effects 0.44 mg/kg
sodium hydroxide	Long-term - inhalation - Local effects 1 mg/m ³	

8.2. Exposure controls

	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Avoid inhalation of vapour or spray/mist. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection. Provide eyewash station and safety shower. Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location. Avoid inhalation of vapour or spray/mist.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Skin protection - Other	Wear rubber apron. Wear rubber footwear.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/141/145/143/149.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

Contact Bleach (Thickened)

Revision 18
Revision date 2022-11-04

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Bleach
Odour threshold	No data available
pH	> 12.5
Melting point	No data available
Initial boiling point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.095 - 1.15 g/cm ³
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 450 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	No data available

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. Contact with acids liberates Toxic Gas (CHLORINE).

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents. Contact with acids liberates Toxic Gas (CHLORINE).

10.4. Conditions to avoid

Protect from frost. Avoid excessive heat for prolonged periods of time. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Amines. contact with metals may result in decomposition with the formation of Oxygen.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Oxygen. hypochlorous acid Chlorine.

Contact Bleach (Thickened)

Revision 18

Revision date 2022-11-04

SECTION 11: Toxicological information

11.1 Information on hazard classes

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5 . Corrosive to skin.
Respiratory or skin sensitisation	Causes serious eye damage.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.

11.1.2. Mixtures

	No data available.
--	--------------------

11.1.3. Hazard Information

	No data available.
--	--------------------

11.1.4. Toxicological Information

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50: 2870 mg/kg
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50: 1064 mg/kg
sodium hydroxide	Oral Rat LD50: >500 mg/kg	

11.2 Information on other hazards

	No data is available on this product.
--	---------------------------------------

SECTION 12: Ecological information

12.1. Toxicity

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Daphnia EC50/48h: 7.4000 mg/l	Fish LC50/96h: 7.1000 mg/l
	Algae EC50/72h: 27.7 mg/l	
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides	Daphnia EC50/48h: 3.1000 mg/l	Fish LC50/96h: 2.6700 mg/l
	Algae EC50/72h: 0.146 mg/l	
sodium hydroxide	Daphnia EC50/48h: 40.4 mg/l	Fish LC50/96h: 33.0000 mg/l
	Rainbow trout LC50/96h: 45.5 mg/l	Bluegill sunfish LC50/96h: 125 mg/l

12.2. Persistence and degradability

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
--	--

12.3. Bioaccumulative potential

Contact Bleach (Thickened)

Revision 18
Revision date 2022-11-04

12.3. Bioaccumulative potential

No data is available on this product.

Partition coefficient

Contact Bleach (Thickened) No data available	Alcohols, C12-14, ethoxylated, sulfates, sodium salts 0.3 Log Pow
sodium hydroxide No data available	

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

This substance/mixture is not classified as PBT or vPvB according to current criteria.

12.6 Endocrine disrupting properties

No data is available on this product.

12.7. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information


Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1791

14.2. UN proper shipping name

HYPOCHLORITE SOLUTION

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group III

14.5. Environmental hazards

Contact Bleach (Thickened)

Revision 18

Revision date 2022-11-04

14.5. Environmental hazards

Environmental hazards	Yes
Marine pollutant	Yes

14.6. Special precautions for user

	No additional special precautions.
--	------------------------------------

14.7 Maritime Transport in bulk according to IMO instruments

	Not applicable.
--	-----------------

ADR/RID

Hazard ID	80
Tunnel Category	(E)

IMDG

EmS Code	F-A S-B
----------	---------

IATA

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction (Passenger)	852
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</p>
-------------	--

15.2. Chemical safety assessment

	No information available.
--	---------------------------

SECTION 16: Other information

Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ol style="list-style-type: none"> 1 - Description. 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - 3.2. Mixtures. 5 - 5.3. Advice for firefighters. 7 - 7.3. Specific end use(s).
----------	--

Contact Bleach (Thickened)

Revision 18

Revision date 2022-11-04

Other information

	<p>8 - Eye / face protection. 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes. 11 - Repeated or prolonged exposure. 11 - 11.2 Information on other hazards. 12 - 12.5. Results of PBT and vPvB assessment. 12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 15 - Regulations.</p>
Data sources	<p>Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. - Extreme pH - ≥ 11.5. Aquatic Acute 1: H400 - Very toxic to aquatic life. - Calculation Method. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. - Calculation Method.</p>
Text of Hazard Statements in Section 3	<p>Acute Tox. 4: H302 - Harmful if swallowed. Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. EUH031 - Contact with acids liberates toxic gas. Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.</p>

Further information

	<p>The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.</p>
--	---