



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

DP20 Citrus Muscle Germicidal Detergent

Revision 43 Revision date 2017-08-17

1.1. Product identifier

Product name DP20 Citrus Muscle Germicidal Detergent
Product code QAFS005

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen);

Description A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic

cleaning of hard surfaces.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Webwww.superfine.co.ukTelephoneTel: 01307 463538FaxFax: 01307 468505Emailnigel@superfine.co.ukEmail address of thenigel@superfine.co.uk

competent person

1.4. Emergency telephone number

Emergency telephone number | 01307 463538

8.30am to 17.00pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

EUH208; Skin Corr. 1B: H314; Aquatic Chronic 3: H412;

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

EUH208 - Contains d-limonene. May produce an allergic reaction. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Revision 43 Revision date 2017-08-17

2.2. Label elements

Precautionary Statement: Prevention	P102 - Keep out of reach of children. P103 - Read label before use.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
Response	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste contractor.
Disposal	

2.3. Other hazards

Other hazards	PBT not identified as a PBT substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Quaternary ammonium compounds benzyl-C12-14 (even numbered) -alkyldimethyl, chlorides	ı	68424-85-1	939-350-2	01-2119970550-39	1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400;
(R)-p-mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
N-Octanal, octyl aldehyde		124-13-0	204-683-8	01-2119638274-38	0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
1-Methyl-4-(1-methylethenyl) -benzene		99-87-6	202-796-7		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;
Alpha-Pinene		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410:
Eucalyptol		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Sens. 1: H317;
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
ethanol	603-002-00-5	64-17-5	200-578-6	01-2119457610-43	0 - 0.5%	Flam. Liq. 2: H225;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1B: H314;
2,2, Dimethyl-3-Methylene Bicyclo (2,2,1) Heptane		79-92-5	201-234-8		0 - 0.5%	Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 1: H410;
Myrcene		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients Citrus Muscle - 15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, 9.95%
	w/w Benzalkonium Chloride, Isopropyl Alcohol, Acid EDTA, Parfum (Limonene, Linalool,
	Citronellol, Geraniol, Citral).

SECTION 4: First aid measures

Revision 43 Revision date 2017-08-17

4.1. Description of first aid measured
--

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.
1.2. Most important symptoms	s and effects, both acute and delayed
Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.
1.3. Indication of any immedia	ate medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety dat sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medica attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting m	neasures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding material
5.2. Special hazards arising fro	om the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	91
J.J. AUTIOG IDI III GIIGI ILGI 3	
J.O. Advice for illelighters	Wear suitable respiratory equipment when necessary.
	Wear suitable respiratory equipment when necessary.
Further information	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information SECTION 6: Accidental rel	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information SECTION 6: Accidental rel	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. lease measures
Further information SECTION 6: Accidental rel 6.1. Personal precautions, pro	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. lease measures otective equipment and emergency procedures Wear suitable protective equipment.
Further information SECTION 6: Accidental rel 6.1. Personal precautions, pro	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. lease measures otective equipment and emergency procedures Wear suitable protective equipment.
Further information SECTION 6: Accidental rel	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Ilease measures Otective equipment and emergency procedures Wear suitable protective equipment. In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Further information SECTION 6: Accidental rel 6.1. Personal precautions, pro 6.2. Environmental precaution	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. lease measures

Revision 43 Revision date 2017-08-17

6.4. Reference to other sections			
	See section 2, 7, 8, 13 for further information.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling	ng		
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities		
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.		
7.3. Specific end use(s)			
	No data is available on this product.		
Suitable packaging			
	Plastic containers.		
SECTION 8: Exposure contr	SECTION 8: Exposure controls/personal protection		
0.4. Control nonconstant	· · ·		

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Diphenyl ether (Diphenyl ether (vapour))	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 7.1
(vapoui))	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Revision 43
Revision date 2017-08-17

Exposure Pattern - Workers

propan-2-ol	Long-term - inhalation - Systemic 500 mg/m³
	effects
	Long-term - dermal - Systemic 888 mg/kg
	effects
Quaternary ammonium	Long-term - inhalation - Systemic 3.96 mg/m³
compounds, benzyl-C12-14	effects
(even numbered)-alkyldimethyl,	
chlorides	
	Long-term - dermal - Systemic 5.7 mg/kg
	effects
sodium hydroxide	Long-term - inhalation - Systemic 1 mg/m³
	effects

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic effects	89 mg/m³	
	Long-term - dermal - Systemic effects	319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg
Quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	Long-term - inhalation - Systemic effects	1.64 bw/day	
	Long-term - dermal - Systemic effects	3.4 mg/kg	Long-term - oral - Systemic effects 3.4 mg/kg
sodium hydroxide	Long-term - inhalation - Systemic effects	1 mg/m³	

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Skin protection Handprotection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 43 Revision date 2017-08-17

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Citrus
Odour threshold	No data available
pH	9.5 - 10.8
Melting point	Not applicable.
Initial boiling point	Not applicable.
Flash point	No data available
Evaporation rate	Not applicable.
Flammability (solid, gas)	No data available
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	0.998 - 1.005 g/cm3
Partition coefficient	Not applicable.
Autoignition temperature	No data available
Viscosity	< 100 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	Not applicable.
Surface tension	Not applicable.
Gas group	Not applicable.
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

SECTION 10: Stability and reactivity

1	0.	.1	Rea	acti	vity

10.1. Reactivity	
	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.
10.3. Possibility of hazardous re	eactions
	Strong acids. Strong oxidising agents.
10.4. Conditions to avoid	
	Protect from frost.
10.5. Incompatible materials	
	No incompatible groups noted.
10.6. Hazardous decomposition	products
	No Hazardous decomposition products when stored and handled correctly. Burning produces

irritating, toxic and obnoxious fumes SECTION 11: Toxicological information

11 1	1 1	nformation	on	tovicological	offecte

Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	Skin Corrosion Category 1B, Causes severe skin burns and eye damage.

Revision 43 Revision date 2017-08-17

11.1. Information on toxicological	ıl effects
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	<u>'</u>
	No data available.
44.4.4. Tavianiani information	1
11.1.4. Toxicological Information	
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
40.0 Demistance and degradable	
12.2. Persistence and degradabil	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	DP20 Citrus Muscle Germicidal Not applicable. propan-2-ol 0.05 log P Detergent sodium hydroxide No data available
40.4.14.139.1	
12.4. Mobility in soil	No data is available on this product
40.5 D. H. (DDT. I.D.D.	No data is available on this product.
12.5. Results of PBT and vPvB a	
	No data is available on this product.
12.6. Other adverse effects	
	No data available.
SECTION 13: Disposal consi	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	.
	Dispose of in compliance with all local and national requirements.
	the state of the s
Disposal of packaging	1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

Revision 43
Revision date 2017-08-17

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1903

14.2. UN proper shipping name

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium chloride)

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.6. Special precautions for user

No additional special precautions.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

ADR/RID

Hazard ID	80
Tunnel Category	(E)

IMDG

EmS Code	F-A S-B
EIIIO COUE	F-A 3-D

IATA

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC
	and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
	93/105/EC and 2000/21/EC.

Revision 43
Revision date 2017-08-17

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

2 - 2.1.2. Classification - EC 1272/2008.

2 - Hazard pictograms.

2 - Precautionary Statement: Prevention.

2 - Precautionary Statement: Response.

11 - Skin corrosion/irritation.

11 - Serious eye damage/irritation.

14 - IMDG.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Skin Irrit. 2: H315 - Causes skin irritation.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour. STOT SE 3: H336 - May cause drowsiness or dizziness.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.