



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

DP20 GERMICIDAL DETERGENT (UNFRAGRANCED)

Revision 32

Revision date 2021-10-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking	ng
---	----

1.1. Product identifier

Product name DP20 GERMICIDAL DETERGENT (UNFRAGRANCED)

Product code QAFS253

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

Description A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic

cleaning of hard surfaces.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Web www.superfine.co.uk
Telephone Tel: 01307 463538
Fax Fax: 01307 468505
Email address of the competent person www.superfine.co.uk
Tel: 01307 463538
rax: 01307 468505
nigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number

01307 463538

8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;

2.2. Label elements

Hazard pictograms





Signal Word

Danger

Revision 32

Revision date 2021-10-26

2.2. Label elements

Hazard Statement	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/.
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004:. 15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, Benzalkonium Chloride, EDTA and salts thereof.

2.3. Other hazards

Other hazards This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate (8 moles of ethylene oxide)		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides		68424-85-1	939-350-2	01-2119970550-39	1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

M Factor - Quaternary, ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides, Acute = 10, Chronic = 1.

Further information

Product Shelf Life RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses
	should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested
	product.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	May cause irritation to mucous membranes.

Revision 32 evision date 2021-10-26

	Revision date 2021-10-2
4.3. Indication of any immediate	e medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	n the substance or mixture
	None known.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment. Avoid contact with eyes and skin.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handling	ng
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage	including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Store in original container.
7.3. Specific end use(s)	
	A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces.

Revision 32

Revision date 2021-10-26

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3 : 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

propan-2-ol	Long-term - inhalation - Systemic	500 mg/m³
	effects	3
	Long-term - dermal - Systemic	888 mg/kg
	effects	3
Quaternary ammonium	Long-term - inhalation - Systemic	: 3.96 mg/m³
compounds,	effects	3
benzyl-C12-16-alkyldimethyl,		
chlorides		
	Long-term - dermal - Systemic	5.7 mg/kg
	effects	3
sodium hydroxide	Acute inhalation - Local effects	s 2 mg/m³
	Acute dermal - Local effects	s 2 mg/kg Long-term - inhalation - Local 1 mg/m³
		effects

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic effects	-	
	Long-term - dermal - Systemic		Long-term - oral - Systemic effects 26 mg/kg
	effects		
Quaternary ammonium	Long-term - inhalation - Systemic	1.64 bw/day	
compounds,	effects		
benzyl-C12-16-alkyldimethyl,			
chlorides			
	Long-term - dermal - Systemic	3.4 mg/kg	Long-term - oral - Systemic effects 3.4 mg/kg
	effects		
sodium hydroxide	Long-term - inhalation - Local	1 mg/m³	
	effects		

8.2. Exposure controls

Revision 32

Revision date 2021-10-26

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Skin protection - Other Respiratory protection

Wear suitable protective clothing.

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Slight
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.995 - 1.005 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
pH	8.5 - 10.9
Melting point	No data available
Initial boiling point	No data available

Solubility

Soluble in water

9.2. Other information

32 Revision

Revision date 2021-10-26

9.2. Other information

Conductivity No data available Surface tension No data available Gas group No data available No data available **Benzene Content** No data available Lead content VOC (Volatile organic No data available compounds)

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >2,000 mg/kg.
	Inhalation - Dust/Mist ATE = 384.6154 mg/l.
Skin corrosion/irritation	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

Revision 32 Revision date 2021-10-26

11.1.4. Toxicological Information

C9-11 Alcohol Ethoxylate (8	Oral Rat LD50: 1100 mg/kg	
moles of ethylene oxide)		
propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm	Oral Rat LD50 : 5840 mg/kg
	Dermal Rabbit LD50: 13900 mg/kg	
Quaternary ammonium	Oral Rat LD50: 397.5mg/kg	Dermal Rabbit LD50: 3412 mg/kg
compounds,		
benzyl-C12-16-alkyldimethyl,		
chlorides		
sodium hydroxide	Oral Rat LD50: 325 mg/kg	

SECTION 12: Ecological information

12.1. Toxicity

propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l	Fish LC50/96h: 4200.0000 mg/l
	Fathead minnows LC50/96h: 9640 mg/l	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	Daphnia EC50/48h: 0.0160 mg/l	Fish LC50/96h: 0.5150 mg/l
	Sheephead minnows LC50/96h: 1.28 mg/l	Lepomis_Macrochirus LC50/96h: 0.515 mg/l
sodium hydroxide	Daphnia LC50/48h: 40 - 240 mg/l	Rainbow trout LC50/96h: 45.5 mg/l
	Bluegill sunfish LC50/96h: 125 mg/l	Guppy LC50/96h: 33 - 189 mg/l

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

DP20 GERMICIDAL No data available	propan-2-ol 0.05 log P
DETERGENT	
(UNFRAGRANCED)	
sodium hydroxide No data available	

12.4. Mobility in soil

This product is soluble in water.

12.5. Results of PBT and vPvB assessment

This mixture is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

Revision 32

Revision date 2021-10-26

SECTION 14: Transport information

Hazard pictograms





1	4.	1	IJ	٧ı	าม	ım	ber

UN1903

14.2. UN proper shipping name

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium Chloride)

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group	Packing group	Ш
---------------	---------------	---

14.5. Environmental hazards

Environmental hazards	Yes
Marine pollutant	Yes

14.6. Special precautions for user

No additional special precautions.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

ADR/RID

Hazard ID	80
Tunnel Category	(E)

IMDG

EmS Code	F-A S-B
----------	---------

IATA

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of
	Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC
	and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,
	93/105/EC and 2000/21/EC.

32

DP20 GERMICIDAL DETERGENT (UNFRAGRANCED)

Revision

Revision date 2021-10-26

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	11 - Acute toxicity.
	12 - 12.1. Toxicity.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008:.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage Calculation Method.
	Aquatic Acute 1: H400 - Very toxic to aquatic life Calculation Method, M Factor Acute = 10,
	Chronic = 1.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Calculation Method, M
	Factor Acute = 10, Chronic = 1.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.