



Page 1/10

DP20 GERMICIDAL DETERGENT (UNFRAGRANCED)

 Revision
 33

 Revision date
 2022-11-04

| SECTION 1: Identification of | the substance/mixture and of the company/undertaking | | | |
|--|--|--|--|--|
| .1. Product identifier | | | | |
| Product name | DP20 GERMICIDAL DETERGENT (UNFRAGRANCED) | | | |
| Product code | QAFS253 | | | |
| .2. Relevant identified uses of t | he substance or mixture and uses advised against | | | |
| Product Use | [SU22] Professional uses: Public domain (administration, education, entertainment, services craftsmen); [PC35] Washing and cleaning products (including solvent based products); | | | |
| Description | A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces. | | | |
| 1.3. Details of the supplier of the | safety data sheet | | | |
| Company | Superfine Manufacturing Ltd | | | |
| Address | Orchardbank Industrial Estate | | | |
| | Forfar | | | |
| | Angus | | | |
| | Scotland | | | |
| 14/- I. | DD8 1TD | | | |
| Web | www.superfine.co.uk | | | |
| Telephone - | Tel: 01307 463538 | | | |
| Fax | Fax: 01307 468505 | | | |
| Email address of the competent person | nigel@superfine.co.uk | | | |
| 1.4. Emergency telephone numb |)er | | | |
| Emergency telephone number | 01307 463538 | | | |
| | 8.30am to 17.00pm | | | |
| | | | | |
| | For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) | | | |
| | If you are a healthcare professional with an enquiry please visit www.TOXBASE.org | | | |
| SECTION 2: Hazards identifi | ication | | | |
| 2.1. Classification of the substan | nce or mixture | | | |
| 2.1.2. Classification - EC 1272/2008 | Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411; | | | |
| 2.2. Label elements | | | | |
| Hazard pictograms | | | | |
| | | | | |



Revision 33

Revision date 2022-11-04

| 2.2. Label elements | |
|--|--|
| Hazard Statement | Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. |
| Precautionary Statement: Prevention | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| Precautionary Statement: Response | P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/. |
| Precautionary Statement: Storage | P405 - Store locked up. |
| Precautionary Statement: Disposal | P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations. |
| SUPPLEMENTAL HAZARD INFORMATION | Ingredients as required by Regulation (EC) No 648/2004:. 15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, Benzalkonium Chloride, EDTA and salts thereof. Contains - C9-11 Alcohol, ethoxylated, Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides, Propan-2-ol. |
| 2.3. Other hazards | 1 |
| Other hazards | This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties. |

Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|---|--------------|------------|-----------|------------------------------|-----------------|---|
| C9-11 Alcohol, ethoxylated | | 68439-45-2 | | | 1 - 10% | Acute Tox. 4: H302; Eye Dam. 1: H318: |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | | 68424-85-1 | 939-350-2 | 01-2119970550-39 | 1 - 10% | Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 1: H410: |
| propan-2-ol | 603-117-00-0 | 67-63-0 | 200-661-7 | 01-2119457558-25 | 1 - 10% | Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; |

M Factor - Quaternary, ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides, Acute = 10, Chronic = 1.

SECTION 4: First aid measures

| 4.1. Description of first aid measures | | | | |
|--|---|--|--|--|
| Inhalation | Move the exposed person to fresh air. | | | |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. | | | |
| Skin contact | Remove contaminated clothing. Wash off immediately with plenty of soap and water. | | | |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product. | | | |
| 4.0 Martinen antaut aum | anterna and officials half cauto and delayed | | | |

4.2. Most important symptoms and effects, both acute and delayed

Inhalation May cause irritation to respiratory system.



Revision date 2022-11-04

| 4.2. Most important symptoms a | nd effects, both acute and delayed |
|-----------------------------------|--|
| Eye contact | Causes burns. Risk of serious damage to eyes. |
| Skin contact | Causes burns. |
| Ingestion | May cause irritation to mucous membranes. |
| 4.3. Indication of any immediate | medical attention and special treatment needed |
| Inhalation | Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Skin contact | Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| General information | |
| | If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. |
| SECTION 5: Firefighting mea | asures |
| 5.1. Extinguishing media | |
| | This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials. |
| 5.2. Special hazards arising from | the substance or mixture |
| | None known. |
| 5.3. Advice for firefighters | |
| | Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear. |
| Further information | |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| SECTION 6: Accidental relea | ase measures |
| | ctive equipment and emergency procedures |
| | Wear suitable protective equipment. Avoid contact with eyes and skin. |
| 6.2. Environmental precautions | |
| | Advise local authorities if large spills cannot be contained. |
| 6.3. Methods and material for co | ntainment and cleaning up |
| | For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. |
| 6.4. Reference to other sections | |
| | See section 2, 7, 8, 13 for further information. |
| SECTION 7: Handling and st | orage |
| 7.1. Precautions for safe handlin | |
| | Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. |
| 7.2. Conditions for safe storage, | including any incompatibilities |



Revision 33

Revision date 2022-11-04

| 7.2. Conditions for safe storage, including any incompatibilities | | | | |
|---|--|--|--|--|
| | Store in a cool, dry area. Keep container tightly closed. Store in original container. | | | |
| 7.3. Specific end use(s) | | | | |
| | A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces. | | | |
| Suitable packaging | | | | |
| | Plastic containers. | | | |
| | | | | |

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| Occupational exposure controls. | | | | | |
|---|--|--|--|--|--|
| 8.1.1. Exposure Limit Values | | | | | |
| WEL 8-hr limit ppm: 400 | WEL 8-hr limit mg/m3: 999 | | | | |
| WEL 15 min limit ppm: 500 | WEL 15 min limit mg/m3: 1250 | | | | |
| WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: | WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust; | | | | |
| WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: - | | | | |
| WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 2 | | | | |
| WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total - respirable dust; | | | | |
| | WEL 8-hr limit ppm: 400 WEL 15 min limit ppm: 500 WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total - respirable dust: WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total - inhalable dust: | | | | |

DNEL: Derived no-effect level.

| propan-2-ol Long-term - inhalation - Systemic 500 mg/m ³ effects |
|---|
| |
| Long-term - dermal - Systemic 888 mg/kg |
| effects |
| Quaternary ammonium Long-term - inhalation - Systemic 3.96 mg/m ³ |
| compounds, effects |
| benzyl-C12-16-alkyldimethyl, |
| chlorides |
| Long-term - dermal - Systemic 5.7 mg/kg |
| effects |
| sodium hydroxide Acute inhalation - Local effects 2 mg/m ³ |
| Acute dermal - Local effects 2 mg/kg Long-term - inhalation - Local 1 mg/m ³ |
| effects |

Exposure Pattern - General population



Revision 33

Revision date 2022-11-04

Exposure Pattern - General population

| propan-2-ol | Long-term - inhalation - Systemic effects | 89 mg/m³ | |
|--|--|-------------|---|
| | Long-term - dermal - Systemic effects | | Long-term - oral - Systemic effects 26 mg/kg |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | Long-term - inhalation - Systemic effects | 1.64 bw/day | |
| | Long-term - dermal - Systemic effects | | Long-term - oral - Systemic effects 3.4 mg/kg |
| sodium hydroxide | Long-term - inhalation - Local effects | | |

8.2. Exposure controls

| | Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection. |
|---|---|
| 8.2.1. Appropriate engineering controls | Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location. |
| Eye / face protection | Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166. |
| Skin protection - Handprotection | Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. |
| Skin protection - Other | Wear suitable protective clothing. |
| Respiratory protection | No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment. |
| 8.2.3. Environmental exposure controls | Prevent further leakage or spillage if safe to do so. |
| SECTION 9: Physical and ch | nemical properties |

9.1. Information on basic physical and chemical properties



 Revision
 33

 Revision date
 2022-11-04

9.1. Information on basic physical and chemical properties

| Appearance | Liquid |
|----------------------------|---------------------|
| Colour | Colourless |
| Odour | Slight |
| Odour threshold | No data available |
| pH | 8.5 - 10.9 |
| Melting point | No data available |
| Initial boiling point | No data available |
| Flash point | No data available |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Vapour pressure | No data available |
| Relative Vapour Density | No data available |
| Density / Relative Density | 0.995 - 1.005 g/cm3 |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Viscosity | < 50 centipoise |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | Soluble in water |

9.2. Other information

| Conductivity | No data available |
|-----------------------|-------------------|
| Surface tension | No data available |
| Gas group | No data available |
| Benzene Content | No data available |
| Lead content | No data available |
| VOC (Volatile organic | No data available |
| compounds) | |

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

None known.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.



Revision 33

Revision date 2022-11-04

SECTION 11: Toxicological information

11.1 Information on hazard classes

| | This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). |
|-------------------------------|---|
| Acute toxicity | based on available data the classification criteria are not met. Oral ATE = $>2,000$ mg/kg. |
| | Inhalation - Dust/Mist ATE = 384.6154 mg/l. |
| Skin corrosion/irritation | Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | Causes serious eye damage. |
| Respiratory or skin | based on available data the classification criteria are not met. |
| sensitisation | |
| Germ cell mutagenicity | based on available data the classification criteria are not met. |
| Carcinogenicity | based on available data the classification criteria are not met. |
| Reproductive toxicity | based on available data the classification criteria are not met. |
| STOT-single exposure | based on available data the classification criteria are not met. |
| STOT-repeated exposure | based on available data the classification criteria are not met. |
| Aspiration hazard | based on available data the classification criteria are not met. |
| Repeated or prolonged | based on available data the classification criteria are not met. |
| exposure | |

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

| C9-11 Alcohol, ethoxylated | Dermal Rat LD50: > 2000 mg/kg | Oral Rat LD50 = >300 - <= 2000 mg/kg: |
|--|------------------------------------|--|
| propan-2-ol | Inhalation Rat LC50/6 h: >10000ppm | Oral Rat LD50: 5840 mg/kg |
| | Dermal Rabbit LD50: 13900 mg/kg | |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | Oral Rat LD50: 397.5mg/kg | Dermal Rabbit LD50: 3412 mg/kg |
| sodium hydroxide | Oral Rat LD50: >500 mg/kg | |

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

| propan-2-ol | Daphnia EC50/48h: 10000.0000 mg/l | Fish LC50/96h: 4200.0000 mg/l |
|--|---------------------------------------|--|
| | Fathead minnows LC50/96h: 9640 mg/l | |
| Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides | Daphnia EC50/48h: 0.0160 mg/l | Fish LC50/96h: 0.5150 mg/l |
| | Sheephead minnows LC50/96h: 1.28 mg/l | Lepomis_Macrochirus LC50/96h: 0.515 mg/l |
| sodium hydroxide | Daphnia EC50/48h: 40.4 mg/l | Fish LC50/96h: 33.0000 mg/l |
| | Rainbow trout LC50/96h: 45.5 mg/l | Bluegill sunfish LC50/96h: 125 mg/l |

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD



Revision 33

Revision date 2022-11-04

| 12.2. Persistence and degradability | |
|-------------------------------------|---|
| | guide lines. |
| 12.3. Bioaccumulative potential | |
| | |
| | The product is not bioaccumulating. |
| Partition coefficient | |
| | DP20 GERMICIDAL No data available propan-2-ol 0.05 log P DETERGENT (UNFRAGRANCED) |
| 12.4. Mobility in soil | |
| , | This product is soluble in water. |
| 12.5. Results of PBT and vPvB | |
| | This substance/mixture is not classified as PBT or vPvB according to current criteria. |
| 12.6 Endooring discusting areas | |
| 12.6 Endocrine disrupting prope | |
| | No data is available on this product. |
| 12.7. Other adverse effects | |
| | No data is available on this product. |
| SECTION 13: Disposal cons | iderations |
| 13.1. Waste treatment methods | |
| | Dispose of waste and residues in accordance with local authority requirements. |
| General information | |
| | Dispose of in compliance with all local and national requirements. |
| Disposal of packaging | |
| | Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations. |
| SECTION 14: Transport info | rmation |
| Hazard pictograms | |
| | |
| 14.1. UN number | |
| | UN1903 |
| 14.2. UN proper shipping name | |
| | DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium Chloride) |
| 14.3. Transport hazard class(es |) |
| ADR/RID | 8 |
| Subsidiary risk | - |
| IMDG | 8 |
| Subsidiary risk | |

8

-

IATA

Subsidiary risk



 Revision
 33

 Revision date
 2022-11-04

| 14.4. Packing group | |
|---|--|
| 111 | |
| | |
| Yes | |
| Yes | |
| er | |
| No additional special precautions. | |
| according to IMO instruments | |
| Not applicable. | |
| ADR/RID | |
| 80 | |
| (E) | |
| IMDG | |
| F-A S-B | |
| ΙΑΤΑ | |
| 856 | |
| 60 L | |
| 852 | |
| 5 L | |
| SECTION 15: Regulatory information | |
| 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture | |
| REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. | |
| | |

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

| | No information available. |
|-------------------------------|--|
| SECTION 16: Other information | |
| Other information | |
| Revision | This document differs from the previous version in the following areas:. 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 9 - 9.2.2. Other safety characteristics. |



 Revision
 33

 Revision date
 2022-11-04

| Other information | |
|---|--|
| | 9 - 9.2.1. Information with regard to physical hazard classes. 10 - 10.2. Chemical stability. 10 - 10.1. Reactivity. 11 - 11.2 Information on other hazards. |
| | 12 - 12.1. Toxicity. 12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 14 - IMDG. 15 - Regulations. |
| Data sources | Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage Calculation Method. Aquatic Acute 1: H400 - Very toxic to aquatic life Calculation Method, M Factor Acute = 10, Chronic = 1. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Calculation Method, M Factor Acute = 10, Chronic = 1. |
| Text of Hazard Statements in Section 3 | Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness. |
| Further information | |
| | The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process. |

