



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

DP20 GREEN PINE GERMICIDAL DETERGENT

Revision 43

Revision date 2017-08-17

| SECTION 1: Identifica | tion of the substance/mix | kture and of the comp | any/undertaking |
|-----------------------|---------------------------|-----------------------|-----------------|
| | , | | |

1.1. Product identifier

Product name DP20 GREEN PINE GERMICIDAL DETERGENT

Product code QAFS004

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen);

Description A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic

cleaning of hard surfaces.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Webwww.superfine.co.ukTelephoneTel: 01307 463538FaxFax: 01307 468505Emailnigel@superfine.co.ukEmail address of thenigel@superfine.co.uk

competent person

1.4. Emergency telephone number

Emergency telephone number | 01307 463538

8.30am to 17.00pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

EUH208; Skin Corr. 1B: H314;

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

EUH208 - Contains benzyl salicylate, para-menthan-8-yl acetate, eucalyptol, d-alpha-pinene,

dipentene. May produce an allergic reaction.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Revision 43 Revision date 2017-08-17

2.2. Label elements

| Precautionary Statement: Prevention | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
|--------------------------------------|---|
| Precautionary Statement: Response | P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/. |
| Precautionary Statement: Storage | P405 - Store locked up. |
| Precautionary Statement: Disposal | P501 - Dispose of contents/container to an approved waste contractor. |

2.3. Other hazards

| Other hazards | PBT not identified as a PBT substance. |
|---------------|--|
|---------------|--|

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|---|--------------|------------|-----------|------------------------------|-----------------|---|
| C9-11 Alcohol Ethoxylate with EO | | 68439-45-2 | | | 1 - 10% | Acute Tox. 4: H302; Eye Dam. 1: H318; |
| Quaternary ammonium compounds benzyl-C12-14 (even numbered) -alkyldimethyl, chlorides | | 68424-85-1 | 939-350-2 | 01-2119970550-39 | 1 - 10% | Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400; |
| Benzyl salicylate | | 118-58-1 | 204-262-9 | | 0 - 0.5% | Skin Sens. 1: H317; Aquatic Chronic 3: H412; |
| Para-menthan-8-yl acetate | | 80-25-1 | 201-264-1 | | 0 - 0.5% | Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411; |
| propan-2-ol | 603-117-00-0 | 67-63-0 | 200-661-7 | 01-2119457558-25 | 1 - 10% | Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336; |
| ethanol | 603-002-00-5 | 64-17-5 | 200-578-6 | 01-2119457610-43 | 0 - 0.5% | Flam. Liq. 2: H225; |
| sodium hydroxide | 011-002-00-6 | 1310-73-2 | 215-185-5 | 01-2119457892-27 | 0 - 0.5% | Skin Corr. 1B: H314; |
| Eucalyptol | | 470-82-6 | 207-431-5 | | 0 - 0.5% | Flam. Liq. 3: H226; Skin Sens. 1: H317; |
| dalphaPinene | | 7785-70-8 | 232-087-8 | | 0 - 0.5% | Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410; |
| dipentene | 601-029-00-7 | 138-86-3 | 205-341-0 | | 0 - 0.5% | Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410; |
| 1-Methyl-4-(1-methylethenyl) -benzene | | 99-87-6 | 202-796-7 | | 0 - 0.5% | Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411; |
| Myrcene | | 123-35-3 | 204-622-5 | | 0 - 0.5% | Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319; |
| Gamma-Terpinene(p-Mentha-1,4-di | | 99-85-4 | 202-794-6 | | 0 - 0.5% | Flam. Liq. 3: H226; Asp. Tox. 1: H304; |

Further information

| Product Shelf Life | RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY. |
|--------------------|--|
| Active Ingredients | Ingredients Green Pine - 15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, 9.95% w/w |
| | Benzalkonium Chloride, Isopropyl Alcohol, Acid EDTA, Parfum (Benzyl Salicylate, Linalool, |
| | Citronellol, Eugenol, Coumarin). |

SECTION 4: First aid measures

Revision 43 Revision date 2017-08-17

4.1. Description of first aid measures

| 4.1. Description of first aid mea | sures |
|-----------------------------------|--|
| Inhalation | Move the exposed person to fresh air. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. |
| Skin contact | Remove contaminated clothing. Wash off immediately with plenty of soap and water. |
| Ingestion | DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product. |
| 4.2. Most important symptoms a | and effects, both acute and delayed |
| Inhalation | Causes burns. |
| Eye contact | Causes burns. Risk of serious damage to eyes. |
| Skin contact | Causes burns. |
| Ingestion | Causes burns. |
| | e medical attention and special treatment needed |
| Inhalation | Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Skin contact | Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| General information | · |
| | If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. |
| SECTION 5: Firefighting me | |
| | |
| 5.1. Extinguishing media | T |
| | This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials. |
| 5.2. Special hazards arising from | m the substance or mixture |
| | Burning produces irritating, toxic and obnoxious fumes. |
| 5.3. Advice for firefighters | |
| | Wear suitable respiratory equipment when necessary. |
| Further information | |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| SECTION 6: Accidental rele | ase measures |
| | ective equipment and emergency procedures |
| | Wear suitable protective equipment. |
| 6.2. Environmental precautions | |
| | Advise local authorities if large spills cannot be contained. |
| 6.3. Methods and material for c | ontainment and cleaning up |
| | For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. |
| | |
| 6.4. Reference to other sections | <u> </u> |

Revision 43

Revision date 2017-08-17

6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.

7.3. Specific end use(s)

No data is available on this product.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

| Diphenyl ether (Diphenyl ether | WEL 8-hr limit ppm: 1 | WEL 8-hr limit mg/m3: 7.1 |
|--------------------------------|--|--|
| (vapour)) | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - | WEL 15 min limit mg/m3 total - |
| | inhalable dust: WEL 8-hr limit mg/m3 total - | inhalable dust: WEL 15 min limit mg/m3 total - |
| | respirable dust: | respirable dust: |
| ethanol | WEL 8-hr limit ppm: 1000 | WEL 8-hr limit mg/m3 : 1920 |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: - |
| | WEL 8-hr limit mg/m3 total - inhalable dust: | WEL 15 min limit mg/m3 total - inhalable dust: |
| | WEL 8-hr limit mg/m3 total - respirable dust: | WEL 15 min limit mg/m3 total - respirable dust: |
| propan-2-ol | WEL 8-hr limit ppm: 400 | WEL 8-hr limit mg/m3: 999 |
| | WEL 15 min limit ppm: 500 | WEL 15 min limit mg/m3: 1250 |
| | WEL 8-hr limit mg/m3 total - inhalable dust: | WEL 15 min limit mg/m3 total - inhalable dust: |
| | WEL 8-hr limit mg/m3 total - respirable dust: | WEL 15 min limit mg/m3 total - respirable dust: |
| sodium hydroxide | WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: - |
| | WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 2 |
| | WEL 8-hr limit mg/m3 total - inhalable dust: | WEL 15 min limit mg/m3 total - inhalable dust: |
| | WEL 8-hr limit mg/m3 total - respirable dust: | WEL 15 min limit mg/m3 total - respirable dust: |

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Revision 43
Revision date 2017-08-17

Exposure Pattern - Workers

| propan-2-ol | Long-term - inhalation - Systemic effects Long-term - dermal - Systemic effects | |
|--|--|------------|
| Quaternary ammonium compounds, benzyl-C12-14 | Long-term - inhalation - Systemic effects | 3.96 mg/m³ |
| (even numbered)-alkyldimethyl, chlorides | enecis | |
| | Long-term - dermal - Systemic | 5.7 mg/kg |
| | effects | |
| sodium hydroxide | Long-term - inhalation - Systemic | 1 mg/m³ |
| | effects | |

Exposure Pattern - General population

| propan-2-ol | Long-term - inhalation - Systemic effects | 89 mg/m³ | |
|---|--|-------------|---|
| | Long-term - dermal - Systemic effects | 319 mg/kg | Long-term - oral - Systemic effects 26 mg/kg |
| Quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides | Long-term - inhalation - Systemic effects | 1.64 bw/day | |
| | Long-term - dermal - Systemic effects | 3.4 mg/kg | Long-term - oral - Systemic effects 3.4 mg/kg |
| sodium hydroxide | Long-term - inhalation - Systemic effects | 1 mg/m³ | |

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Eye / face protection Skin protection -

Rubber gloves.

Respiratory protection

Handprotection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 43 Revision date 2017-08-17

9.1. Information on basic physical and chemical properties

| Appearance | Liquid |
|---------------------------|-------------------|
| Colour | Colourless |
| Odour | Pine |
| Odour threshold | No data available |
| pH | 9.5 - 10.8 |
| Melting point | No data available |
| Initial boiling point | No data available |
| Flash point | No data available |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Vapour pressure | No data available |
| Vapour density | No data available |
| Relative density | No data available |
| Partition coefficient | No data available |
| Autoignition temperature | No data available |
| Viscosity | < 100 centipoise |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | Soluble in water |

9.2. Other information

| Conductivity | No data available |
|-----------------------|---------------------|
| Surface tension | No data available |
| Specific gravity | 0.995 - 1.005 g/cm³ |
| Gas group | No data available |
| Benzene Content | No data available |
| Lead content | No data available |
| VOC (Volatile organic | No data available |
| compounds) | |

Water solubility

soluble.

SECTION 10: Stability and reactivity

| 10.1. Reactive | /ity |
|----------------|------|
|----------------|------|

| | Stable under normal conditions. No specific reactivity hazards associated with this product. |
|--------------------------|--|
| 10.2. Chemical stability | |
| | Stable under normal conditions. No particular stability concerns. |

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

No incompatible groups noted.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

Revision 43 Revision date 2017-08-17

| 11.1. Information on toxicological e | l effects |
|--------------------------------------|-----------|
|--------------------------------------|-----------|

| 11.1. Information on toxicologica | di enecia |
|-----------------------------------|--|
| Acute toxicity | based on available data the classification criteria are not met. |
| Skin corrosion/irritation | Skin corrosion category 1B, Causes severe skin burns and eye damage. |
| Serious eye damage/irritation | Causes serious eye damage. |
| Respiratory or skin sensitisation | based on available data the classification criteria are not met. |
| Germ cell mutagenicity | based on available data the classification criteria are not met. |
| Carcinogenicity | based on available data the classification criteria are not met. |
| Reproductive toxicity | based on available data the classification criteria are not met. |
| STOT-single exposure | based on available data the classification criteria are not met. |
| STOT-repeated exposure | based on available data the classification criteria are not met. |
| Aspiration hazard | based on available data the classification criteria are not met. |
| 11.1.2. Mixtures | |
| | No data available. |
| 11.1.3. Hazard Information | |
| | No data available. |
| 11.1.4. Toxicological Information | ١ |
| | No data available |
| SECTION 12: Ecological info | ormation |
| 12.1. Toxicity | |
| | No data available |
| 12.2. Persistence and degradab | ility |
| | Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines. |
| 12.3. Bioaccumulative potential | |
| | |
| | No data is available on this product. |
| Partition coefficient | · |
| | DP20 GREEN PINE No data available propan-2-ol 0.05 log P GERMICIDAL DETERGENT sodium hydroxide No data available |
| 12.4. Mobility in soil | |
| <u> </u> | No data is available on this product. |
| 12.5. Results of PBT and vPvB | assessment |
| | No data is available on this product. |
| 12.6. Other adverse effects | |
| | No data available. |
| SECTION 13: Disposal cons | iderations |
| 13.1. Waste treatment methods | |
| | Dispose of waste and residues in accordance with local authority requirements. |
| General information | |
| | Dispose of in compliance with all local and national requirements. |
| Disposal of packaging | |
| | |

Revision 43

Revision date 2017-08-17

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1903

14.2. UN proper shipping name

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium chloride)

14.3. Transport hazard class(es)

| ADR/RID | 8 |
|-----------------|---|
| Subsidiary risk | _ |
| IMDG | 8 |
| Subsidiary risk | |
| IATA | 8 |
| Subsidiary risk | - |

14.4. Packing group

Packing group

14.5. Environmental hazards

| Environmental hazards | |
|-----------------------|----|
| Marine pollutant | No |

14.6. Special precautions for user

No additional special precautions.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

ADR/RID

| Hazard ID | 80 |
|-----------------|------|
| Tunnel Category | l (E |

IMDG

EmS Code F-A S-B

IATA

| Packing Instruction (Cargo) | 856 |
|-----------------------------|------|
| Maximum quantity | 60 L |
| Packing Instruction | 852 |
| (Passenger) | |
| Maximum quantity | 5 L |

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

| Regulations | REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL |
|-------------|--|
|-------------|--|

Revision 43
Revision date 2017-08-17

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

2 - 2.1.2. Classification - EC 1272/2008.

- 2 Hazard pictograms.
- 2 Hazard Statement.
- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 11 Skin corrosion/irritation.
- 11 Serious eye damage/irritation.
- 14 IMDG.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aguatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Skin Irrit. 2: H315 - Causes skin irritation.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.