



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

DP20 GREEN PINE GERMICIDAL DETERGENT

Revision 49

Revision date 2023-01-18

	Revision date 2023-01-18	
SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	DP20 GREEN PINE GERMICIDAL DETERGENT	
Product code	QAFS004	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);	
	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);	
Description	A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces.	
1.3. Details of the supplier of the	safety data sheet	
Company	Superfine Manufacturing Ltd	
Address	Orchardbank Industrial Estate	
	Forfar	
	Angus	
	Scotland DD8 1TD	
Web	www.superfine.co.uk	
Telephone	Tel: 01307 463538	
Fax	Fax: 01307 468505	
Email address of the	nigel@superfine.co.uk	
competent person	3.044	
1.4. Emergency telephone numb	per	
Emergency telephone number	01307 463538	
	8.30am to 17.00pm	
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)	
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
1272/2008	

2.2. Label elements

Revision 49 Revision date 2023-01-18

2.2. Label elements

z.z. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH208 - Contains benzyl salicylate, para-menthan-8-yl acetate, eucalyptol, d-alpha-pinene, dipentene. May produce an allergic reaction.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
Response	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
D " 0' '	P310 -Immediately call a POISON CENTER/doctor/ .
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, 9.95% w/w Benzalkonium Chloride,
	EDTA and salts thereof, Parfum, Benzyl Salicylate, Linalool, Citronellol, Eugenol, Coumarin.
	Active Ingredients - 9.95% w/w Benzalkonium Chloride.
	Contains - C9-11 Alcohol, ethoxylated, Quaternary Ammonium Compounds,
	Benzyl-C12-16-Alkyldimethyl, chlorides, Benzyl salicylate, propan-2-ol.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The
	substance/mixture does not contain substances with endocrine disrupting properties.
Further information	

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol, ethoxylated		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Quaternary Ammonium		68424-85-1	270-325-2		1 - 10%	Acute Tox. 4: H302; Skin
Compounds, Benzyl-C12-16-Alkyldimethyl,						Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Acute 1: H400;
chlorides						Aquatic Chronic 1: H410;
Benzyl salicylate		118-58-1	204-262-9		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 3: H412;
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, chlorides - M Factor Acute = 10, M Factor Chronic = 1.

Revision 49

Revision date 2023-01-18

	Revision date 2023-01-18
SECTION 4: First aid measu	ures
4.1. Description of first aid meas	sures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.
	e medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asiires
5.1. Extinguishing media	
J. I. Extinguishing media	
E O Casalal barrarda ariaina fra	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	T
	None known.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush

Revision 49 Revision date 2023-01-18

6.3. Methods and material for containment and cleaning up				
	down the drain with plenty of water.			
6.4. Reference to other sections				
	See section 2, 7, 8, 13 for further inform	ation.		
SECTION 7: Handling and storage				
7.1. Precautions for safe handling				
	Avoid contact with eyes and skin. Do no Handling considerations when handling,	t breathe vapours or spray mist. Adopt best Manual carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities			
	Store in a cool, dry area. Keep containe original container.	r tightly closed. Keep out of the reach of children. Store in		
7.3. Specific end use(s)				
	A concentrated Quaternary disinfectant cleaning of hard surfaces.	deodoriser specially formulated for the routine hygienic		
Suitable packaging				
	Plastic containers.			
SECTION 8: Exposure contr	ols/personal protection			
8.1. Control parameters				
<u> </u>				
	Occupational exposure controls.			
8.1.1. Exposure Limit Values				
1,1'- Oxydibenzene (Diphenyl	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 7.1		
ether (vapour))	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -		
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -		
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -		
	respirable dust:	respirable dust:		
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999		
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250		
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:		
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -		
	respirable dust:	respirable dust:		
Sodium Hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2		
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:		
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -		
	respirable dust:	respirable dust:		
DNEL: Derived no-effect level.				
Exposure Pattern - Workers				

Revision 49 Revision date 2023-01-18

Exposure Pattern - Workers

propan-2-ol	Long-term - inhalation - Systemic 500 mg/m³	
	effects	
	Long-term - dermal - Systemic 888 mg/kg	
	effects	
Sodium Hydroxide	Acute inhalation - Local effects 2 mg/m³	
	Acute dermal - Local effects 2 mg/m³	Long-term - inhalation - Local 1 mg/m³
		effects

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic 89 mg/m³	
	effects	
	Long-term - dermal - Systemic 319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg
	effects	
Sodium Hydroxide	Long-term - inhalation - Local 1 mg/m³	
	effects	

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection

8.2.1. Appropriate engineering

controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection -Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

49 Revision Revision date 2023-01-18

9.1. Information on basic physical and chemical properties

Appearance	Liquid
• •	•
Colour	Colourless
Odour	Pine
Odour threshold	No data available
pH	9.5 - 10.8
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 100 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.995 - 1.005 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

Water solubility

	soluble.
9.2.1 Information with regard to	nhyeiral hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

Revision 49

Revision date 2023-01-18

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >2,000 mg/kg.
	Inhalation - Dust/Mist = >20 mg/l.
Skin corrosion/irritation	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	

11.1.2. Mixtures

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

C9-11 Alcohol, ethoxylated	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50 = >300 - <= 2000
		mg/kg:
Pentyl salicylate	Oral Rat LD50: 2000 mg/kg	
propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm	Oral Rat LD50: 5840 mg/kg
	Dermal Rabbit LD50: 13900 mg/kg	

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.000	
	Fathead minnows LC50/96h: 9640 mg/l	
Sodium Hydroxide	Daphnia EC50/48h: 40.0000 mg/l	Fish LC50/96h: 33.0000 mg/l
	Rainbow trout LC50/96h: 45.5 mg/l	

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Revision 49

Partition coefficient	Revision date 2023-01-1
	DP20 GREEN PINE No data available propan-2-ol 0.05 log P GERMICIDAL DETERGENT
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vP	vB assessment
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
12.6 Endocrine disrupting pro	operties
	No data is available on this product.
12.7. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal co	onsiderations
13.1. Waste treatment method	ods
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	<u> </u>
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport i	nformation
Hazard pictograms	
14.1. UN number	
	UN1903
14.2. UN proper shipping na	me
	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium chloride)
14.3. Transport hazard class	(es)
ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA Subsidiary risk	8 -
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	Yes
LITATION INCIDENTAL MAZAIUS	163

14.6. Special precautions for user

Yes

Marine pollutant

Revision 49 Revision date 2023-01-18

14.6. Special precautions for user			
	No additional special precautions.		
14.7 Maritime Transport in bulk	14.7 Maritime Transport in bulk according to IMO instruments		
	Not applicable.		
ADR/RID			
Hazard ID	80		
Tunnel Category	(E)		
IMDG			
EmS Code	F-A S-B		
IATA			
Packing Instruction (Cargo)	856		
Maximum quantity	60 L		
Packing Instruction (Passenger)	852		
Maximum quantity	5 L		

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

_								
0	_	~		la		_	-	_
К	•	u	u	17	ш	()		

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage., Calculation Method. Aquatic Acute 1: H400 - Very toxic to aquatic life Calculation Method, See section 3 for M Factor. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Calculation Method, see section 3 for M Factor.
Text of Hazard Statements in Section 3	Acute Tox. 4: H302 - Harmful if swallowed. Eye Dam. 1: H318 - Causes serious eye damage. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

ChemSoft EH&S

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Revision 49 Revision date 2023-01-18

Other information	
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. Flam. Liq. 2: H225 - Highly flammable liquid and vapour. Eye Irrit. 2: H319 - Causes serious eye irritation. STOT SE 3: H336 - May cause drowsiness or dizziness.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.