

SAFETY DATA SHEET according to Regulation (EU) 2015/830

DE-ICER SPRAY

Page 1/8

 Revision
 19

 Revision date
 2017-08-21

	Revision date 2017-08-2
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	DE-ICER SPRAY
Product code	QAFS444
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
	[SU21] Consumer uses: Private households (= general public = consumers);
Description	No data is available on this product.
1.3. Details of the supplier of the	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus
	Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email	nigel@superfine.co.uk
Email address of the	nigel@superfine.co.uk
competent person	
1.4. Emergency telephone numl	Der
Emergency telephone number	01307 463538
	8.30am to 17.00pm
SECTION 2: Hazards identif	Instign
2.1. Classification of the substar	
2.1.2. Classification - EC 1272/2008	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
2.2. Label elements	1
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
Convright @ 2017 ChemSoft All rights reserve	



2.2. Label elements		
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
Precautionary Statement: Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.	
Precautionary Statement: Storage	P403+P235 - Store in a well-ventilated place. Keep cool.	
2.3. Other hazards		
Other hazards	PBT not identified as a PBT substance.	
SECTION 3: Composition/information on ingredients		

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	70 - 80%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
ethanediol (Ethane-1,2-diol particulate)	603-027-00-1	107-21-1	203-473-3	01-2119456816-28	10 - 20%	Acute Tox. 4: H302;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients De-Icer Spray - Isopropyl Alcohol, Ethylene Glycol, Less than 5% Non-ionic Surfactant, CI 42090.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation,headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures



Revision 19 Revision date 2017-08-21

5.1. Extinguishing media	
	Highly flammable liquid and vapour. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
5.2. Special hazards arising from	n the substance or mixture
	Highly flammable liquid and vapour. Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ctive equipment and emergency procedures
	Wear suitable protective equipment. Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Avoid sparks, flames, heat and sources of ignition.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlir	ng
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Highly flammable liquid and vapour. Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light. Store in a well-ventilated place. Keep cool. Store in original container. Keep container tightly closed. Keep away from combustible material. Keep out of the reach of children.
7.3. Specific end use(s)	
	No data is available on this product.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure contr	ols/personal protection
8.1. Control parameters	
	Occupational exposure controls.

8.1.1. Exposure Limit Values



Revision 19

Revision date 2017-08-21

8.1.1. Exposure Limit Values

ethanediol (Ethane-1,2-diol particulate)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 10
,	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
ethanediol (Ethane-1,2-diol vapour)	WEL 8-hr limit ppm: 20	WEL 8-hr limit mg/m3: 52
	WEL 15 min limit ppm: 40	WEL 15 min limit mg/m3: 104
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Long-term - inhalation - Systemic 500 mg/m ³ effects
Long-term - dermal - Systemic 888 mg/kg effects

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic 89 mg/m ³	
	effects	
	Long-term - dermal - Systemic 319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg
	effects	

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.



Revision 19

Revision date 2017-08-21

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

-	
Appearance	Liquid
Colour	Clear
Odour	Characteristic
Odour threshold	No data available
pH	5.8 - 8.8
Melting point	Not applicable.
Initial boiling point	82 - 83 °C
Flash point	18 °C
Evaporation rate	No data available
Flammability (solid, gas)	Not applicable.
Vapour pressure	No data available
Vapour density	No data available
Relative density	0.845 - 0.87 g/cm3
Partition coefficient	
(n-octanol/water)	
Partition coefficient	Not applicable.
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic compounds)	≤ 80 g/l
compounds)	

Water solubility

soluble.

SECTION 10: Stability and reactivity

10.1. Reactivity	
	Highly flammable liquid and vapour. Stable under normal conditions.
10.2. Chemical stability	
	Flammable liquid. Stable under normal conditions.
10.3. Possibility of hazardous re	actions
	Oxidising agents. Combustible materials.
10.4. Conditions to avoid	
	Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Oxidising agents.
10.6. Hazardous decomposition products	
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.



Revision 19

Revision date 2017-08-21

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irritation Category 2. H319 - Causes serious eye irritation.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	STOT SE Category 3. H336 - May cause drowsiness or dizziness.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

No data available

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

	No data is available on this product.	
Partition coefficient		
	DE-ICER SPRAY Not applicable.	propan-2-ol 0.05 log P
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB assessment		
	No data is available on this product.	
12.6. Other adverse effects		
	No data available.	
SECTION 13: Disposal considerations		
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with local at	uthority requirements.
General information		
	Dispose of in compliance with all local and national require	ements.
Disposal of packaging		



	Revision date 2017-08-2
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport ir	Iformation
Hazard pictograms	
14.1. UN number	
	UN1219
14.2. UN proper shipping nan	
	ISOPROPYL ALCOHOL
14.3. Transport hazard class(
ADR/RID	3
Subsidiary risk	
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	-
14.4. Packing group	
Packing group	
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for	user
	No additional special precautions.
14.7. Transport in bulk accord	Jing to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	33
Tunnel Category	(D/E)
IMDG	
EmS Code	F-E S-D
ΙΑΤΑ	
Packing Instruction (Cargo)	364
Maximum quantity	60 L
Packing Instruction	353
(Passenger)	
Maximum quantity	5 L
SECTION 15: Regulatory	information
15.1. Safety, health and envir	onmental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL



15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	1 - Product Use.
	2 - 2.1.2. Classification - EC 1272/2008.
	2 - Precautionary Statement: Prevention.
	2 - Precautionary Statement: Response.
	2 - Precautionary Statement: Storage.
	2 - Precautionary Statement: Disposal.
	9 - 9.1. Information on basic physical and chemical properties ().
	9 - 9.1. Information on basic physical and chemical properties (Initial boiling point).
	11 - Serious eye damage/irritation.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Acute Tox. 4: H302 - Harmful if swallowed.
Maximum content of VOC	80 g/l.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

