



Page 1/9

Deodorising Disinfectant DP20 Citrus Muscle

Revision 43 Revision date 2017-08-17

SECTION 1: Identification of	the substance/mixture and of the company/undertaking	
1.1. Product identifier		
Product name	Deodorising Disinfectant DP20 Citrus Muscle	
Product code	QAFS005	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	[SU22] Professional uses: Public domain (administration, education, entertai craftsmen);	nment, services,
Description	A concentrated Quaternary disinfectant deodoriser specially formulated for th cleaning of hard surfaces.	ne routine hygienic
1.3. Details of the supplier of the	e safety data sheet	
Company	Superfine Manufacturing Ltd	
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD	
Web	www.superfine.co.uk	
Telephone	Tel: 01307 463538	
Fax	Fax: 01307 468505	
Email	nigel@superfine.co.uk	
Email address of the	nigel@superfine.co.uk	
competent person		
1.4. Emergency telephone numb	Der	
Emergency telephone number	01307 463538	
	8.30am to 17.00pm	
SECTION 2: Hazards identifi	ication	
2.1. Classification of the substar	nce or mixture	
2.1.2. Classification - EC 1272/2008	EUH208; Skin Corr. 1B: H314; Aquatic Chronic 3: H412;	
2.2. Label elements		
Hazard pictograms		
Signal Word	Danger	
Hazard Statement	EUH208 - Contains d-limonene. May produce an allergic reaction. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.	
Copyright © 2017 ChemSoft. All rights reserved	d. Powered by	Print date 2017-08-22



 Revision
 43

 Revision date
 2017-08-17

2.2. Label elements		
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P103 - Read label before use. P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/.	
Precautionary Statement: Storage	P405 - Store locked up.	
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste contractor.	
2.3. Other hazards		
Other hazards	PBT not identified as a PBT substance.	
SECTION 3: Composition/information on ingredients		

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye
Quaternary ammonium compounds, benzyl-C12-14 (even numbered)		68424-85-1	939-350-2	01-2119970550-39	1 - 10%	Dam. 1: H318; Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic
-alkyldimethyl, chlorides						Acute 1: H400;
(R)-p-mentha-1,8-diene	601-029-00-7	5989-27-5	227-813-5			Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
N-Octanal, octyl aldehyde		124-13-0	204-683-8	01-2119638274-38		Flam. Liq. 3: H226; Skin Irrit. 2: H315; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
1-Methyl-4-(1-methylethenyl) -benzene		99-87-6	202-796-7			Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;
Alpha-Pinene		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
Eucalyptol		470-82-6	207-431-5			Flam. Liq. 3: H226; Skin Sens. 1: H317;
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25		Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
ethanol	603-002-00-5	64-17-5	200-578-6	01-2119457610-43	0 - 0.5%	Flam. Liq. 2: H225;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1B: H314;
2,2, Dimethyl-3-Methylene Bicyclo (2,2,1) Heptane		79-92-5	201-234-8			Flam. Liq. 3: H226; Eye Irrit. 2: H319; Aquatic Chronic 1: H410;
Myrcene		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.	
Active Ingredients	Ingredients Citrus Muscle - 15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, 9.95% w/w Benzalkonium Chloride, Isopropyl Alcohol, Acid EDTA, Parfum (Limonene, Linalool, Citronellol, Geraniol, Citral).	
	Ontohenol, Geranioi, Ontal).	

SECTION 4: First aid measures



 Revision
 43

 Revision date
 2017-08-17

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested	
	product.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.	
Eye contact	Causes burns. Risk of serious damage to eyes.	
Skin contact	Causes burns.	
Ingestion	Causes burns.	

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising from	n the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
6.1. Demonder processions and	
o. i. Personal precautions, prote	ective equipment and emergency procedures
o. 1. Personal precautions, prote	Wear suitable protective equipment.
6.2. Environmental precautions	Wear suitable protective equipment.
	Wear suitable protective equipment.
	Wear suitable protective equipment. Advise local authorities if large spills cannot be contained.

6.4. Reference to other sections



 Revision
 43

 Revision date
 2017-08-17

6.4. Reference to other sections			
	See section 2, 7, 8, 13 for further information.		
SECTION 7: Handling and storage			
7.1. Precautions for safe handling			
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage, including any incompatibilities			
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.		
7.3. Specific end use(s)			
	No data is available on this product.		
Suitable packaging			
	Plastic containers.		
SECTION 8: Exposure controls/personal protection			

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Diphenyl ether (Diphenyl ether (vapour))	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 7.1
· · · //	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers



 Revision
 43

 Revision date
 2017-08-17

Exposure Pattern - Workers

propan-2-ol	Long-term - inhalation - Systemic	500 mg/m³
	effects	
	Long-term - dermal - Systemic	888 mg/kg
	effects	
Quaternary ammonium	Long-term - inhalation - Systemic	3.96 mg/m ³
compounds, benzyl-C12-14	effects	
(even numbered)-alkyldimethyl,		
chlorides		
	Long-term - dermal - Systemic	5.7 mg/kg
	effects	
sodium hydroxide	Long-term - inhalation - Systemic	1 mg/m ³
	effects	

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic effects	89 mg/m³	
	Long-term - dermal - Systemic effects	319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg
Quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	Long-term - inhalation - Systemic effects	1.64 bw/day	
	Long-term - dermal - Systemic effects	3.4 mg/kg	Long-term - oral - Systemic effects 3.4 mg/kg
sodium hydroxide	Long-term - inhalation - Systemic effects	1 mg/m ³	

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.
SECTION 9: Physical and chemical properties	

9.1. Information on basic physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid	
Colour	Colourless	
Odour	Citrus	
Odour threshold	No data available	
pH	9.5 - 10.8	
Melting point	Not applicable.	
Initial boiling point	Not applicable.	
Flash point	No data available	
Evaporation rate	Not applicable.	
Flammability (solid, gas)	No data available	
Vapour pressure	Not applicable.	
Vapour density	Not applicable.	
Relative density	0.998 - 1.005 g/cm3	
Partition coefficient	Not applicable.	
Autoignition temperature	No data available	
Viscosity	< 100 centipoise	
Explosive properties	No data available	
Oxidising properties	No data available	
Solubility	Soluble in water	

9.2. Other information

Conductivity	Not applicable.
Surface tension	Not applicable.
Gas group	Not applicable.
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	
SECTION 40. Stability and reactivity	

SECTION 10: Stability and reactivity

10.1. Reactivity	1
------------------	---

	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.
10.3. Possibility of hazardous reactions	
	Strong acids. Strong oxidising agents.
10.4. Conditions to avoid	
	Protect from frost.
10.5. Incompatible materials	
	No incompatible groups noted.
10.6. Hazardous decomposition products	
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological information	
11.1. Information on toxicological effects	
Acute toxicity	based on available data the classification criteria are not met.

Skin corrosion/irritation Skin Corrosion Category 1B, Causes severe skin burns and eye damage.



11.1. Information on toxicological effects	
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	
	No data available
SECTION 12: Ecological info	rmation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	lity
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	Deodorising Disinfectant DP20 Not applicable. propan-2-ol 0.05 log P Citrus Muscle sodium hydroxide No data available Vertical available
12.4. Mobility in soil	
	No data is available on this product.
12.5. Results of PBT and vPvB a	assessment
	No data is available on this product.
12.6. Other adverse effects	
	No data available.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.



 Revision
 43

 Revision date
 2017-08-17

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

	UN1903
14.2. UN proper shipping name	9
	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium chloride)
14.3. Transport hazard class(es	3)
ADR/RID	8
Subsidiary risk]-
IMDG	8
Subsidiary risk	-
ΙΑΤΑ	8
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	No
Marine pollutant	No
14.6. Special precautions for us	ser
	No additional special precautions.
14.7. Transport in bulk according	ng to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5L
SECTION 15: Regulatory in	formation
15.1. Safety, health and environ	nmental regulations/legislation specific for the substance or mixture
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 02/405//CC and 2000/24//EC

93/105/EC and 2000/21/EC



15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:. 2 - 2.1.2. Classification - EC 1272/2008.
	2 - Hazard pictograms.
	2 - Precautionary Statement: Prevention.
	2 - Precautionary Statement: Response.
	11 - Skin corrosion/irritation.
	11 - Serious eye damage/irritation.
	14 - IMDG.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
Further information	·
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

