



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/11

Deodorising Disinfectant DP20 Citrus Muscle

Revision 45

	Revision 43			
	Revision date 2020-06-02			
SECTION 1: Identification of	of the substance/mixture and of the company/undertaking			
1.1. Product identifier				
Product name	Deodorising Disinfectant DP20 Citrus Muscle			
Product code	QAFS005			
1.2. Relevant identified uses of	f the substance or mixture and uses advised against			
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);			
Description	A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces.			
1.3. Details of the supplier of the	ne safety data sheet			
Company	Superfine Manufacturing Ltd			
Address	Orchardbank Industrial Estate			
	Forfar			
	Angus			
	Scotland DD8 1TD			
Web	www.superfine.co.uk			
Telephone	Tel: 01307 463538			
Fax	Fax: 01307 468505			
Email	nigel@superfine.co.uk			
Email address of the competent person	nigel@superfine.co.uk			
1.4 Emergency telephone num	nher			

1.4. Emergency telephone number

Emergency telephone number	01307 463538
	0 00 4- 47 0

8.30am to 17.00pm

National Poisons Information Service:

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
1272/2008	

2.2. Label elements

Revision 45 Revision date 2020-06-02

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH208 - Contains terpinolene, D-Limonene. May produce an allergic reaction.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P302+P350 - IF ON SKIN: Gently wash with plenty of soap and water.
Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	15-30% Cationic Surfactants, 5 - 15% Non-ionic surfactants, 9.95%w/w Benzalkonium Chloride,
	EDTA and salts thereof, Parfum, Limonene, Linalool, Geraniol, Citronellol.

2.3. Other hazards

	Zioi Gaioi nazarao	
•	Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Revision 45 Revision date 2020-06-02

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye
						Dam. 1: H318;
Quaternary ammonium compounds	1	68424-85-1	939-350-2	01-2119970550-39	1 - 10%	Acute Tox. 4: H302; Skin
benzyl-C12-16-alkyldimethyl,						Corr. 1B: H314; Aquatic
chlorides						Acute 1: H400; Aquatic
						Chronic 1: H410;
4-Isopropylidene-1-methylcyclohex		586-62-9	209-578-0		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox.
ene						1: H304; Skin Sens. 1: H317;
5.1.		5000 07 5	007.040.5		0 0 50/	Aquatic Chronic 1: H410;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox.
						1: H304; Skin Irrit. 2: H315;
						Skin Sens. 1: H317; Aquatic
						Acute 1: H400; Aquatic
		101 100		0.4.0.4.000007.4.00	0 0 50/	Chronic 1: H410;
Octanal		124-13-0	204-683-8	01-2119638274-38	0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit.
						2: H315; Eye Irrit. 2: H319;
A leavener of A months the server		00.07.0	000 700 7		0 0 50/	Aquatic Chronic 2: H411;
1-Isopropyl-4-methylbenzene		99-87-6	202-796-7		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox.
						1: H304; Repr. 2: H361;
0.0.0 Trian atheretic and 10.4.41b and 0.		00.50.0	004 004 0		0 0 50/	Aquatic Chronic 2: H411;
2,6,6-Trimethylbicyclo[3.1.1]hept-2-		80-56-8	201-291-9		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox.
ene (Alpha-Pinene)						1: H304; Skin Irrit. 2: H315;
						Skin Sens. 1: H317; Aquatic
						Acute 1: H400; Aquatic
4 2 2 4 1 4 1 2 1 1 - (2 2 2 1 -		470.00.0	007 404 5		0 0 50/	Chronic 1: H410;
1,3,3-trimethyl-2-oxabicyclo{2.2.2]o		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin
ctane	602 447 00 0	67-63-0	200 664 7	04 0440457550 05	4 400/	Sens. 1: H317; Flam. Liq. 2: H225; Eye Irrit.
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	
Ethanal, Ethyl Alashal (Ethanal)		64-17-5	200 570 6	04 0440457640 40	0 0 50/	2: H319; STOT SE 3: H336; Flam. Lig. 2: H225; Eye Irrit.
Ethanol: Ethyl Alcohol (Ethanol)		04-17-5	200-578-6	01-2119457610-43	0 - 0.5%	2: H319:
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 0 50/	Skin Corr. 1A: H314;
Sodium nydroxide	011-002-00-0	1310-73-2	210-100-0	01-2119457692-27	0 - 0.5%	Skiil Coll. 1A. H314,
2,2, Dimethyl-3-Methylene Bicyclo		79-92-5	201-234-8	01-2119446293-40	0 - 0.5%	Flam. Sol. 2: H228; Eye Irrit.
(2,2,1) Heptane		. 0 02 0	20.20.0	0.200200	0 0.070	2: H319; Aquatic Chronic 1:
(2,2,1) 110 pta.10						H410:
Hexyl Acetate		142-92-7	205-572-7		0 - 0.5%	Flam. Liq. 3: H226;
7 " 10 " 1 1 1 1 2 "		100.05.0	004 000 5		0 0 50/	FL 1: 0.11000 A T
7-methyl-3-methyleneocta-1,6-dien		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox.
е						1: H304; Skin Irrit. 2: H315;
		107.5				Eye Irrit. 2: H319;
6,6-Dimethyl-2-methylenebicyclo[3.		127-91-3	204-872-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox.
1.1]heptane						1: H304; Skin Irrit. 2: H315;
						Skin Sens. 1: H317; Aquatic
						Chronic 1: H410;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses		
	should be removed.		
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.		
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested		
	product.		

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system. May cause sensitisation by inhalation.	
Eye contact	Risk of serious damage to eyes.	
Skin contact	Causes burns.	

Revision 45 Revision date 2020-06-02

	Revision date 2020-06-0			
4.2. Most important symptoms a	nd effects, both acute and delayed			
Ingestion	May cause irritation to mucous membranes.			
4.3. Indication of any immediate	medical attention and special treatment needed			
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.			
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lens should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.			
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.			
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.			
General information				
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.			
SECTION 5: Firefighting mea	asures			
5.1. Extinguishing media				
	Use extinguishing media appropriate to the surrounding fire conditions.			
5.2. Special hazards arising from				
	Burning produces irritating, toxic and obnoxious fumes.			
5.3. Advice for firefighters	•			
	Wear suitable respiratory equipment when necessary.			
Further information				
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
SECTION 6: Accidental relea	ase measures			
	ctive equipment and emergency procedures			
, ,	Wear suitable protective equipment.			
6.2. Environmental precautions				
	Advise local authorities if large spills cannot be contained.			
6.3. Methods and material for co	'			
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.			
6.4. Reference to other sections				
	See section 2, 7, 8, 13 for further information.			
SECTION 7: Handling and s	torage			
7.1. Precautions for safe handlir	ng			
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.			
7.2. Conditions for safe storage,				
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.			
7.3. Specific end use(s)				

Revision 45 Revision date 2020-06-02

7.3. Specific end use(s)

A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

1,1'- Oxydibenzene (Diphenyl	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 7.1
ether (vapour))	WEE O-III IIIIII PPIII.	WEE O'III IIIIIIC HIGHIO. 7.1
outer (vapour))	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
, , ,	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Revision 45 Revision date 2020-06-02

Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene	Long-term - inhalation - Systemic effects	•	
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic effects	950 mg/m³	
	Long-term - inhalation - Local effects	1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg effects
propan-2-ol	Long-term - inhalation - Systemic effects	· ·	
	Long-term - dermal - Systemic effects		
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	Long-term - inhalation - Systemic effects	3.96 mg/m³	
	Long-term - dermal - Systemic effects		
sodium hydroxide	Acute inhalation - Local effects	2 mg/m³	
	Acute dermal - Local effects	2 mg/kg	Long-term - inhalation - Local 1 mg/m³ effects

Exposure Pattern - General population

O C C Trime of the albient sole [O 4 4] be and	Lawa tama imbalatian Contanta	4 00 / 3	
2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic		
-2-ene	effects		
	Long-term - oral - Systemic		
	effects		
Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic		
	effects		
	Long-term - inhalation - Local	950 mg/m³	Long-term - dermal - Systemic 206 mg/kg
	effects		effects
	Long-term - oral - Systemic	87 mg/kg	
	effects		
propan-2-ol	Long-term - inhalation - Systemic	89 mg/m³	
	effects		
	Long-term - dermal - Systemic	319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg
	effects		
Quaternary ammonium	Long-term - inhalation - Systemic	1.64 bw/day	
compounds,	effects		
benzyl-C12-16-alkyldimethyl,			
chlorides			
	Long-term - dermal - Systemic	3.4 ma/ka	Long-term - oral - Systemic effects 3.4 mg/kg
	effects		
sodium hydroxide	Long-term - inhalation - Local		
	effects		

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Revision 45 Revision date 2020-06-02

8.2. Exposure controls

Skin protection -	Rubber gloves.
Handprotection	
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure	Prevent further leakage or spillage if safe to do so.
controls	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Citrus
Odour threshold	No data available
pH	9.5 - 10.8
Melting point	Not applicable.
Initial boiling point	Not applicable.
Flash point	No data available
Evaporation rate	Not applicable.
Flammability (solid, gas)	No data available
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	0.998 - 1.005 g/cm3
Partition coefficient	Not applicable.
Autoignition temperature	No data available
Viscosity	< 100 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
Not applicable.
Not applicable.
No data available
No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions. No specific reactivity hazards associated with this product.	
10.2. Chemical stability		
	Stable under normal conditions. No particular stability concerns.	
10.3. Possibility of hazardous reactions		
	Strong acids. Strong oxidising agents.	
10.4. Conditions to avoid		
	Protect from frost.	
10.5. Incompatible materials		
	No incompatible groups noted.	

Revision 45 Revision date 2020-06-02

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene	Oral Rat LD50: 3500 mg/kg	
4-Isopropylidene-1-methylcycloh exene	Oral Rat LD50: 3850 mg/kg	
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	Dermal Rat LD50 : 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg
C9-11 Alcohol Ethoxylate with EO	Oral Rat LD50: 1100 mg/kg	
Ethanol: Ethyl Alcohol	Oral Rat LD50: >2000 mg/kg	Dermal Rabbit LD50: >2000 mg/kg
	Inhalation Rat LC50/4 h: 20 mg/l	
propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm	Oral Rat LD50: 5840.0 mg/kg
	Dermal Rabbit LD50: 13.900.0 mg/kg	
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	Oral Rat LD50: 397.5mg/kg	Dermal Rabbit LD50: 3412 mg/kg

SECTION 12: Ecological information

12.1. Toxicity

Revision 45 Revision date 2020-06-02

12.1. Toxicity

Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l	Algae EC50/72h: 275 mg/l
	Green Algae EC50/48h: >100mg/l	Fathead minnows LC50/96h: 14200 mg/l
	Rainbow trout LC50/96h: 13000 mg/l	
	NOEC / EC10 for marine or 9.6000 mg/l	
	freshwater organisms	
propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l	Fish LC50/96h: 4200.0000 mg/l
	Fathead minnows LC50/96h: 9640 mg/l	
Quaternary ammonium	Daphnia EC50/48h: 0.0160 mg/l	Fish LC50/96h: 0.5150 mg/l
compounds,		
benzyl-C12-16-alkyldimethyl,		
chlorides		
sodium hydroxide	Daphnia LC50/48h: 40 - 240 mg/l	Rainbow trout LC50/96h: 45.5 mg/l
	Bluegill sunfish LC50/96h: 125 mg/l	Guppy LC50/96h: 33 - 189 mg/l

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

No data is available on this product.

Partition coefficient

	Deodorising Disinfectant DP20 Not applicable.	propan-2-ol 0.05 log P
	Citrus Muscle	
	Ethanol: Ethyl Alcohol -0.35 log P	sodium hydroxide No data available

12.4. Mobility in soil

No data is available on this product.

12.5. Results of PBT and vPvB assessment

No data is available on this product.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

Revision 45 Revision date 2020-06-02

	Revision date 2020-06-02	
14.1. UN number		
	UN1903	
14.2. UN proper shipping name		
	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium chloride)	
14.3. Transport hazard class(es)		
ADR/RID	8	
Subsidiary risk	-	
IMDG	8	
Subsidiary risk	-	
IATA	8	
Subsidiary risk	-	
14.4. Packing group		
Packing group	III	
14.5. Environmental hazards		
Environmental hazards	Yes	
Marine pollutant	Yes	
14.6. Special precautions for use	er	
	No additional special precautions.	
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code	
	Not applicable.	
ADR/RID		
Hazard ID	80	
Tunnel Category	(E)	
IMDG		
EmS Code	F-A S-B	
IATA		
Packing Instruction (Cargo)	856	
Maximum quantity	60 L	
Packing Instruction (Passenger)	852	
Maximum quantity	5 L	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation.

1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Revision 45 Revision date 2020-06-02

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

This document differs from the previous version in the following areas:.
1 - Product Use.
2 - 2.1.2. Classification - EC 1272/2008.
2 - Hazard pictograms.
2 - Hazard Statement.
2 - Precautionary Statement: Prevention.
2 - Precautionary Statement: Response.
2 - Precautionary Statement: Storage.
2 - SUPPLEMENTAL HAZARD INFORMATION.
3 - Active Ingredients.
4 - Inhalation.
4 - Eye contact.
4 - Ingestion.
5 - 5.1. Extinguishing media.
5 - 5.2. Special hazards arising from the substance or mixture.
7 - 7.3. Specific end use(s).
12 - 12.1. Toxicity.
14 - IMDG.
16 - Data sources.
Classification and Procedure used to derive the classification for mixtures according to Regulation
(EC) No. 1272/2008:.
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage Calculation Method.
Aquatic Acute 1: H400 - Very toxic to aquatic life Calculation Method.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Calculation Method.
Acute Tox. 4: H302 - Harmful if swallowed.
Eye Dam. 1: H318 - Causes serious eye damage.
Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Flam. Liq. 3: H226 - Flammable liquid and vapour.
Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Skin Irrit. 2: H315 - Causes skin irritation.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Repr. 2: H361 - Suspected of damaging fertility or the unborn child .
Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
STOT SE 3: H336 - May cause drowsiness or dizziness.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

Met. Corr. 1: H290 - May be corrosive to metals.

Flam. Sol. 2: H228 - Flammable solid.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.