



Page 1/9

 Revision
 17

 Revision date
 2022-11-04

SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Dish Washer Liquid
Product code	qafs234
1.2. Relevant identified uses of t	the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	Automatic Dish Washing Liquid is a concentrated high alkaline, chlorinated liquid for use in commercial dish washing machines. Concentrate may be pumped directly into automatic dish washing machines using the machines own dosing system, alternatively add concentrate to machine at the rate of 1 part concentrate to 200 parts of water - 0.5%. Not suitable for use on Aluminium or copper pans and utensils.
1.3. Details of the supplier of the	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone numb	ber
Emergency telephone number	01307 463538
	8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Hazards identif	
2.1. Classification of the substar	
2.1.2. Classification - EC 1272/2008	EUH208; Skin Corr. 1A: H314; Aquatic Chronic 3: H412;
2.2. Label elements	•



Revision 17 Revision date 2022-11-04

2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH208 - Contains b-Alanine, N-(2-hydroxyethyl)-N-{2-{(1-oxooctyl)amino]ethyl]. May produce an allergic reaction. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	 P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting. P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:. 0.45% w/w Phosphates, Sodium Hypochlorite, Sodium Hydroxide, Potassium Hydroxide, Less than 5% Amphoteric Surfactants.
	Contains - B-alanine, N-(2-Hydroxyethyl)-N-[2-[(1-oxooctyl)amino)ethyl], Potassium Hydroxide, Sodium Hypochlorite Solution% CI Active, sodium hydroxide, Sodium Tetraborate Decahydrate.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
b-alanine, N-(2-Hydroxyethyl)-N-[2- [(1-oxooctyl)amino]ethyl]		64265-45-8	264-761-2		0 - 0.5%	Skin Sens. 1: H317; Eye Irrit. 2: H319:
Potassium Hydroxide		1310-58-3	215-181-3	01-2119487136-33	1 - 10%	Met. Corr. 1: H290; Acute Tox. 4: H302; Skin Corr. 1A: H314;
Sodium Hypochlorite Solution, % Cl Active		7681-52-9	231-668-3	01-2119488154-34	1 - 10%	EUH031; Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	1 - 10%	Skin Corr. 1A: H314;
Sodium Tetraborate Decahydrate		1303-96-4	215-540-4		0 - 0.5%	Eye Irrit. 2: H319; Repr. 1B: H360FD;

Sodium Hypochlorite Solution....% CI Active, CAS No. 7681-52-9 - M Factor (Acute) = 10, M Factor (Chronic) = 1.

SECTION 4: First aid measures



4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses	
	should be removed.	
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested	
	product.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	n the substance or mixture
	Corrosive Chemical.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment.

6.2. Environmental precautions

Advise local authorities if large spills cannot be contained.

6.3. Methods and material for containment and cleaning up

For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flush down the drain with plenty of water.



6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities		
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.		
7.3. Specific end use(s)	7.3. Specific end use(s)		
	Automatic Dish Washing Liquid is a concentrated high alkaline, chlorinated liquid for use in commercial dish washing machines. Concentrate may be pumped directly into automatic dish washing machines using the machines own dosing system, alternatively add concentrate to machine at the rate of 1 part concentrate to 200 parts of water - 0.5%. Not suitable for use on Aluminium or copper pans and utensils.		
Suitable packaging			

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Potassium Hydroxide WEL 8-hr limit ppm: -WEL 8-hr limit mg/m3: -WEL 15 min limit ppm: -WEL 15 min limit mg/m3: 2 WEL 8-hr limit mg/m3 total -WEL 15 min limit mg/m3 total inhalable dust: inhalable dust: WEL 8-hr limit mg/m3 total -WEL 15 min limit mg/m3 total respirable dust: respirable dust: sodium hydroxide WEL 8-hr limit ppm: WEL 8-hr limit mg/m3: -WEL 15 min limit mg/m3: 2 WEL 15 min limit ppm: -WEL 8-hr limit mg/m3 total -WEL 15 min limit mg/m3 total inhalable dust: inhalable dust: WEL 8-hr limit mg/m3 total -WEL 15 min limit mg/m3 total respirable dust: respirable dust: Sodium Tetraborate WEL 8-hr limit ppm: WEL 8-hr limit mg/m3: 1 Decahydrate WEL 15 min limit ppm: WEL 15 min limit mg/m3: WEL 8-hr limit mg/m3 total WEL 15 min limit mg/m3 total inhalable dust: inhalable dust: WEL 8-hr limit mg/m3 total WEL 15 min limit mg/m3 total respirable dust: respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers		
sodium hydroxide	Acute inhalation - Local effects 2 mg/m ³	
	Acute dermal - Local effects 2 mg/kg	Long-term - inhalation - Local 1 mg/m ³
		effects

Exposure Pattern - General population



Revision 17 Revision date 2022-11-04

Exposure Pattern - General population

sodium hydroxide	Long-term - inhalation - Local 1 mg/m ³
	effects

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Characteristic
Odour threshold	No data available
pH	> 13
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.295 - 1.35 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 100 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information



VOC (Volatile organic	No data available
compounds)	
Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
.2.1. Information with regard to physical hazard classes	

No data is available on this product.

9.2.2. Other safety characteristics

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >2,000 mg/kg.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - \geq 11.5.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	

11.1.2. Mixtures

No data available.



17 Revision Revision date 2022-11-04

11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	1
Potassium Hydroxide	Oral Rat LD50: 333 mg/kg
sodium hydroxide	Oral Rat LD50: >500 mg/kg
Sodium Tetraborate	Oral Rat LD50: 5560 mg/kg Dermal Rabbit LD50: 2000 mg/kg
Decahydrate	Inhalation Rat LC50/4 h: 2.03 mg/l
11.2 Information on other hazard	ds
	No data is available on this product.
SECTION 12: Ecological info	ormation
12.1. Toxicity	
sodium hydroxide	Daphnia EC50/48h: 40.4 mg/l Fish LC50/96h: 33.0000 mg/l
	Rainbow trout LC50/96h: 45.5 mg/l Bluegill sunfish LC50/96h: 125 mg/l
Sodium Tetraborate	Daphnia EC50/48h: 14.2000 mg/l Fathead minnows LC50/96h: 79.7 mg/l
Decahydrate	Brachydanio Rerio LC50/96h: 6.4 mg/l
10.0 Demistance and demodel	114.
12.2. Persistence and degradab	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	The product is not bioaccumulating.
Partition coefficient	
	Dish Washer Liquid No data available sodium hydroxide No data available
	Sodium Tetraborate Decahydrate -0.757 Log Pow
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB	•
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
12.6 Endocrine disrupting prope	rties
	No data is available on this product.
12.7. Other adverse effects	
	No data is available on this product.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	·
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in
	compliance with local and national regulations.



Revision date 2022-11-04

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

	UN1760		
14.2. UN proper shipping name			
	CORROSIVE LIQUID, N.O.S. ((Contains Sodium Hydroxide and Potassium Hydroxide))		
14.3. Transport hazard class(es	3)		
ADR/RID	8		
Subsidiary risk	-		
IMDG	8		
Subsidiary risk			
	8		
Subsidiary risk	<u> </u> -		
14.4. Packing group	1		
Packing group	11		
14.5. Environmental hazards			
Environmental hazards	No		
Marine pollutant	No No		
14.6. Special precautions for user			
	No additional special precautions.		
14.7 Maritime Transport in bulk	according to IMO instruments		
	Not applicable.		
ADR/RID			
Hazard ID	80		
Tunnel Category	(E)		
IMDG			
EmS Code	F-A S-B		
ΙΑΤΑ			
Packing Instruction (Cargo)	855		
Maximum quantity	30 L		
Packing Instruction	851		
(Passenger)			
Maximum quantity	1L		
SECTION 15: Regulatory information			
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture		
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC		



Page

9/0

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information This document differs from the previous version in the following areas:. Revision 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - 3.2. Mixtures. 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes. 10 - 10.2. Chemical stability. 10 - 10.1. Reactivity. 11 - Acute toxicity. 11 - Repeated or prolonged exposure. 11 - 11.2 Information on other hazards. 12 - 12.1. Toxicity. 12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 15 - Regulations. Data sources Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. - Extreme pH - \geq 11.5. Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects. - Calculation Method. Text of Hazard Statements in Skin Sens. 1: H317 - May cause an allergic skin reaction. Section 3 Eye Irrit. 2: H319 - Causes serious eye irritation. Met. Corr. 1: H290 - May be corrosive to metals. Acute Tox. 4: H302 - Harmful if swallowed. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. EUH031 - Contact with acids liberates toxic gas. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Eye Dam. 1: H318 - Causes serious eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects. Repr. 1B: H360FD - May damage fertility. May damage the unborn child. Further information The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in



combination with any other materials or in any other process