



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

Dish Washer Liquid

Revision 14 Revision date 2017-08-18

ı	SECTION	1: Identification of	f the substance/mixture and	of the company/undertaking

1.1. Product identifier

Product name Dish Washer Liquid qafs234

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen);

Description Automatic Dish Washing Liquid is a concentrated high alkaline, chlorinated liquid for use in

commercial dish washing machines. Concentrate may be pumped directly into automatic dish washing machines using the machines own dosing system, alternatively add concentrate to machine at the rate of 1 part concentrate to 200 parts of water - 0.5%.

Not suitable for use on Aluminium or copper pans and utensils.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland

DD8 1TD

Web www.superfine.co.uk

Telephone
Tel: 01307 463538
Fax
Fax: 01307 468505
migel@superfine.co.uk
nigel@superfine.co.uk

competent person

1.4. Emergency telephone number

Emergency telephone number 01307 463538

8.30am to 17.00pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008EUH208; Skin Corr. 1A: H314; Aquatic Acute 1: H400; Aquatic Chronic 3: H412;

2.2. Label elements

Hazard pictograms



Signal Word

Hazard Statement

Danger

EUH208 - Contains b-Alanine, N-(2-hydroxyethyl)-N-{2-{(1-oxooctyl)amino]ethyl]. May produce an

Revision 14 Revision date 2017-08-18

2.2. Label elements

Z.Z. Label cicilicitis	
	allergic reaction.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Precautionary Statement:	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Prevention	
Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste contractor.
Disposal	

2.3. Other hazards

Other hazards	PBT not identified as a PBT substance.
---------------	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
b-alanine, N-(2-Hydroxyethyl)-N-[2- [(1-oxooctyl)amino]ethyl]		64265-45-8	264-761-2		0 - 0.5%	Skin Sens. 1: H317; Eye Irrit. 2: H319;
Potassium Hydroxide		1310-58-3	215-181-3	01-2119487136-33	1 - 10%	Met. Corr. 1: H290; Acute Tox. 4: H302; Skin Corr. 1A: H314;
Sodium Hypochlorite >10%		7681-52-9	231-668-3	01-2119488154-34	1 - 10%	EUH031; Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	1 - 10%	Skin Corr. 1B: H314;
disodium tetraborate decahydrate	005-011-01-1	1303-96-4	215-540-4	01-2119490790-32	0 - 0.5%	Repr. 1B: H360Fd;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.	
Active Ingredients	Ingredients Automatic Dish Washing Liquid - 0.45% w/w Phosphates, Sodium Hypochlorite,	
	Sodium hydroxide, Potassium Hydroxide, Less than 5% Amphoteric Surfactants.	

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.

Revision 14 Revision date 2017-08-18

4.2. Most important summitsus = ==	nd offects, both couts and deleved
Ingestion	nd effects, both acute and delayed Causes burns.
	medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data
	sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising from	the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protect	ctive equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handlin	g
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	

Revision 14
Revision date 2017-08-18

7.3. Specific end use(s)

No data is available on this product.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Potassium Hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust: WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total - inhalable dust: WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

disodium tetraborate decahydrate	Acute inhalation - Local effects 22.3 mg/m³	
	Long-term - inhalation - Systemic 12.76 mg/m³ effects	Long-term - inhalation - Local 22.3 mg/m³ effects
	Long-term - dermal - Systemic 599.6 mg/kg effects	
sodium hydroxide	Long-term - inhalation - Systemic 1 mg/m³ effects	

Exposure Pattern - General population

disodium tetraborate decahydrate	Acute inhalation - Local effects 22.3 mg/m³	
_	Acute oral - Systemic effects 1.51 mg/kg	Acute oral - Local effects 1.51 mg/kg
	Long-term - inhalation - Systemic 6.5 mg/m³	Long-term - dermal - Systemic 303.5 mg/kg
	effects	effects
sodium hydroxide	Long-term - inhalation - Systemic 1 mg/m³	
	effects	

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.



Revision 14
Revision date 2017-08-18

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety

showers are close to the workstation location.

Eye / face protection Skin protection -Handprotection

Respiratory protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

No personal respiratory protective equipment normally required. In case of insufficient ventilation

wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid

Colour Colourless

Odour Characteristic

Odour threshold No data available

pH > 13

Melting point No data available
Initial boiling point No data available

Flash point No data available

Evaporation rate No data available

Flammability (solid, gas) No data available

Vapour pressure No data available

Vapour density No data available

Relative density 1.295 - 1.35 g/cm3

Partition coefficient No data available

Autoignition temperature No data available

Viscosity < 100 centipoise

Explosive properties No data available **Oxidising properties** No data available

Solubility | Soluble in water

No data available

9.2. Other information

Conductivity No data available
Surface tension No data available

Benzene Content No data available

Lead content No data available

VOC (Volatile organic No data available

compounds)

Gas group

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Revision 14 Revision date 2017-08-18

	Revision date 2017-08-18
10.4. Conditions to avoid	
	Protect from frost.
10.5. Incompatible materials	'
<u>'</u>	No incompatible groups noted.
10.6. Hazardous decomposition	· · · · · · · · · · · · · · · · · · ·
10.0. Hazardous decomposition	
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.
SECTION 11: Toxicological	information
11.1. Information on toxicologica	al effects
Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	Skin Corrosion Category 1A. Extremes of pH. Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	' 1
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	-
	No data available
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	,
	Dish Washer Liquid No data available sodium hydroxide No data available
12.4. Mobility in soil	
12.4. WODING III 3011	No data is available on this product.
40 E. Daardta of DDT and vDvD	<u>'</u>
12.5. Results of PBT and vPvB	
	No data is available on this product.
12.6. Other adverse effects	
	No data available.

Revision date 2017-08-18

	Revision date 2017-08-18
SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	-
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in
	compliance with local and national regulations.
SECTION 14: Transport info	ormation
Hazard pictograms	
14.1. UN number	
	UN1760
14.2. UN proper shipping name	
	CORROSIVE LIQUID, N.O.S. ((Contains Sodium Hydroxide and Potassium Hydroxide))
14.3. Transport hazard class(es	s)
ADR/RID	8
Subsidiary risk	Ţ ₋
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	l -
14.4. Packing group	1
Packing group	
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
14.6. Special precautions for us	
	No additional special precautions.
14.7. Transport in bulk according	ng to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L

Revision 14
Revision date 2017-08-18

IATA

Maximum quantity 5

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 2 2.1.2. Classification EC 1272/2008.
- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 2 Precautionary Statement: Storage.
- 9 9.1. Information on basic physical and chemical properties (PH).
- 11 Skin corrosion/irritation.
- 11 Serious eye damage/irritation.
- 14 IMDG.

Text of Hazard Statements in Section 3

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Met. Corr. 1: H290 - May be corrosive to metals.

Acute Tox. 4: H302 - Harmful if swallowed.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

EUH031 - Contact with acids liberates toxic gas.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation. Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Repr. 1B: H360Fd - May damage fertility. Suspected of damaging the unborn child.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.