



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

Disinfectant Deodoriser DP20 Green Pine

Revision 43

Revision date 2017-08-17

1.1. Product identifier

Product name Disinfectant Deodoriser DP20 Green Pine
Product code QAFS004

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen);

DescriptionA concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic

cleaning of hard surfaces.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Webwww.superfine.co.ukTelephoneTel: 01307 463538FaxFax: 01307 468505Emailnigel@superfine.co.ukEmail address of thenigel@superfine.co.uk

competent person

1.4. Emergency telephone number

Emergency telephone number | 01307 463538

8.30am to 17.00pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

EUH208; Skin Corr. 1B: H314;

2.2. Label elements

Hazard pictograms



Signal Word

Danger

Hazard Statement

EUH208 - Contains benzyl salicylate, para-menthan-8-yl acetate, eucalyptol, d-alpha-pinene,

dipentene. May produce an allergic reaction.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Revision 43 Revision date 2017-08-17

2.2. Label elements

Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/.
Precautionary Statement: Storage Precautionary Statement:	P405 - Store locked up. P501 - Dispose of contents/container to an approved waste contractor.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved waste contractor.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Quaternary ammonium compounds benzyl-C12-14 (even numbered) -alkyldimethyl, chlorides		68424-85-1	939-350-2	01-2119970550-39	1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Acute 1: H400;
Benzyl salicylate		118-58-1	204-262-9		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 3: H412;
Para-menthan-8-yl acetate		80-25-1	201-264-1		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
ethanol	603-002-00-5	64-17-5	200-578-6	01-2119457610-43	0 - 0.5%	Flam. Liq. 2: H225;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1B: H314;
Eucalyptol		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Sens. 1: H317;
dalphaPinene		7785-70-8	232-087-8		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;
dipentene	601-029-00-7	138-86-3	205-341-0		0 - 0.5%	Flam. Liq. 3: H226; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
1-Methyl-4-(1-methylethenyl) -benzene		99-87-6	202-796-7		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Aquatic Chronic 2: H411;
Myrcene		123-35-3	204-622-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Eye Irrit. 2: H319;
Gamma-Terpinene(p-Mentha-1,4-di		99-85-4	202-794-6		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
Active Ingredients	Ingredients Green Pine - 15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, 9.95% w/w
	Benzalkonium Chloride, Isopropyl Alcohol, Acid EDTA, Parfum (Benzyl Salicylate, Linalool,
	Citronellol, Eugenol, Coumarin).

SECTION 4: First aid measures

Revision 43 Revision date 2017-08-17

4.1. Description of first aid measures

4.1. Description of first aid meas	ouldo
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.
4.2. Most important symptoms a	and effects, both acute and delayed
Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	I -
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising from	
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	•
	Advise local authorities if large spills cannot be contained.
6.3 Methods and material for or	ontainment and cleaning up
	ontainmont and oloaning up
o.s. Methods and material for oc	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush
6.4. Reference to other sections	containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.

Revision 43 Revision date 2017-08-17

6.4. Reference to other sections			
	See section 2, 7, 8, 13 for further information.		
SECTION 7: Handling and si	torage		
7.1. Precautions for safe handling	ng		
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.		
7.2. Conditions for safe storage,	including any incompatibilities		
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.		
7.3. Specific end use(s)			
	No data is available on this product.		
Suitable packaging			
	Plastic containers.		
SECTION 8: Exposure contr	SECTION 8: Exposure controls/personal protection		
8.1. Control parameters			

Occupational exposure controls.

8.1.1. Exposure Limit Values

Diphenyl ether (Diphenyl ether (vapour))	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 7.1
(vapoui))	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
ethanol	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

Revision 43
Revision date 2017-08-17

Exposure Pattern - Workers

propan-2-ol	Long-term - inhalation - Systemic 500 mg/m³ effects
	Long-term - dermal - Systemic 888 mg/kg effects
Quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	Long-term - inhalation - Systemic 3.96 mg/m³ effects
	Long-term - dermal - Systemic 5.7 mg/kg effects
sodium hydroxide	Long-term - inhalation - Systemic 1 mg/m³ effects

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic effects Long-term - dermal - Systemic effects	· ·	Long-term - oral - Systemic effects 26 mg/kg
Quaternary ammonium compounds, benzyl-C12-14 (even numbered)-alkyldimethyl, chlorides	Long-term - inhalation - Systemic effects	1.64 bw/day	
	Long-term - dermal - Systemic effects	3.4 mg/kg	Long-term - oral - Systemic effects 3.4 mg/kg
sodium hydroxide	Long-term - inhalation - Systemic effects	1 mg/m³	

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection Skin protection Handprotection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 43 Revision date 2017-08-17

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Pine
Odour threshold	No data available
pH	9.5 - 10.8
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 100 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.995 - 1.005 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

Water solubility

soluble.

SECTION 10: Stability and reactivity

10.1. Reactive	/ity
----------------	------

	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost.

10.5. Incompatible materials

No incompatible groups noted.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.

SECTION 11: Toxicological information

Revision 43 Revision date 2017-08-17

11.1. Information on toxicological effects

11.1. Information on toxicological	AI ETTECTS
Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	Skin corrosion category 1B, Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	<u>'</u>
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	n
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	pility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	No data is available on this product.
Partition coefficient	
	Disinfectant Deodoriser DP20 No data available propan-2-ol 0.05 log P Green Pine sodium hydroxide No data available
12.4. Mobility in soil	
12.4. WODING IT SOII	No data is available on this product.
12.5. Results of PBT and vPvB	1
	No data is available on this product.
12.6. Other adverse effects	<u>'</u>
	No data available.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	

Revision 43
Revision date 2017-08-17

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1903

14.2. UN proper shipping name

DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium chloride)

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	_

14.4. Packing group

Packing group

14.5. Environmental hazards

Environmental hazards No Marine pollutant No

14.6. Special precautions for user

No additional special precautions.

14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable.

ADR/RID

Hazard ID 80
Tunnel Category (E)

IMDG

EmS Code F-A S-B

IATA

Packing Instruction (Cargo) 856
Maximum quantity 60 L
Packing Instruction (Passenger)
Maximum quantity 5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Revision 43
Revision date 2017-08-17

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

2 - 2.1.2. Classification - EC 1272/2008.

- 2 Hazard pictograms.
- 2 Hazard Statement.
- 2 Precautionary Statement: Prevention.
- 2 Precautionary Statement: Response.
- 11 Skin corrosion/irritation.
- 11 Serious eye damage/irritation.
- 14 IMDG.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aguatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Skin Irrit. 2: H315 - Causes skin irritation.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.