



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/10

Disinfectant Deodoriser DP20 Green Pine

Revision 46 Revision date 2021-06-07

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Disinfectant Deodoriser DP20 Green Pine	
Product code QAFS004		

Product code	QAFS004	
1.2. Relevant identified uses of the substance or mixture and uses advised against		
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);	
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);	
Description	A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces.	

1.3. Details of the supplier of the safety data sheet

Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus
	Scotland
	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the	nigel@superfine.co.uk
competent person	

1.4. Emergency telephone number

Emergency telephone number	01307 463538
	8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	EUH208; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
2.2 Label elements	

2.2. Label elements

Revision 46 Revision date 2021-06-07

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH208 - Contains benzyl salicylate, para-menthan-8-yl acetate, eucalyptol, d-alpha-pinene, dipentene. May produce an allergic reaction.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Acute 1: H400 - Very toxic to aquatic life. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Precautionary Statement: Storage	P310 -Immediately call a POISON CENTER/doctor/ . P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004:. 15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, 9.95% w/w Benzalkonium Chloride, EDTA and salts thereof, Parfum, Benzyl Salicylate, Linalool, Citronellol, Eugenol, Coumarin.
2.3 Other hazards	Active Ingredients - 9.95% w/w Benzalkonium Chloride.

2.3. Other hazards

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, chlorides		68424-85-1	270-325-2		1 - 10%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
Benzyl salicylate		118-58-1	204-262-9		0 - 0.5%	Skin Sens. 1: H317; Aquatic Chronic 3: H412;
Para-menthan-8-yl acetate		80-25-1	201-264-1		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Sens. 1: H317; Eye Irrit. 2: H319; Aquatic Chronic 2: H411;
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
1,3,3-trimethyl-2-oxabicyclo{2.2.2]o ctane		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Sens. 1: H317;
dalphaPinene		7785-70-8	232-087-8		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Chronic 1: H410;

Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, chlorides - M Factor Acute = 10, M Factor Chronic = 1.

	Revision date 2021-06-07			
3.2. Mixtures				
	dalphaPinene (CAS No. 7785-70-8). M Factor (Acute/Chronic) = 1.			
Further information				
Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.			
SECTION 4: First aid measu	ires			
4.1. Description of first aid meas	sures			
Inhalation	Move the exposed person to fresh air.			
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.			
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.			
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.			
4.2. Most important symptoms a	nd effects, both acute and delayed			
Inhalation	Causes burns.			
Eye contact	Causes burns. Risk of serious damage to eyes.			
Skin contact	Causes burns.			
Ingestion	Causes burns.			
4.3. Indication of any immediate	medical attention and special treatment needed			
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.			
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.			
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.			
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.			
General information				
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.			
SECTION 5: Firefighting mea	asures			
5.1. Extinguishing media				
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.			
5.2. Special hazards arising from	n the substance or mixture			
	None known.			
5.3. Advice for firefighters				
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.			
Further information				
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.			
SECTION 6: Accidental relea	ase measures			
6.1. Personal precautions, prote	ctive equipment and emergency procedures			
	Wear suitable protective equipment.			

		Revision date 2021-06-07		
6.2. Environmental precautions				
	Advise local authorities if large spills cann	ot be contained.		
6.3. Methods and material for co	ontainment and cleaning up			
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.			
6.4. Reference to other sections	•			
	See section 2, 7, 8, 13 for further informat	on.		
SECTION 7: Handling and s	torage			
7.1. Precautions for safe handling	ng			
	Avoid contact with eyes and skin. Do not be Handling considerations when handling, c	oreathe vapours or spray mist. Adopt best Manual arrying and dispensing.		
7.2. Conditions for safe storage	including any incompatibilities			
	Store in a cool, dry area. Keep container t original container.	ghtly closed. Keep out of the reach of children. Store in		
7.3. Specific end use(s)				
	A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces.			
Suitable packaging				
	Plastic containers.			
SECTION 8: Exposure contr	ols/personal protection			
8.1. Control parameters				
	Occupational exposure controls.			
8.1.1. Exposure Limit Values				
1,1'- Oxydibenzene (Diphenyl ether (vapour))	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 7.1		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -		
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:		
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -		
propan-2-ol	respirable dust: WEL 8-hr limit ppm: 400	respirable dust: WEL 8-hr limit mg/m3: 999		
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250		
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total -		
	inhalable dust: WEL 8-hr limit mg/m3 total -	inhalable dust: WEL 15 min limit mg/m3 total -		
	respirable dust:	respirable dust:		
DNEL: Derived no-effect level.				
Exposure Pattern - Workers				
propan-2-ol	Long-term - inhalation - Systemic 500 mg/m³			
	effects Long-term - dermal - Systemic 888 mg/kg effects			
Eveneure Dellare Commel	ulation.			
Exposure Pattern - General pop	ulation			

Revision 46
Revision date 2021-06-07

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic 89 mg/m³	
	effects	
	Long-term - dermal - Systemic 319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg
	effects	

8.2. Exposure controls



with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Skin protection - Other

Wear suitable protective clothing.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 46 Revision date 2021-06-07

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Pine
Odour threshold	No data available
pH	9.5 - 10.8
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 100 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.995 - 1.005 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

Water solubility

soluble.

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

	Revision date 2021-0
11.1. Information on toxicological	al effects
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = 3523.02 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist ATE = 245.70 mg/l.
Skin corrosion/irritation	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
1.1.3. Hazard Information	
	No data available.
I1.1.4. Toxicological Information	1
C9-11 Alcohol Ethoxylate with	Oral Rat LD50: 1100 mg/kg
Pentyl salicylate	Oral Rat LD50: 2000 mg/kg
propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm Oral Rat LD50: 5840 mg/kg
	Dermal Rabbit LD50: 13900 mg/kg
SECTION 12: Ecological info	ormation
12.1. Toxicity	
propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.0000 mg/l
	Fathead minnows LC50/96h: 9640 mg/l
2.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECI guide lines.
12.3. Bioaccumulative potential	<u> </u>
Doublition on efficient	The product is not bioaccumulating.
Partition coefficient	
	Disinfectant Deodoriser DP20 No data available propan-2-ol 0.05 log P Green Pine
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB	assessment
	This mixture is not classified as PBT or vPvB according to current EU criteria.

	Revision date 2021-06-07
12.6. Other adverse effects	
	No data available.
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	
Total Waste deallion modified	Dispose of waste and residues in accordance with local authority requirements.
General information	Propose of waste and residues in associative with recal authority requirements.
Conoral information	Dispose of in compliance with all local and national requirements.
Disposal of packaging	Dispose of in compliance with all local and flational requirements.
Disposal of packaging	De NOT source annuts containing Fronts containing on the containing of the cleaning of in
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN1903
14.2. UN proper shipping name	
	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium chloride)
14.3. Transport hazard class(es)
ADR/RID	8
Subsidiary risk]-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-
14.4. Packing group	
Packing group	l III
14.5. Environmental hazards	,
Environmental hazards	Yes
Marine pollutant	Yes
14.6. Special precautions for us	er
	No additional special precautions.
14.7. Transport in bulk accordin	g to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	

Revision 46
Revision date 2021-06-07

IATA

Packing Instruction (Cargo) 856

Maximum quantity 60 L

Packing Instruction (Passenger)

Maximum quantity 5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Julio Illioilliadoi

Revision

This document differs from the previous version in the following areas:.

2 - 2.1. Classification of the substance or mixture.

11 - Repeated or prolonged exposure.

12 - 12.1. Toxicity.

15 - Hazard Statement.

Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage., Calculation Method.

Aquatic Acute 1: H400 - Very toxic to aquatic life. - Calculation Method, See section 3 for M Factor. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects. - Calculation Method, see section 3 for M Factor.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302 - Harmful if swallowed.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.

Skin Sens. 1: H317 - May cause an allergic skin reaction.

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Flam. Liq. 3: H226 - Flammable liquid and vapour.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

STOT SE 3: H336 - May cause drowsiness or dizziness.

Skin Irrit. 2: H315 - Causes skin irritation.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,

Further information	
	storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.