



Page 1/10

Disinfectant Deodoriser DP20 Green Pine

 Revision
 47

 Revision date
 2021-10-26

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	Disinfectant Deodoriser DP20 Green Pine	
Product code	QAFS004	
1.2. Relevant identified uses of t	he substance or mixture and uses advised against	
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);	
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);	
Description	A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces.	
1.3. Details of the supplier of the	e safety data sheet	
Company	Superfine Manufacturing Ltd	
Address	Orchardbank Industrial Estate Forfar Angus Scotland	
	DD8 1TD	
Web	www.superfine.co.uk	
Telephone	Tel: 01307 463538	
Fax	Fax: 01307 468505	
Email address of the competent person	nigel@superfine.co.uk	
1.4. Emergency telephone numb	Der	
Emergency telephone number	01307 463538	
	8.30am to 17.00pm	
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)	
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org	
SECTION 2: Hazards identif		
2.1. Classification of the substar		
2.1.2. Classification - EC 1272/2008	EUH208; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;	
2.2. Label elements		



47

Revision date 2021-10-26

Revision

2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH208 - Contains benzyl salicylate, para-menthan-8-yl acetate, eucalyptol, d-alpha-pinene, dipentene. May produce an allergic reaction. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
Response	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:. 15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, 9.95% w/w Benzalkonium Chloride, EDTA and salts thereof, Parfum, Benzyl Salicylate, Linalool, Citronellol, Eugenol, Coumarin.
	Active Ingredients - 9.95% w/w Benzalkonium Chloride.
2.3. Other hazards	
Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate (8 moles		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye
of ethylene oxide)						Dam. 1: H318;
Quaternary Ammonium		68424-85-1	270-325-2		1 - 10%	Acute Tox. 4: H302; Skin
Compounds,						Corr. 1B: H314; Eye Dam. 1:
Benzyl-C12-16-Alkyldimethyl,						H318; Aquatic Acute 1: H400;
chlorides						Aquatic Chronic 1: H410;
Benzyl salicylate		118-58-1	204-262-9		0 - 0.5%	Skin Sens. 1: H317; Aquatic
						Chronic 3: H412;
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit.
						2: H319; STOT SE 3: H336;
			•	unds, Benzyl-C12-1	6-Alkyldin	nethyl, chlorides - M Factor Acute =
	10, M Fa	actor Chroni	c = 1.			

Further information

Product Shelf Life

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Move the exposed person to fresh air.



	Revision date 2021-10-2
4.1. Description of first aid me	asures
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
ngestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.
.2. Most important symptom	s and effects, both acute and delayed
nhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.
	ate medical attention and special treatment needed
Inhalation	
Innalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medica attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting n	
5.1. Extinguishing media	
	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising f	rom the substance or mixture
	None known.
3.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental re	elease measures
	otective equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precaution	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for	r containment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other section	

6.4. Reference to other sections



6.4. Reference to other sections				
	See section 2, 7, 8, 13 for further information.			
SECTION 7: Handling and st	torage			
7.1. Precautions for safe handlin	g			
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.			
7.2. Conditions for safe storage,	including any incompatibilities			
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.			
7.3. Specific end use(s)				
	A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces.			
Suitable packaging				
	Plastic containers.			
SECTION 8: Exposure controls/personal protection				

8.1. Control parameters

	Occupational exposure controls.
--	---------------------------------

8.1.1. Exposure Limit Values

1,1'- Oxydibenzene (Diphenyl ether (vapour))	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 7.1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers		
propan-2-ol	Long-term - inhalation - Systemic 500 mg/m ³	
	effects	
	Long-term - dermal - Systemic 888 mg/kg	
	effects	
sodium hydroxide	Acute inhalation - Local effects 2 mg/m ³	
	Acute dermal - Local effects 2 mg/kg	Long-term - inhalation - Local 1 mg/m ³
		effects

Exposure Pattern - General population



Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic effects	•	
	Long-term - dermal - Systemic	319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg
	effects		
sodium hydroxide	Long-term - inhalation - Local	1 mg/m ³	
	effects		

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.
SECTION 9: Physical and ch	iemical properties

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Pine
Odour threshold	No data available
pН	9.5 - 10.8
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 100 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.995 - 1.005 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

Water solubility

soluble.

SECTION 10: Stability and reactivity	
10.1. Reactivity	
	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.
10.3. Possibility of hazardous reactions	
	Strong acids. Strong oxidising agents.
10.4. Conditions to avoid	
	Protect from frost. Avoid storing in direct Sun Light.
10.5. Incompatible materials	
	Strong acids. Strong oxidising agents.
10.6. Hazardous decomposition products	
	No Hazardous decomposition products when stored and handled correctly.
SECTION 11: Toxicological information	

11.1. Information on toxicological effects



11.1. Information on toxicological effects

11.1. Information on toxicologica	al effects
	This mixture has not been tested as a whole for health effects. The health effects have been
	calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >2,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Dust/Mist ATE = 361.0108 mg/l.
Skin corrosion/irritation	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	n
C9-11 Alcohol Ethoxylate (8 moles of ethylene oxide)	Oral Rat LD50: 1100 mg/kg
Pentyl salicylate	Oral Rat LD50: 2000 mg/kg
propan-2-ol	Inhalation Rat LC50/6 h: >10000ppm Oral Rat LD50: 5840 mg/kg
	Dermal Rabbit LD50: 13900 mg/kg
sodium hydroxide	Oral Rat LD50: 325 mg/kg
SECTION 12: Ecological info	ormation
12.1. Toxicity	
propan-2-ol	Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.0000 mg/l
	Fathead minnows LC50/96h: 9640 mg/l
sodium hydroxide	Daphnia LC50/48h: 40 - 240 mg/l Rainbow trout LC50/96h: 45.5 mg/l

12.2. Persistence and degradability

1

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD
	guide lines.

Bluegill sunfish LC50/96h: 125 mg/l

12.3. Bioaccumulative potential

	The product is not bioaccumulating.	
Partition coefficient		
	Disinfectant Deodoriser DP20 No data available Green Pine	propan-2-ol 0.05 log P
	sodium hydroxide No data available	



Guppy LC50/96h: 33 - 189 mg/l

Revision 47 **Revision date** 2021-10-26

	Revision date 2021-10-20
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB a	assessment
	This mixture is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	
	No data available.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	rmation
Hazard pictograms	
14.1. UN number	
	UN1903
14.2. UN proper shipping name	
	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium chloride)
14.3. Transport hazard class(es)	
ADR/RID	8
Subsidiary risk	
IMDG	8
Subsidiary risk IATA	8
Subsidiary risk	-
14.4. Packing group	-
Packing group	111
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
14.6. Special precautions for use	P
	No additional special precautions.
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	80



ADR/RID	
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:. 3 - 3.2. Mixtures.
	11 - Acute toxicity. 12 - 12.1. Toxicity.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage., Calculation Method. Aquatic Acute 1: H400 - Very toxic to aquatic life Calculation Method, See section 3 for M Factor. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Calculation Method, see section 3 for M Factor.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,



Further information	
	storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

