



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/10

Disinfectant Deodoriser DP20 Green Pine

Revision 45

	Revision date 2021-02-2
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Disinfectant Deodoriser DP20 Green Pine
Product code	QAFS004
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	A concentrated Quaternary disinfectant deodoriser specially formulated for the routine hygienic cleaning of hard surfaces.
1.3. Details of the supplier of the	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus Scotland
	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email	nigel@superfine.co.uk
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone numb	per
Emergency telephone number	01307 463538
	8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Hazards identifi	ication

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC	EUH208; Skin Corr. 1B: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;
1272/2008	

2.2. Label elements

Revision 45 Revision date 2021-02-25

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH208 - Contains benzyl salicylate, para-menthan-8-yl acetate, eucalyptol, d-alpha-pinene, dipentene. May produce an allergic reaction. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Precautionary Statement:	P102 - Keep out of reach of children.
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
Response	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	15 - 30% Cationic Surfactants, 5 - 15% Non-ionic Surfactants, 9.95% w/w Benzalkonium Chloride,
	EDTA and salts thereof, Parfum, Benzyl Salicylate, Linalool, Citronellol, Eugenol, Coumarin.
	Active Ingredients - 9.95% w/w Benzalkonium Chloride.

2.3. Other hazards

Other hazards This mixture is not classified as PBT or vPvB according to current EU criteria.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye
						Dam. 1: H318;
Quaternary Ammonium		68424-85-1	270-325-2		1 - 10%	Acute Tox. 4: H302; Skin
Compounds,						Corr. 1B: H314; Eye Dam. 1:
Benzyl-C12-16-Alkyldimethyl,						H318; Aquatic Acute 1: H400;
chlorides						Aquatic Chronic 1: H410;
Benzyl salicylate		118-58-1	204-262-9		0 - 0.5%	Skin Sens. 1: H317; Aquatic
						Chronic 3: H412;
Para-menthan-8-yl acetate		80-25-1	201-264-1		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox.
						1: H304; Skin Sens. 1: H317;
						Eye Irrit. 2: H319; Aquatic
						Chronic 2: H411;
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit.
						2: H319; STOT SE 3: H336;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;
1,3,3-trimethyl-2-oxabicyclo{2.2.2]o	1	470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin
ctane						Sens. 1: H317;
dalphaPinene		7785-70-8	232-087-8		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox.
						1: H304; Skin Irrit. 2: H315;
						Skin Sens. 1: H317; Aquatic
						Chronic 1: H410;

Revision 45 Revision date 2021-02-25

	Revision date 2021-02-25
3.2. Mixtures	
	Quaternary Ammonium Compounds, Benzyl-C12-16-Alkyldimethyl, chlorides - M Factor Acute = 10, M Factor Chronic = 1. dalphaPinene (CAS No. 7785-70-8). M Factor (Acute/Chronic) = 1.
Further information	
Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
SECTION 4: First aid meas	ures
4.1. Description of first aid mea	asures
Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.
4.2. Most important symptoms	and effects, both acute and delayed
Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	Causes burns.
4.3. Indication of any immediat	e medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	·
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	easures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising fro	om the substance or mixture
	None known.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ease measures
	rective equipment and emergency procedures

6.1. Personal precautions, protective equipment and emergency procedures

Revision 45 Revision date 2021-02-25

6.1. Personal precautions, prote	ctive equipment and emergency procedu	ires
	Wear suitable protective equipment.	
6.2. Environmental precautions		
	Advise local authorities if large spills ca	annot be contained.
6.3. Methods and material for co	ontainment and cleaning up	
		orbent material. Sweep up. Transfer to suitable, labelled area thoroughly with plenty of water. For small spills:. Flush
6.4. Reference to other sections		
	See section 2, 7, 8, 13 for further inforr	nation.
SECTION 7: Handling and s	torage	
7.1. Precautions for safe handling	ng	
	Avoid contact with eyes and skin. Do n Handling considerations when handling	ot breathe vapours or spray mist. Adopt best Manual g, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities	
	Store in a cool, dry area. Keep containe original container.	er tightly closed. Keep out of the reach of children. Store in
7.3. Specific end use(s)		
	A concentrated Quaternary disinfectant cleaning of hard surfaces.	t deodoriser specially formulated for the routine hygienic
Suitable packaging		
	Plastic containers.	
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters		
	Occupational exposure controls.	
8.1.1. Exposure Limit Values		
1,1'- Oxydibenzene (Diphenyl	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 7.1
ether (vapour))	WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2

DNEL: Derived no-effect level.

WEL 8-hr limit mg/m3 total -

WEL 8-hr limit mg/m3 total -

inhalable dust:

respirable dust:

WEL 15 min limit mg/m3 total -

WEL 15 min limit mg/m3 total -

inhalable dust:

respirable dust:

Revision 45
Revision date 2021-02-25

Exposure Pattern - Workers

propan-2-ol	Long-term - inhalation - Systemic 500 mg/n	n ³
	effects	
	Long-term - dermal - Systemic 888 mg/k	g
	effects	
sodium hydroxide	Acute inhalation - Local effects 2 mg/m³	
	Acute dermal - Local effects 2 mg/kg	Long-term - inhalation - Local 1 mg/m³
		effects

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic	89 mg/m³	
	effects		
	Long-term - dermal - Systemic	319 mg/kg L	.ong-term - oral - Systemic effects 26 mg/kg
	effects		
sodium hydroxide	Long-term - inhalation - Local	1 mg/m³	
	effects		

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering

controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Skin protection - Other Respiratory protection

Wear suitable protective clothing.

Prevent further leakage or spillage if safe to do so.

8.2.3. Environmental exposure

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 45
Revision date 2021-02-25

9.1. Information on basic physical and chemical properties

Appearance	Liquid
• •	
	Colourless
Odour	
Odour threshold	No data available
pH	9.5 - 10.8
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 100 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	0.995 - 1.005 g/cm³
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

Water solubility

soluble.

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions. No specific reactivity hazards associated with this product.
10.2. Chemical stability	
	Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Revision 45 Revision date 2021-02-25

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = 3523.02 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = 245.70 mg/l.
calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). Acute toxicity based on available data the classification criteria are not met. Oral ATE = 3523.02 mg/kg. Dermal ATE = >10,000 mg/kg.
Oral ATE = 3523.02 mg/kg. Dermal ATE = >10,000 mg/kg.
Dermal ATE = >10,000 mg/kg.
ililialation - Dustriviist ATE - 243.70 mg/l.
Skin corrosion/irritation Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Serious eye damage/irritation Causes serious eye damage.
Respiratory or skin based on available data the classification criteria are not met.
sensitisation
Germ cell mutagenicity based on available data the classification criteria are not met.
Carcinogenicity based on available data the classification criteria are not met.
Reproductive toxicity based on available data the classification criteria are not met.
STOT-single exposure based on available data the classification criteria are not met.
STOT-repeated exposure based on available data the classification criteria are not met.
Aspiration hazard based on available data the classification criteria are not met.
11.1.2. Mixtures
No data available.
11.1.3. Hazard Information
No data available.
11.1.4. Toxicological Information
C9-11 Alcohol Ethoxylate with Oral Rat LD50: 1100 mg/kg
propan-2-ol Inhalation Rat LC50/6 h: >10000ppm Oral Rat LD50: 5840 mg/kg
Dermal Rabbit LD50: 13900 mg/kg
SECTION 12: Ecological information
12.1. Toxicity
propan-2-ol Daphnia EC50/48h: 10000.0000 mg/l Fish LC50/96h: 4200.0000
Fathead minnows LC50/96h: 9640 mg/l
sodium hydroxide Daphnia LC50/48h: 40 - 240 mg/l Rainbow trout LC50/96h: 45.5 mg/l
Bluegill sunfish LC50/96h: 125 mg/l Guppy LC50/96h: 33 - 189 mg
12.2. Persistence and degradability
Substance biodegrades at a moderate rate and inherently biodegradable according to the OE guide lines.
12.3. Bioaccumulative potential
The product is not bioaccumulating.
Partition coefficient
Disinfectant Deodoriser DP20 No data available propan-2-ol 0.05 log P
Green Pine
· · · · · · · · · · · · · · · · · · ·
Green Pine
Green Pine sodium hydroxide No data available

Revision 45
Revision date 2021-02-25

	Revision date 2021-02-25	
12.5. Results of PBT and vPvB assessment		
	This mixture is not classified as PBT or vPvB according to current EU criteria.	
12.6. Other adverse effects		
	No data available.	
SECTION 13: Disposal con	siderations	
13.1. Waste treatment methods	s	
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in	
	compliance with local and national regulations.	
SECTION 14: Transport inf	ormation	
Hazard pictograms		
	8	
14.1. UN number		
	UN1903	
14.2. UN proper shipping name		
	DISINFECTANT, LIQUID, CORROSIVE, N.O.S. (Alkyl Dimethyl Benzyl Ammonium chloride)	
14.3. Transport hazard class(e	s)	
ADR/RID	8	
Subsidiary risk		
IMDG Subsidian risk	8	
Subsidiary risk IATA	8	
Subsidiary risk	-	
14.4. Packing group	•	
Packing group	III	
14.5. Environmental hazards		
Environmental hazards	Yes	
Marine pollutant	Yes	
14.6. Special precautions for u	ser	
	No additional special precautions.	
14.7. Transport in bulk according	ng to Annex II of MARPOL 73/78 and the IBC Code	
	Not applicable.	
ADR/RID		
Hazard ID	80	
Tunnel Category	(E)	
IMDG		

Revision 45
Revision date 2021-02-25

IMDG		
EmS Code	F-A S-B	
IATA		
Packing Instruction (Cargo)	856	
Maximum quantity	60 L	
Packing Instruction	852	
(Passenger)		
Maximum quantity	5 L	

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 1 Product Use.
- 2 2.1. Classification of the substance or mixture.
- 2 2.1.2. Classification EC 1272/2008.
- 2 Hazard pictograms.
- 2 Precautionary Statement: Prevention.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 3 Active Ingredients.
- 3 3.2. Mixtures.
- 5 5.2. Special hazards arising from the substance or mixture.
- 5 5.3. Advice for firefighters.
- 7 7.3. Specific end use(s).
- 8 Skin protection Handprotection.
- 8 Eye / face protection.
- 8 Skin protection Other.
- 10 10.4. Conditions to avoid.
- 10 10.6. Hazardous decomposition products.
- 10 10.5. Incompatible materials.
- 11 Acute toxicity.
- 12 12.1. Toxicity.
- 12 12.4. Mobility in soil.
- 12 12.3. Bioaccumulative potential.
- 12 12.5. Results of PBT and vPvB assessment.
- 14 IMDG.
- 15 Labelling.
- 15 Hazard Statement.

Revision 45 Revision date 2021-02-25

Other information		
	16 - Data sources.	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation	
	(EC) No. 1272/2008:	
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage., Calculation Method. Aquatic Acute 1: H400 - Very toxic to aquatic life Calculation Method, See section 3 for M Factor.	
	Aquatic Acute 1. 11400 - Very toxic to aquatic life Calculation Method, See Section 3 to 1 M ractor. Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Calculation Method, see	
	section 3 for M Factor.	
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.	
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.	
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.	
	Aquatic Acute 1: H400 - Very toxic to aquatic life.	
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.	
	Skin Sens. 1: H317 - May cause an allergic skin reaction.	
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.	
	Flam. Liq. 3: H226 - Flammable liquid and vapour.	
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.	
	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.	
	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.	
	STOT SE 3: H336 - May cause drowsiness or dizziness.	
	Met. Corr. 1: H290 - May be corrosive to metals.	
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.	
	Skin Irrit. 2: H315 - Causes skin irritation.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,	
	storage and handling of the product. This information is correct to the best of our knowledge and	
	belief at the date of publication however no guarantee is made to its accuracy. This information	
	relates only to the specific material designated and may not be valid for such material used in	
	combination with any other materials or in any other process.	