



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/8

LIQUID DETERGENT EXTRA STRENGTH LEMON

Revision 15

Revision date 2022-11-08

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	LIQUID DETERGENT EXTRA STRENGTH LEMON
Product code	QAFS294

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	Neutral liquid detergent specially formulated for all regular light duty cleaning and washing up.

1.3. Details of the supplier of the safety data sheet

Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk

1.4. Emergency telephone number


Emergency telephone number	01307 463538 8.30am to 17.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	EUH208; Eye Irrit. 2: H319;
--------------------------------------	-----------------------------

2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	EUH208 - Contains d-limonene. May produce an allergic reaction.

LIQUID DETERGENT EXTRA STRENGTH LEMON

Revision 15

Revision date 2022-11-08

2.2. Label elements

Precautionary Statement: Prevention	Eye Irrit. 2: H319 - Causes serious eye irritation.
	P102 - Keep out of reach of children.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004:. Greater than 30% Anionic Surfactants, Less than 5% Non-ionic surfactants, Parfum, Limonene, Citral (Neral + Geranial). Contains - D-Limonene, sodium (xylenes and 4-ethylbenzene) sulfonate, Alcohols, C12-14, ethoxylated, sulfates, sodium salts.

2.3. Other hazards

Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
----------------------	--

Further information

	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;
sodium (xylenes and 4-ethylbenzene) sulfonate			701-037-1	01-2119513350-56	1 - 10%	Eye Irrit. 2: H319;
Alcohols, C12-14, ethoxylated, sulfates, sodium salts		68891-38-3	500-234-8	01-2119488639-16	1 - 10%	Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Benzenesulphonic Acid Mono C10-C13 Alkyl Dervis Sodium Salts		68411-30-3	270-115-0	01-2119489428-22	1 - 10%	Acute Tox. 4: H302; Skin Irrit. 2: H315; Eye Dam. 1: H318; Aquatic Chronic 3: H412;
D-Limonene, CAS No.5989-27-5 - M Factor (Acute/Chronic) = 1.						

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause irritation to skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention

LIQUID DETERGENT EXTRA STRENGTH LEMON

Revision 15

Revision date 2022-11-08

4.3. Indication of any immediate medical attention and special treatment needed

Skin contact	if irritation or symptoms persist.
	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.
--	---

5.2. Special hazards arising from the substance or mixture

	None known.
--	-------------

5.3. Advice for firefighters

	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
--	--

Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment.
--	-------------------------------------

6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

6.3. Methods and material for containment and cleaning up

	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
--	--

6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

7.2. Conditions for safe storage, including any incompatibilities

	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
--	---

7.3. Specific end use(s)

	Neutral liquid detergent specially formulated for all regular light duty cleaning and washing up.
--	---

Suitable packaging

	Plastic containers.
--	---------------------

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

	Occupational exposure controls.
--	---------------------------------

LIQUID DETERGENT EXTRA STRENGTH LEMON

Revision 15

Revision date 2022-11-08

8.1.1. Exposure Limit Values

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	WEL 8-hr limit ppm: N/A	WEL 8-hr limit mg/m ³ :
	WEL 15 min limit ppm:	WEL 15 min limit mg/m ³ :
	WEL 8-hr limit mg/m ³ total inhalable dust:	WEL 15 min limit mg/m ³ total inhalable dust:
	WEL 8-hr limit mg/m ³ total respirable dust:	WEL 15 min limit mg/m ³ total respirable dust:

DNEL: Derived no-effect level.



Exposure Pattern - Workers

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Long-term - inhalation - Systemic effects	175 mg/m ³
	Long-term - dermal - Systemic effects	2750 mg/kg
sodium (xylenes and 4-ethylbenzene) sulfonate	Long-term - inhalation - Systemic effects	26.9 mg/m ³
	Long-term - dermal - Systemic effects	136.25 mg/kg

Exposure Pattern - General population

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Long-term - inhalation - Systemic effects	52 mg/m ³	
	Long-term - dermal - Systemic effects	1650 mg/kg	Long-term - oral - Systemic effects 15 mg/kg
sodium (xylenes and 4-ethylbenzene) sulfonate	Long-term - inhalation - Systemic effects	6.6 mg/m ³	
	Long-term - dermal - Systemic effects	68.1 mg/kg	Long-term - dermal - Local effects 0.048 mg/cm ³
	Long-term - oral - Systemic effects	3.8 mg/kg	

8.2. Exposure controls

<div>8.2.1. Appropriate engineering controls</div> <div>Eye / face protection</div> <div>Skin protection - Handprotection</div> <div>Respiratory protection</div>	<div></div>	<p>Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.</p>
	<p>Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.</p>	
	<p>Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.</p>	
	<p>Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.</p>	
	<p>No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.</p>	

LIQUID DETERGENT EXTRA STRENGTH LEMON

Revision 15

Revision date 2022-11-08

8.2. Exposure controls

8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.
--	---

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Yellow
Odour	Slight
Odour threshold	No data available
pH	6 - 8
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.041 - 1.047 g/cm ³
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 1000 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

Water solubility

	Soluble.
--	----------

9.2.1. Information with regard to physical hazard classes

	No data is available on this product.
--	---------------------------------------

9.2.2. Other safety characteristics

	No data is available on this product.
--	---------------------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	None known.
--	-------------

10.4. Conditions to avoid

LIQUID DETERGENT EXTRA STRENGTH LEMON

Revision 15

Revision date 2022-11-08

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
	based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.

11.1.2. Mixtures

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

Alcohols, C12-14, ethoxylated, sulfates, sodium salts	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50: 2870 mg/kg
sodium (xylenes and 4-ethylbenzene) sulfonate	Oral Rat LD50: > 7200 mg/kg	Dermal Rabbit LD50: > 2000 mg/kg
	Inhalation Rat LC50/4 h: >6.41 mg/l	

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

No data available

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

LIQUID DETERGENT EXTRA STRENGTH LEMON

Revision 15

Revision date 2022-11-08

Partition coefficient

	LIQUID DETERGENT EXTRA STRENGTH LEMON	No data available	Alcohols, C12-14, ethoxylated, sulfates, sodium salts	0.3 Log Pow
--	--	-------------------	--	-------------

12.4. Mobility in soil

	This product is soluble in water.
--	-----------------------------------

12.5. Results of PBT and vPvB assessment

	This substance/mixture is not classified as PBT or vPvB according to current criteria.
--	--

12.6 Endocrine disrupting properties

	No data is available on this product.
--	---------------------------------------

12.7. Other adverse effects

	No data is available on this product.
--	---------------------------------------

SECTION 13: Disposal considerations

13.1. Waste treatment methods

	Dispose of waste and residues in accordance with local authority requirements.
--	--

General information

	Dispose of in compliance with all local and national requirements.
--	--

Disposal of packaging

	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
--	---

SECTION 14: Transport information

14.1. UN number

	The product is not classified as dangerous for carriage.
--	--

14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

14.3. Transport hazard class(es)

	The product is not classified as dangerous for carriage.
--	--

14.4. Packing group

	The product is not classified as dangerous for carriage.
--	--

14.5. Environmental hazards

	The product is not classified as dangerous for carriage.
--	--

14.6. Special precautions for user

	The product is not classified as dangerous for carriage.
--	--

14.7 Maritime Transport in bulk according to IMO instruments

	The product is not classified as dangerous for carriage.
--	--

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
-------------	---

LIQUID DETERGENT EXTRA STRENGTH LEMON

Revision 15

Revision date 2022-11-08

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	<p>This document differs from the previous version in the following areas:.</p> <ul style="list-style-type: none"> 2 - Other hazards. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 3 - 3.2. Mixtures. 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes. 10 - 10.2. Chemical stability. 10 - 10.1. Reactivity. 11 - Acute toxicity. 11 - Repeated or prolonged exposure. 11 - 11.2 Information on other hazards. 12 - 12.6 Endocrine disrupting properties. 12 - 12.7. Other adverse effects. 15 - Regulations.
Data sources	<p>Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation. - Calculation Method.</p>
Text of Hazard Statements in Section 3	<p>Flam. Liq. 3: H226 - Flammable liquid and vapour.</p> <p>Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.</p> <p>Skin Irrit. 2: H315 - Causes skin irritation.</p> <p>Skin Sens. 1: H317 - May cause an allergic skin reaction.</p> <p>Aquatic Acute 1: H400 - Very toxic to aquatic life.</p> <p>Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.</p> <p>Eye Irrit. 2: H319 - Causes serious eye irritation.</p> <p>Eye Dam. 1: H318 - Causes serious eye damage.</p> <p>Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.</p> <p>Acute Tox. 4: H302 - Harmful if swallowed.</p>

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.