

qafs012



Grimeshifter Concentrate

27 Revision Revision date 2022-11-02 SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.2. Relevant identified uses of the substance or mixture and uses advised against [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); A mildly alkaline detergent, specially formulated for the routine cleaning of all interior or exterior hard surfaces, at dilutions of between 1 part concentrate to 20 parts water and 1 part concentrate to 100 parts water depending on the degree of soiling to be removed.

Page

1/8

1.3. Details of the supplier of the safety data sheet

1.1. Product identifier

Product name

Product code

Product Use

Description

Company	Superfine Manufacturing Ltd	
Address	Orchardbank Industrial Estate	
	Forfar	
	Angus	
	Scotland	
	DD8 1TD	
Web	www.superfine.co.uk	
Telephone	Tel: 01307 463538	
Fax	Fax: 01307 468505	
Email address of the	nigel@superfine.co.uk	
competent person		

1.4. Emergency telephone number

Emergency telephone number	01307 463538	
	8.30am to 17.00pm	
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)	
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture		
2.1.2. Classification - EC 1272/2008	EUH208; Eye Dam. 1: H318;	
2.2. Label elements		

Hazard pictograms





2.2. Label elements

Signal Word	Danger
Hazard Statement	EUH208 - Contains benzisothiazolinone. May produce an allergic reaction.
	Eye Dam. 1: H318 - Causes serious eye damage.
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
Response	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/.
	P337+P313 - If eye irritation persists: Get medical advice/attention.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	5 - 15% Amphoteric Surfactants, 5 - 15% Non-ionic Surfactants, EDTA and salts thereof, 2.44%
	Phosphates by weight, Benzisothiazolinone.
	Our tains - 00.44 Alexhall athreadated Debuters 4.0 athread black and buders are bate
	Contains - C9-11 Alcohol, ethoxylated, Poly(oxy-1,2-ethandiol)phenyl-hydroxy phosphate,
	1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-C18 (even numbered) acyl
	derivs.,hydroxides, inner salts, Trisodium (hydroxyethyl) ethylenediamine triacetate, Tetrapotassium pyrophosphate, trisodium nitrilotriacetate.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The
	substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol, ethoxylated		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Poly(oxy-1,2-ethanediol)phenyl-hyd roxy phosphate		39464-70-5			1 - 10%	Eye Dam. 1: H318;
1-Propanaminium, 3-amino-N- (carboxymethyl) -N,N-dimethyl-,N-C8-C18 (even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	01-2119488533-30	1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;
Trisodium (hydroxyethyl) ethylenediamine triacetate		139-89-9	205-381-9	01-2119972845-22	1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Tetrapotassium pyrophosphate		7320-34-5	230-785-7	01-2119489369-18	1 - 10%	Eye Irrit. 2: H319;
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6	01-2119519239-36	0 - 0.5%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed. Risk of serious damage to eyes.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	
4.2. Most important symptoms a	t important symptoms and effects, both acute and delayed	
Inhalation	Irritating to respiratory system.	
Eye contact	Causes serious eye damage.	



Revision 27

Revision date 2022-11-02

4.2. Most important symptoms a	nd effects, both acute and delayed		
Skin contact	Irritating to skin.		
Ingestion	Irritating to mucous membranes.		
4.3. Indication of any immediate	medical attention and special treatment needed		
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.		
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention		
Skin contact	if irritation or symptoms persist.		
Skin contact Ingestion	Seek medical attention if irritation or symptoms persist. Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.		
General information			
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.		
SECTION 5: Firefighting mea	asures		
5.1. Extinguishing media			
	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.		
5.2. Special hazards arising from	n the substance or mixture		
	None known.		
5.3. Advice for firefighters			
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.		
Further information			
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.		
SECTION 6: Accidental relea	ase measures		
	ase measures ctive equipment and emergency procedures		
	ctive equipment and emergency procedures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures		
6.1. Personal precautions, prote	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained.		
6.1. Personal precautions, prote 6.2. Environmental precautions	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained.		
6.1. Personal precautions, prote 6.2. Environmental precautions	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush		
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush		
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information.		
 6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections 	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information.		
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections SECTION 7: Handling and st	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information.		
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections SECTION 7: Handling and st	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information. torage g Adopt best Manual Handling considerations when handling, carrying and dispensing.		
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections SECTION 7: Handling and st 7.1. Precautions for safe handling	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information. torage g Adopt best Manual Handling considerations when handling, carrying and dispensing.		
6.1. Personal precautions, prote 6.2. Environmental precautions 6.3. Methods and material for co 6.4. Reference to other sections SECTION 7: Handling and st 7.1. Precautions for safe handling	ctive equipment and emergency procedures Wear suitable protective equipment. Advise local authorities if large spills cannot be contained. Intainment and cleaning up For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water. See section 2, 7, 8, 13 for further information. torage g Adopt best Manual Handling considerations when handling, carrying and dispensing. including any incompatibilities Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in		



Revision 27 Revision date 2022-11-02

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupation	al exposure	controls
	a crposuic	

8.1.1. Exposure	Limit Values
-----------------	--------------

phosphoric acid %,	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
orthophosphoric acid %.		
(Orthophosphoric acid)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers		
sodium hydroxide	Acute inhalation - Local effects 2 mg/m ³	
	Acute dermal - Local effects 2 mg/kg	Long-term - inhalation - Local 1 mg/m ³
		effects

Exposure Pattern - General population

a sufficient la colona d'al a	Law terms to be lefter to be a large to 3
sodium hydroxide	Long-term - inhalation - Local 1 mg/m ³
•	
	effects

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.	
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.	
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.	
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications,	



Revision date 2022-11-02

8.2. Exposure controls		
	we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.	
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.	
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Mild
рH	7.1 - 8.5
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Specific gravity	1.062 - 1.085 g/cm³
Gas group	No data available
Benzene Content	Not applicable.
Lead content	Not applicable.
VOC (Volatile organic	Not applicable.
compounds)	

Water solubility

Soluble.

9.2.1. Information	on with regard	l to physical	hazard classes
--------------------	----------------	---------------	----------------

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.



Revision date 2022-11-02
ions
trong acids. Strong oxidising agents.
rotect from frost. Avoid storing in direct Sun Light.
trong acids. Strong oxidising agents.
oducts
lo Hazardous decomposition products when stored and handled correctly.
prmation
his mixture has not been tested as a whole for health effects. The health effects have been alculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
ased on available data the classification criteria are not met. Dral ATE = >2,000 mg/kg.
ased on available data the classification criteria are not met.
ye Dam. 1: H318 - Causes serious eye damage.
ased on available data the classification criteria are not met.
ased on available data the classification criteria are not met.
ased on available data the classification criteria are not met.
ased on available data the classification criteria are not met.

Reproductive toxicity	based on available data the classification criteria are not met.	
STOT-single exposure	based on available data the classification criteria are not met.	
STOT-repeated exposure	based on available data the classification criteria are not met.	
Aspiration hazard	based on available data the classification criteria are not met.	
Repeated or prolonged	based on available data the classification criteria are not met.	
exposure		
11.1.2. Mixtures		
	No data available.	
11.1.3. Hazard Information		

No data available.

11.1.4. Toxicological Information

C9-11 Alcohol, ethoxylated	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50 = >300 - <= 2000 mg/kg:
Poly(oxy-1,2-ethanediol)phenyl-h	Oral Rat LD50: >2.0g/kg	
ydroxy phosphate		
sodium hydroxide	Oral Rat LD50: >500 mg/kg	

11.2 Information on other hazards

No data i	s available on	this product.
i to aata i	o available on	and produce.

SECTION 12: Ecological information

12.1. Toxicity

Poly(oxy-1,2-ethanediol)phenyl-h	Daphnia EC50/48h: 1000.0000 mg/l	Fish LC50/96h: 100.0000 mg/l
ydroxy phosphate sodium hydroxide	Daphnia EC50/48h: 40.4 mg/l	Fish LC50/96h: 33.0000 mg/l
	Rainbow trout LC50/96h: 45.5 mg/l	Bluegill sunfish LC50/96h: 125 mg/l

12.2. Persistence and degradability



Revision date 2022-11-02

12.2. Persistence and degradability			
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.		
12.3. Bioaccumulative potential			
	The product is not bioaccumulating.		
Partition coefficient			
	Grimeshifter Concentrate No data available sodium hydroxide No data available		
12.4. Mobility in soil			
	This product is soluble in water.		
12.5. Results of PBT and vPvB a	assessment		
	This substance/mixture is not classified as PBT or vPvB according to current criteria.		
12.6 Endocrine disrupting prope	rties		
	No data is available on this product.		
12.7. Other adverse effects			
	No data is available on this product.		
SECTION 13: Disposal cons	iderations		
13.1. Waste treatment methods			
	Dispose of waste and residues in accordance with local authority requirements.		
General information			
	Dispose of in compliance with all local and national requirements.		
Disposal of packaging			
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.		
SECTION 14: Transport info	rmation		
14.1. UN number			
	The product is not classified as dangerous for carriage.		
14.2. UN proper shipping name			
	The product is not classified as dangerous for carriage.		
14.3. Transport hazard class(es)	,		
	The product is not classified as dangerous for carriage.		
14.4. Packing group			
	The product is not classified as dangerous for carriage.		
14.5. Environmental hazards			
	The product is not classified as dangerous for carriage.		
14.6. Special precautions for use	er		
	The product is not classified as dangerous for carriage.		
14.7 Maritime Transport in bulk a	according to IMO instruments		
	The product is not classified as dangerous for carriage.		
SECTION 15: Regulatory info	ormation		
15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture			



15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Regulations REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
	COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	2 - Other hazards.
	2 - Further information.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	9 - 9.2.2. Other safety characteristics.
	9 - 9.2.1. Information with regard to physical hazard classes.
	11 - Acute toxicity.
	11 - Repeated or prolonged exposure.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.6 Endocrine disrupting properties.
	12 - 12.7. Other adverse effects.
	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Eye Dam. 1: H318 - Causes serious eye damage Calculation Method.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Carc. 2: H351 - Suspected of causing cancer .
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.