



Page 1/8

 Revision
 10

 Revision date
 2017-08-17

CECTION 4. Identification of	Revision date 2017-08-17
	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Heavy Duty 770
Product code	QAFS276
1.2. Relevant identified uses of	the substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);
Description	No data is available on this product.
1.3. Details of the supplier of the	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate
	Forfar
	Angus
	Scotland
	DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email	nigel@superfine.co.uk
Email address of the	nigel@superfine.co.uk
competent person	
1.4. Emergency telephone num	
Emergency telephone number	01307 463538
	8.30am to 17.00pm
SECTION 2: Hazards identif	ication
2.1. Classification of the substar	
2.1.2. Classification - EC 1272/2008	Skin Irrit. 2: H315; Eye Dam. 1: H318;
2.2. Label elements	
Hazard pictograms	
Signal Word	Danger
Hazard Statement	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
Precautionary Statement:	P264 - Wash hands and other contacted skin thoroughly after handling.
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.



 Revision
 10

 Revision date
 2017-08-17

2.2. Label elements			
Precautionary Statement: Response	<ul> <li>P302+P352 - IF ON SKIN: Wash with plenty of water/.</li> <li>P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P310 -Immediately call a POISON CENTER/doctor/.</li> <li>P332+P313 - If skin irritation occurs: Get medical advice/attention.</li> </ul>		
2.3. Other hazards			
Other hazards	PBT not identified as a PBT substance.		
SECTION 3: Composition/inf	formation on ingredients		

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Sodium xylene sulphonate		1300-72-7	215-090-9		1 - 10%	Eye Irrit. 2: H319;
Tetrapotassium pyrophosphate		7320-34-5	230-785-7	01-2119489369-18	1 - 10%	Eye Irrit. 2: H319;
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

#### Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.	
Active Ingredients	Ingredients 770 - 3.8% Phosphates by weight, 5 - 15% Anionic Surfactants, Less than 5%	
	Non-ionic Surfactants, CI 42090.	

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

4.1. Description of first aid measures		
Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	
4.2. Most important symptoms a	nd effects, both acute and delayed	
Inhalation	Irritating to respiratory system.	
Eye contact	Irritating to eyes.	
Skin contact	Irritating to skin.	
Ingestion	Irritating to mucous membranes.	
4.3. Indication of any immediate	medical attention and special treatment needed	
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.	
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.	
General information		
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.	

### SECTION 5: Firefighting measures



### 5.1. Extinguishing media

5.1. Extinguishing media	
	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising from	m the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Wear suitable respiratory equipment when necessary.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for c	ontainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	3
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	storage
7.1. Precautions for safe handling	ng
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage	
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	No data is available on this product.
Suitable packaging	·
	Plastic containers.
SECTION 8: Exposure cont	rols/personal protection
8.1. Control parameters	
	Occupational exposure controls.
8.1.1. Exposure Limit Values	
2-butoxyethanol	WEL 8-hr limit ppm: 25 WEL 8-hr limit mg/m3: 123
	WEL 15 min limit ppm: 50WEL 15 min limit mg/m3: 101.2
	WEL 8-hr limit mg/m3 total - WEL 15 min limit mg/m3 total -
	• • • • • • • • • • • • • • • • • • • •
	inhalable dust: inhalable dust:



# Revision 10 Revision date 2017-08-17

#### DNEL: Derived no-effect level.

2-butoxyethanol	Acute inhalation - Systemic 1091 mg/m <sup>3</sup> effects	
	Acute inhalation - Local effects 246 mg/m <sup>3</sup>	Acute dermal - Systemic effects 89 mg/kg
	Long-term - inhalation - Systemic 98 mg/m <sup>3</sup> effects	Long-term - dermal - Systemic 125 mg/kg effects
Sodium Metasilicate Pentahydrate	Long-term - inhalation - Systemic 6.22 mg/m <sup>3</sup> effects	
-	Long-term - dermal - Systemic 1.49 mg/kg effects	

#### Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic effects	426 mg/m <sup>3</sup>		
	Acute dermal - Systemic effects	89 mg/kg	Acute oral - Systemic effects 26.7 mg/kg	
	Long-term - inhalation - Systemic effects	59 mg/m³	Long-term - inhalation - Local 147 mg/m <sup>3</sup> effects	
	Long-term - dermal - Systemic effects	75 mg/kg	Long-term - oral - Systemic effects 6.3 mg/kg	
Sodium Metasilicate Pentahydrate	Long-term - inhalation - Systemic effects	1.55 mg/m³		
	Long-term - dermal - Systemic effects	0.74 mg/kg	Long-term - oral - Systemic effects 0.74 mg/kg	

#### 8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.
Skin protection - Handprotection	Rubber gloves.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

#### **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties



#### 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	
Odour	Characteristic
Odour threshold	No data available
pН	No data available
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	1.068 - 1.075 g/cm3
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

#### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	
ECTION 10. Stability and reactivity	

## SECTION 10: Stability and reactivity

	Stable under normal conditions. No specific reactivity hazards associated with this product.	
10.2. Chemical stability		
	Stable under normal conditions. No particular stability concerns.	
10.3. Possibility of hazardous reactions		
	Strong acids. Strong oxidising agents.	
10.4. Conditions to avoid		
	Protect from frost.	
10.5. Incompatible materials		
	No incompatible groups noted.	
10.6. Hazardous decomposition products		
	No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.	
SECTION 11: Toxicological information		
11.1. Information on toxicological effects		
Acute toxicity	based on available data the classification criteria are not met.	
Skin corrosion/irritation	Skin irritation category 2.	



#### 10 Revision

Revision date 2017-08-17

11.1. Information on toxicologica	l effects	
Serious eye damage/irritation	Eye damage category 1.	
Respiratory or skin sensitisation	based on available data the classification criteria are not met.	
Germ cell mutagenicity	based on available data the classification criteria are not met.	
Carcinogenicity	based on available data the classification criteria are not met.	
Reproductive toxicity	based on available data the classification criteria are not met.	
STOT-single exposure	based on available data the classification criteria are not met.	
STOT-repeated exposure	based on available data the classification criteria are not met.	
Aspiration hazard	based on available data the classification criteria are not met.	
11.1.2. Mixtures		
	No data available.	
11.1.3. Hazard Information		
	No data available.	
11.1.4. Toxicological Information		
	No data available	
SECTION 12: Ecological info	rmation	
12.1. Toxicity		
	No data available	
12.2. Persistence and degradabi	lity	
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.	
12.3. Bioaccumulative potential		
	No data is available on this product.	
Partition coefficient		
	Heavy Duty 770       No data available       2-butoxyethanol       0.8 log P	
12.4. Mobility in soil		
	No data is available on this product.	
12.5. Results of PBT and vPvB a	assessment	
	No data is available on this product.	
12.6. Other adverse effects		
	No data available.	
SECTION 13: Disposal consi	derations	
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport information		



#### 14.1. UN number

14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping name		
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class(es)		
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards		
	The product is not classified as dangerous for carriage.	
14.6. Special precautions for user		
	The product is not classified as dangerous for carriage.	
	No additional special precautions.	
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.	
	Not applicable.	
SECTION 15: Regulatory inf	ormation	
15.1. Safety, health and environ	mental regulations/legislation specific for the substance or mixture	
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	

15.2. Chemical safety assessment

No information available.

# SECTION 16: Other information Other information

Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Met. Corr. 1: H290 - May be corrosive to metals.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.
	Acute Tox. 4: H312 - Harmful in contact with skin.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Acute Tox. 4: H332 - Harmful if inhaled.

#### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information



Further information	
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.

