



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/9

HEAVY DUTY CLEANER DP204

Revision 53

Revision date 2021-06-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name HEAVY DUTY CLEANER DP204

Product code QAFS008

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

DescriptionThis new non-acidic formula removes brake dust, road film and grime. It cleans to a bright finish

and does not eat away the surfaces like standard acidic wheel cleaners.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Web www.superfine.co.uk
Telephone Tel: 01307 463538
Fax Fax: 01307 468505
Email address of the competent person

1.4. Emergency telephone number

Emergency telephone number

01307 463538

8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Corr. 1A: H314;

2.2. Label elements

Hazard pictograms



Signal Word Danger

Revision 53 Revision date 2021-06-02

2.2. Label elements

Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.
Precautionary Statement:	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Prevention	
Precautionary Statement:	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
Response	skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
Precautionary Statement:	P405 - Store locked up.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	5 - 15% Amphoteric Surfactants, 5 - 15% Non-ionic Surfactants, NTA and salts thereof, EDTA and
	salts thereof, Sodium Metasilicate Pentahydrate.

2.3. Other hazards

Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.
---------------	---

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol Ethoxylate with EO		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Tetrasodium ethylene diamine tetraacetate		64-02-8	200-573-9	01-2119486762-27	1 - 10%	Acute Tox. 4: H302+H332; Eye Dam. 1: H318; STOT RE 2: H373;
1-Propanaminium, 3-amino-N- (carboxymethyl) -N,N-dimethyl-,N-C8-C18 (even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	01-2119488533-30	1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6	01-2119519239-36	1 - 10%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335;
sodium hydroxide	011-002-00-6	1310-73-2	215-185-5	01-2119457892-27	0 - 0.5%	Skin Corr. 1A: H314;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--------------------	--

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system. May cause sensitisation by inhalation.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.

Revision 53 Revision date 2021-06-02

	Revision date 2021-06-0
4.2. Most important symptoms ar	nd effects, both acute and delayed
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting mea	asures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising from	the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, protect	ctive equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ntainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and st	orage
7.1. Precautions for safe handling	g
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	

Revision 53 Revision date 2021-06-02

7.3. Specific end use(s)

This new non-acidic formula removes brake dust, road film and grime. It cleans to a bright finish and does not eat away the surfaces like standard acidic wheel cleaners.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

sodium hydroxide	Acute inhalation - Local effects	2 mg/m³	
	Acute dermal - Local effects	2 mg/kg	Long-term - inhalation - Local 1 mg/m³
			effects
Sodium Metasilicate	Long-term - inhalation - Systemic	6.22 mg/m ³	
Pentahydrate	effects		
	Long-term - dermal - Systemic	1.49 mg/kg	
	effects		
Tetrasodium ethylene diamine	Acute inhalation - Local effects	2.5 mg/m ³	
tetraacetate			
	Long-term - inhalation - Local	2.5 mg/m ³	
	effects		
trisodium nitrilotriacetate	Acute inhalation - Systemic	5.25 mg/m ³	
	effects		
	Long-term - inhalation - Systemic	3.5 mg/m ³	
	effects		

Exposure Pattern - General population

sodium hydroxide	Long-term - inhalation - Local	1 mg/m³	
	effects		
Sodium Metasilicate	Long-term - inhalation - Systemic	1.55 mg/m ³	
Pentahydrate	effects		
	Long-term - dermal - Systemic	0.74 mg/kg	Long-term - oral - Systemic effects 0.74 mg/kg
	effects		
Tetrasodium ethylene diamine	Acute inhalation - Local effects	1.5 mg/m³	
tetraacetate			
	Long-term - inhalation - Local	1.5 mg/m³	Long-term - oral - Systemic effects 25 mg/kg
	effects		
trisodium nitrilotriacetate	Long-term - inhalation - Systemic	1.75 mg/m³	
	effects		

8.2. Exposure controls

Revision 53 Revision date 2021-06-02

8.2. Exposure controls









Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Skin protection - Other Respiratory protection

Wear suitable protective clothing.

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Ammoniacal
Odour threshold	No data available
pH	> 12.5
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Vapour density	No data available
Relative density	No data available
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Revision 53 Revision date 2021-06-02

9.2. Other information

Conductivity No data available Surface tension No data available Specific gravity 1.1 - 1.115 g/cm³ Gas group No data available No data available Benzene Content Lead content No data available VOC (Volatile organic No data available compounds)

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met. Oral ATE = >5,000 mg/kg. Inhalation - Dust/Mist ATE = 19.72 mg/lg.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.

based on available data the classification criteria are not met.

based on available data the classification criteria are not met.

based on available data the classification criteria are not met.

STOT-repeated exposure

Aspiration hazard

Repeated or prolonged exposure

11.1.2. Mixtures

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

Revision 53
Revision date 2021-06-02

11.1.4. Toxicological Information

C9-11 Alcohol Ethoxylate with EO	Oral Rat LD50: 1100 mg/kg	
Sodium Metasilicate	Dermal Rat LD50: >5,000 mg/kg	
Pentahydrate		
Tetrasodium ethylene diamine	Oral Rat LD50: 1780 mg/kg	Inhalation Rat LC50/4 h: >1 - <5 mg/l
tetraacetate		
trisodium nitrilotriacetate	Oral Rat LD50: 1450 mg/kg	

SECTION 12: Ecological information

12.1. Toxicity

sodium hydroxide	Daphnia LC50/48h: 40 - 240 mg/l	Rainbow trout LC50/96h: 45.5 mg/l
	Bluegill sunfish LC50/96h: 125 mg/l	Guppy LC50/96h: 33 - 189 mg/l
Sodium Metasilicate Pentahydrate	Daphnia EC50/48h : 1700.0000 mg/l	Algae EC50/72h: 207 mg/l
•	Brachydanio Rerio LC50/96h: 210 mg/l	
Tetrasodium ethylene diamine tetraacetate	Fish LC50/96h: 100.0000 mg/l	Algae EC50/72h: >100 mg/l
trisodium nitrilotriacetate	Daphnia EC50/48h: 780.0000 mg/l	Green algae EC50/96h: 98 - 312 mg/l

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

12.4. Mobility in soil

This product is soluble in water.

12.5. Results of PBT and vPvB assessment

This mixture is not classified as PBT or vPvB according to current EU criteria.

12.6. Other adverse effects

No data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms

Revision 53 Revision date 2021-06-02

Hazard pictograms 14.1. UN number UN1760 14.2. UN proper shipping name CORROSIVE LIQUID, N.O.S. (contains Trisodium Nitrilotriacetate) 14.3. Transport hazard class(es) ADR/RID 8 Subsidiary risk **IMDG** 8 Subsidiary risk 8 **IATA** Subsidiary risk 14.4. Packing group Ш Packing group 14.5. Environmental hazards **Environmental hazards** No Marine pollutant No 14.6. Special precautions for user No additional special precautions. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable. ADR/RID Hazard ID 80 **Tunnel Category** (E) **IMDG EmS Code** F-A S-B IATA Packing Instruction (Cargo) 856 60 L Maximum quantity 852 **Packing Instruction** (Passenger) Maximum quantity 5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

,		
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL	
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of	
	Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC	
	and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94	
	as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC,	
	93/105/EC and 2000/21/EC.	

Revision 53 Revision date 2021-06-02

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision This document differs from the previous version in the following areas: 10 - 10.2. Chemical stability. 10 - 10.6. Hazardous decomposition products. 10 - 10.1. Reactivity. 11 - Repeated or prolonged exposure. **Data sources** Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008:. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5. Text of Hazard Statements in Acute Tox. 4: H302 - Harmful if swallowed. Section 3

Eye Dam. 1: H318 - Causes serious eye damage.

Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled

STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Irrit. 2: H319 - Causes serious eye irritation. Carc. 2: H351 - Suspected of causing cancer.

Met. Corr. 1: H290 - May be corrosive to metals.

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.