



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/9

HEAVY DUTY CLEANER DP204

Revision 55 Revision date 2022-11-01

SECTION 1: Identification of the substance/mixture and of th	e compan	y/undertaking
--------------------------------------------------------------	----------	---------------

1.1. Product identifier

Product name HEAVY DUTY CLEANER DP204

Product code QAFS008

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen); [PC35] Washing and cleaning products (including solvent based products);

DescriptionThis new non-acidic formula removes brake dust, road film and grime. It cleans to a bright finish

and does not eat away the surfaces like standard acidic wheel cleaners.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Web www.superfine.co.uk
Telephone Tel: 01307 463538
Fax Fax: 01307 468505
Email address of the competent person

1.4. Emergency telephone number

Emergency telephone number

01307 463538

8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Corr. 1A: H314;

2.2. Label elements

Hazard pictograms



Signal Word Danger

Revision 55
Revision date 2022-11-01

2.2. Label elements

Hazard Statement	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.		
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.		
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
Precautionary Statement: Storage	P405 - Store locked up.		
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.		
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004:. 5 - 15% Amphoteric Surfactants, 5 - 15% Non-ionic Surfactants, NTA and salts thereof, EDTA and salts thereof, Sodium Metasilicate Pentahydrate. Contains - C9-11 Alcohol, ethoxylated, Tetrasodium ethylene diamine tetraacetate, 1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-,N-C8-C18 (even numbered) acyl derivs, hydroxides, inner salts, trisodium nitrilotriacetate, Sodium Metasilicate Pentahydrate.		
2.3. Other hazards			
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.		

Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
C9-11 Alcohol, ethoxylated		68439-45-2			1 - 10%	Acute Tox. 4: H302; Eye Dam. 1: H318;
Tetrasodium ethylene diamine tetraacetate		64-02-8	200-573-9	01-2119486762-27	1 - 10%	Acute Tox. 4: H302+H332; Eye Dam. 1: H318; STOT RE 2: H373;
1-Propanaminium, 3-amino-N- (carboxymethyl) -N,N-dimethyl-,N-C8-C18 (even numbered) acyl derivs., hydroxides, inner salts		97862-59-4	931-296-8	01-2119488533-30	1 - 10%	Eye Dam. 1: H318; Aquatic Chronic 3: H412;
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6	01-2119519239-36	1 - 10%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;
Sodium Metasilicate Pentahydrate		10213-79-3	229-912-9	01-2119449811-37	1 - 10%	Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses	
	should be removed.	
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested	
	product.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system. May cause sensitisation by inhalation.
IIIIIaiauvii	i May Cause Illialion lo respiratory system. May Cause sensitisation by Illialation.

Revision 55 Revision date 2022-11-01

	Revision date 2022-11-0
4.2. Most important symptoms a	and effects, both acute and delayed
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.
Ingestion	May cause irritation to mucous membranes.
4.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising fror	
Jin opoolal Hanardo allollig Hol	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	Burning produces irritating, toxic and obnoxious fames.
John Autor of Mongritor	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	•
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rele	ase measures
	ective equipment and emergency procedures
5.1.1 ersonal precautions, prote	Wear suitable protective equipment.
6.2. Environmental presentions	wear suitable protective equipment.
6.2. Environmental precautions	Advised level and antition of language will approach to a section of
C O Mathada and matadal for a	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	3
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	storage
	•
7.1. Precautions for safe handlin	na
7.1. Precautions for safe handli	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.

Revision 55 Revision date 2022-11-01

7.2. Conditions for safe storage, including any incompatibilities			
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.		
7.3. Specific end use(s)			
	This new non-acidic formula removes brake dust, road film and grime. It cleans to a bright finish and does not eat away the surfaces like standard acidic wheel cleaners.		
Suitable packaging			
	Plastic containers.		

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

sodium hydroxide	Acute inhalation - Local effects 2 mg/m³	
	Acute dermal - Local effects 2 mg/kg	Long-term - inhalation - Local 1 mg/m³
		effects
Sodium Metasilicate	Long-term - inhalation - Systemic 6.22 mg/m³	
Pentahydrate	effects	
	Long-term - dermal - Systemic 1.49 mg/kg	
	effects	
Tetrasodium ethylene diamine	Acute inhalation - Local effects 2.5 mg/m³	
tetraacetate		
	Long-term - inhalation - Local 2.5 mg/m³	
	effects	

Exposure Pattern - General population

sodium hydroxide	Long-term - inhalation - Local	1 mg/m³	
	effects		
Sodium Metasilicate	Long-term - inhalation - Systemic	1.55 mg/m³	
Pentahydrate	effects		
	Long-term - dermal - Systemic	0.74 mg/kg	Long-term - oral - Systemic effects 0.74 mg/kg
	effects		
Tetrasodium ethylene diamine	Acute inhalation - Local effects	1.5 mg/m³	
tetraacetate			
	Long-term - inhalation - Local	1.5 mg/m³	Long-term - oral - Systemic effects 25 mg/kg
	effects		

8.2. Exposure controls









Revision 55 Revision date 2022-11-01

8	2.	Exposu	re co	ntrols

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Skin protection - Other	Wear suitable protective clothing.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Ammoniacal
Autoignition temperature	No data available
Viscosity	< 50 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
pH	> 12.5
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Solubility	Soluble in water

9.2. Other information

Revision 55 Revision date 2022-11-01

9.2. Other information

Conductivity
Surface tension
Specific gravity
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available
No data available

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >5,000 mg/kg.
	Inhalation - Dust/Mist ATE = 19.72 mg/lg.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	

Revision 55

		Revision date 2022-11-
11.1.2. Mixtures		
	No data available.	
11.1.3. Hazard Information		
	No data available.	
11.1.4. Toxicological Information	n	
C9-11 Alcohol, ethoxylated	Dermal Rat LD50: > 2000 mg/kg	Oral Rat LD50 = >300 - <= 2000 mg/kg:
sodium hydroxide	Oral Rat LD50: >500 mg/kg	-
Sodium Metasilicate Pentahydrate	Dermal Rat LD50: >5,000 mg/kg	
Tetrasodium ethylene diamine tetraacetate	Oral Rat LD50: 1780 mg/kg	Inhalation Rat LC50/4 h: 1.5 mg/l
11.2 Information on other hazar	ds	
	No data is available on this product.	
SECTION 12: Ecological info	ormation	
12.1. Toxicity		
sodium hydroxide	Daphnia EC50/48h: 40.4 mg/l	Fish LC50/96h: 33.0000 mg/l
	Rainbow trout LC50/96h: 45.5 mg/l	Bluegill sunfish LC50/96h: 125 mg/l
Sodium Metasilicate Pentahydrate	Daphnia EC50/48h: 1700.0000 mg/l	Algae EC50/72h: 207 mg/l
Tetrasodium ethylene diamine	Brachydanio Rerio LC50/96h: 210 mg/l Fish LC50/96h: 100.0000 mg/l	Algae EC50/72h: >100 mg/l
tetraacetate	FISH EC30/96H. 100.0000 High	Algae EC30/72II. >100 Hig/I
40.0 Danistana and danis dal		
12.2. Persistence and degradat		
	guide lines.	inherently biodegradable according to the OECD
12.3. Bioaccumulative potential		
	The product is not bioaccumulating.	
Partition coefficient		
	HEAVY DUTY CLEANER DP204 No data available	sodium hydroxide No data available
12.4. Mobility in soil		
	This product is soluble in water.	
12.5. Results of PBT and vPvB	assessment	
	This substance/mixture is not classified as PBT	or vPvB according to current criteria.
12.6 Endocrine disrupting prope	erties	
	No data is available on this product.	
12.7. Other adverse effects	-	
	No data is available on this product.	
SECTION 13: Disposal cons		
13.1. Waste treatment methods		
	Dispose of waste and residues in accordance wi	ith local authority requirements.
General information		
	Dispose of in compliance with all local and nation	nal requirements.
	<u>-</u>	

Revision 55
Revision date 2022-11-01

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1760

14.2. UN proper shipping name

CORROSIVE LIQUID, N.O.S. (contains Trisodium Nitrilotriacetate)

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group	III

14.5. Environmental hazards

Environmental hazards	No
Marine pollutant	No

14.6. Special precautions for user

No additional special precautions.

14.7 Maritime Transport in bulk according to IMO instruments

		Not applicable.

ADR/RID

Hazard ID	80
Tunnel Category	(E)

IMDG

FmS Code	F-A S-F

IATA

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL
	of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Revision 55
Revision date 2022-11-01

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available.

SECTION 16: Other information

Other information

Other information	
Revision	This document differs from the previous version in the following areas:.
	2 - Other hazards.
	2 - Further information.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
	9 - 9.2.2. Other safety characteristics.
	9 - 9.2.1. Information with regard to physical hazard classes.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.6 Endocrine disrupting properties.
	12 - 12.7. Other adverse effects.
	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation
	(EC) No. 1272/2008, as retained and amended in UK law.
	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5.
Text of Hazard Statements in	Acute Tox. 4: H302 - Harmful if swallowed.
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled
	STOT RE 2: H373 - May cause damage to organs through prolonged or repeated exposure .
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
	Eye Irrit. 2: H319 - Causes serious eye irritation.
	Carc. 2: H351 - Suspected of causing cancer .
	Met. Corr. 1: H290 - May be corrosive to metals.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.