



# SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

# Laundry Destainer Sodium Hypochlorite Solution

Revision 28

Revision date 2017-07-28

ı	SECTION	1: Identification of	f the substance/mixture and	of the company/undertaking

#### 1.1. Product identifier

Product name Laundry Destainer Sodium Hypochlorite Solution

Product code QAFS017

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen);

**Description** No data is available on this product.

#### 1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Web www.superfine.co.uk
Telephone Tel: 01307 463538
Fax Fax: 01307 468505
injeel@superfine.co.uk

Email address of the competent person

nigel@superfine.co.uk

## 1.4. Emergency telephone number

Emergency telephone number | 01307 463538

8.30am to 17.00pm

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Corr. 1B: H314; STOT SE 3: H335; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;

### 2.2. Label elements

#### Hazard pictograms







## Signal Word

Danger

**Hazard Statement** 

Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.

STOT SE 3: H335 - May cause respiratory irritation.

Aquatic Acute 1: H400 - Very toxic to aquatic life.

Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.

Revision 28 Revision date 2017-07-28

### 2.2. Label elements

Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Prevention	P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.
	P264 - Wash hands and other contacted skin thoroughly after handling.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse
	skin with water/shower.
	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
	P312 - Call a POISON CENTER/doctor/ /if you feel unwell.
	P363 - Wash contaminated clothing before reuse.
	P391 - Collect spillage.
Precautionary Statement:	P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
Storage	
Precautionary Statement:	P501 - Dispose of contents/container to an approved waste contractor.
Disposal	
SUPPLEMENTAL HAZARD	EUH031 - Contact with acids liberates toxic gas.
INFORMATION	
2.3. Other hazards	

#### z.o. Otrici nazaras

Other hazards PBT not identified as a PBT substance.

# SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification	M-factor.
				Number	(%w/w)		
Sodium Hypochlorite >10%		7681-52-9	231-668-3	01-2119488154-34	30 - 40%	EUH031; Met. Corr. 1: H290; Skin Corr. 1B: H314; STOT SE 3: H335; Aquatic Acute 1: H400; Aquatic Chronic 2: H411:	M=10

# **Further information**

Product Shelf Life	Shelf life 6 months from date of delivery.
Active Ingredients	Ingredients - Aqua, Sodium Hypochlorite.

# SECTION 4: First aid measures

### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses
	should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested
	product.

# 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.
Eye contact Causes burns. Risk of serious damage to eyes.	
Skin contact	Causes burns.
Ingestion	Causes burns.

Revision 28

	Revision date 2017-07-2
1.3. Indication of any immediate	medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
5.2. Special horordo origina from	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising fron	
F.O. Advise for fineficitions	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	I.,,
	Wear suitable respiratory equipment when necessary.
Further information	T
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
3.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlir	ng
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage,	including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
7.3. Specific end use(s)	



Revision 28 Revision date 2017-07-28

Suitable packaging

Plastic containers.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

Occupational exposure controls.

#### 8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

# 8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection
Skin protection Handprotection
Respiratory protection

controls

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Rubber gloves.

8.2.3. Environmental exposure

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

Prevent further leakage or spillage if safe to do so.

## SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Liquid
Colourless
Characteristic
No data available
12.5 - 13.3
Not applicable.
No data available

Vapour density
Relative density
Partition coefficient
Autoignition temperature
Viscosity
No data available
No data available
No data available
< 20 centipoise</p>

Explosive properties No data available
Oxidising properties No data available
Solubility Soluble in water

9.2. Other information

Revision 28 Revision date 2017-07-28

#### 9.2. Other information

Conductivity
Surface tension
Specific gravity
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
1.08 - 1.087 g/cm³
No data available
Not applicable.
Not applicable.

Water solubility

soluble.

# SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

#### 10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

#### 10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

#### 10.4. Conditions to avoid

Protect from frost.

## 10.5. Incompatible materials

No incompatible groups noted.

### 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly. Burning produces irritating, toxic and obnoxious fumes.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	Skin corrosion category 1A.
Serious eye damage/irritation	Corrosivity to eyes is assumed.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	STOT SE category 3. H335 - May cause respiratory irritation.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	

No data available.

#### 11.1.3. Hazard Information

No data available.

#### 11.1.4. Toxicological Information

No data available



Revision 28

	Revision date 2017-07-2
SECTION 12: Ecological in	nformation
12.1. Toxicity	
	No data available
12.2. Persistence and degrada	ability
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potentia	al
	No data is available on this product.
Partition coefficient	
	Laundry Destainer Sodium No data available Hypochlorite Solution
12.4. Mobility in soil	
,	No data is available on this product.
12.5. Results of PBT and vPvI	
	No data is available on this product.
12.6. Other adverse effects	The data to distance of this product.
	No data available.
SECTION 13: Disposal cor	
13.1. Waste treatment method	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport in	formation
Hazard pictograms	
14.1. UN number	
	UN1791
14.2. UN proper shipping nam	e
	HYPOCHLORITE SOLUTION
14.3. Transport hazard class(e	es)
ADR/RID	8
Subsidiary risk	<b>T</b> -
IMDG	8
Subsidiary risk	-
IATA	8



Revision 28 Revision date 2017-07-28

14.3. Transport hazard class(es)	
Subsidiary risk	-
14.4. Packing group	
Packing group	III
14.5. Environmental hazards	
Environmental hazards	Yes
Marine pollutant	Yes
14.6. Special precautions for use	er
	No additional special precautions.
14.7. Transport in bulk according	g to Annex II of MARPOL 73/78 and the IBC Code
	Not applicable.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)  Maximum quantity	   5 L
, ,	
SECTION 15: Regulatory inf	ormation

#### SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

## 15.2. Chemical safety assessment

No information available

#### **SECTION 16: Other information**

# Other information

**Revision** This document differs from the previous version in the following areas:.

- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 3 Product Shelf Life.
- 3 Active Ingredients.
- 11 Skin corrosion/irritation.
- 11 Serious eye damage/irritation.



Revision 28 Revision date 2017-07-28

Other information	
	11 - STOT-single exposure.
Text of Hazard Statements in	EUH031 - Contact with acids liberates toxic gas.
Section 3	Met. Corr. 1: H290 - May be corrosive to metals.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	STOT SE 3: H335 - May cause respiratory irritation.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

