



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

Oxalic Acid

Revision 11 Revision date 2019-02-15

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Oxalic Acid

REACH Registration Number 01-2119534576-33

CAS No. 6153-56-6
EC No. 205-634-3
Product code SHP 117

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use

[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);

Description

A complete list of uses are provided in the annex to this SDS. Industrial uses of aqueous solutions of Oxalic Acid. Industrial uses of Oxalic Acid. Professional uses of aqueous solutions of Oxalic Acid. Professional uses of solid oxalic acid. Consumer use of formulation containing Oxalic Acid.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Webwww.superfine.co.ukTelephoneTel: 01307 463538FaxFax: 01307 468505Emailnigel@superfine.co.ukEmail address of the
competent personnigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number 01307 463538 8.30am to 17.00pm

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC Acute Tox. 4: H302+H312; Eye Dam. 1: H318; **1272/2008**

2.2. Label elements

Hazard pictograms





Revision 11 **Revision date** 2019-02-15

2 2	l aha		
ソソ	I and	ı AlAn	nantc

Signal Word	Danger	
Hazard Statement	Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin.	
	Eye Dam. 1: H318 - Causes serious eye damage.	
Precautionary Statement:	P270 - Do no eat, drink or smoke when using this product.	
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.	
Precautionary Statement:	P301+P312 - IF SWALLOWED: Call a POISON CENTER/doctor/ /if you feel unwell.	
Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ .	
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact	
	lenses, if present and easy to do. Continue rinsing.	
	P330 - Rinse mouth.	
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local	
Disposal	regulations.	
2.3. Other hazards		
Other hazards	PBT not identified as a PBT substance.	

SECTION 3: Composition/information on ingredients

3.1. Substances

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Oxalic Acid (Oxalic acid)		6153-56-6	205-634-3	01-2119534576-33	90 - 100%	6 Acute Tox. 4: H302+H312; Eye Dam. 1: H318;

- 4			
Furthe	ar in	torm	ation
I WILIK	71 III	IUIIII	auvii

Further information	
Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move affected person to fresh air at once. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen.
Eye contact	Rinse with water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention.
Skin contact	Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.
Ingestion	Do not induce vomiting. Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Irritation of nose, throat and airway. Coughing. Difficulty in breathing. Headache.
Eye contact	Causes serious eye damage. Redness.
Skin contact	Redness. Pain.
Ingestion	Sore throat. Burning sensation in mouth. Stomach pain. Difficulty in breathing. Paralysis.
	Convulsions, shock.

	Convuisions, shock.		
4.3. Indication of any immediate medical attention and special treatment needed			
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.		
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in		

Revision 11 Revision date 2019-02-15

	Revision date 2019-02-
4.3. Indication of any imr	mediate medical attention and special treatment needed
	attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medica attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Seneral information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. Never give anything by mouth to an unconscious person.
SECTION 5: Firefighti	ing measures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding material
2 Special hazards aris	sing from the substance or mixture
	On contact with hot surfaces or flames this substance decomposes forming formic acid (HCO2H) and carbon monoxide (CO).
5.3. Advice for firefighter	
.	Cool containers exposed to flames with water until well after the fire is out. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing., Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents.
Further information	·
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accident	tal release measures
	s, protective equipment and emergency procedures
	Avoid generation and spreading of dust. Avoid inhalation of dust. Provide adequate ventilation., Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Keep unnecessary and unprotected personnel away from the spillage.
6.2. Environmental preca	
·	Do not discharge into drains or watercourses or onto the ground. Keep spilled material dry if possible.
6.3. Methods and materi	al for containment and cleaning up
	Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into suitable waste disposal containers and seal securely. Flush contaminated area with plenty of water. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.
6.4. Reference to other s	sections
	Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13.
SECTION 7: Handling	and storage
.1. Precautions for safe	·
	Avoid spilling. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment. Do not wear contact lenses. Provide adequate ventilation. Provide adequate general and local exhaust ventilation. For further information, see Exposure Scenario. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Take off contaminated clothing and wash it before reuse.

Revision 11
Revision date 2019-02-15

Long-term - dermal - Systemic 2.29 mg/kg

effects

7.2. Conditions for safe storage,	including any incompatibilities	
		a dry, cool and well-ventilated place. Keep away from away from incompatible materials (see Section 10).
7.3. Specific end use(s)		
	The identified uses for this product are deta Exposure Scenario.	ailed in Section 1.2. For further information, see
SECTION 8: Exposure contr	ols/personal protection	
8.1. Control parameters		
	Occupational exposure controls.	
8.1.1. Exposure Limit Values		
Oxalic Acid (Oxalic acid)	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
DNEL: Derived no-effect level.		
Exposure Pattern - Workers		

Exposure Pattern - General population

Oxalic Acid	Acute dermal - Local effects 0.35 mg/m³	
	Long-term - dermal - Systemic 1.14 mg/kg	Long-term - oral - Systemic effects 1.14 mg/m ³
	effects	

8.2. Exposure controls

Oxalic Acid





Acute dermal - Local effects 0.69 mg/cm³ Long-term - inhalation - Systemic 4.03 mg/m³

effects



Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients. Provide adequate general and local exhaust ventilation. Provide extract ventilation at the points where emissions occur. For further information, see Exposure Scenario.

Eye / face protection

The following protection should be worn: Dust-resistant, chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection Wear protective gloves. To protect hands from chemicals, gloves should comply with European Standard EN374. It is recommended that gloves are made of the following material: Neoprene. Nitrile rubber. Rubber (natural, latex). Polyvinyl chloride (PVC)., The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.

Respiratory protection

If ventilation is inadequate, suitable respiratory protection must be worn., Wear a respirator fitted with the following cartridge: Particulate filter, type P2. Disposable filtering half mask respirators

Revision 11 Revision date 2019-02-15

8.2. Exposure controls

	should comply with European Standard EN149 or EN405.	
8.2.3. Environmental exposure	Do not discharge into drains or watercourses or onto the ground. For further information, see	
controls	Exposure Scenario.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Crystals.
Colour	Colourless/White
Odour	Odourless
Odour threshold	No data available
pH	0.7 @ 50 g/l (diluted solution)
Melting point	101.5 °C
Initial boiling point	165 °C
Flash point	Not applicable.
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	15.6
Vapour density	No data available
Relative density	1.65 @ 20 degC
Water solubility	108 g/l water @ 25 degC
Partition coefficient	-0.81 log P
Autoignition temperature	> 400 °C
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Bulk Density	750 - 900 kg/m3
Sublimation Point	> 160 °C
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	
Mass number	126.07
Chemical Symbol	H2C2O4.2H2O

SECTION 10: Stability and reactivity

10.1. Reactivity

	Aqueous solutions are acidic. On contact with hot surfaces or flames this substance decomposes forming formic acid (HCO2H) and carbon monoxide (CO).
10.2. Chemical stability	
	Stable at normal ambient temperatures and when used as recommended.

10.3. Possibility of hazardous reactions

May attack some plastics, rubber and coatings.

Reactions with the following materials may cause explosions: Strong oxidising agents. Some silver compounds to form silver oxalate (silver oxalate is explosive).

The following materials may react with the product: Alkalis. Ammonia.

Revision 11
Revision date 2019-02-15

	Revision date 2019-02-15
10.4. Conditions to avoid	
	Avoid exposure to air. Water, moisture. Avoid heat.
10.5. Incompatible materials	·
	Oxidising materials. Alkalis. Ammonia. Halogenated compounds. Metals. Water.
10.6. Hazardous decomposition	' '
10.0. Hazardous decomposition	
	Carbon dioxide (CO2). Carbon monoxide (CO). Formic acid (HCO2H).
SECTION 11: Toxicological	information
11.1. Information on toxicological	al effects
Acute toxicity	Acute toxicity - oral.
	ATE oral (mg/kg) 500.0.
	Acute toxicity - dermal. Notes (dermal LD50) - OECD 404.
	ATE dermal (mg/kg) 1,100.0.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	data lacking.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	•
	No data available.
11.1.3. Hazard Information	•
	No data available.
11.1.4. Toxicological Information	1
Oxalic Acid	Oral Rat LD50: 500.0 mg/kg Dermal Rabbit LD50: 1100.0 mg/kg
Oxalic Acid	Oral Nat EDSU. Suc. o Highligh Services and the Control of Highligh Services and the
SECTION 12: Ecological info	ormation
12.1. Toxicity	
Oxalic Acid	Daphnia EC50/48h: 162.2000 mg/l
12.2. Persistence and degradab	ility
	The substance is readily biodegradable. The product has proven to be degradable under anaerobic conditions.
12.3. Bioaccumulative potential	
	Bioaccumulation of this product is not expected to occur.
Partition coefficient	
	Oxalic Acid -0.81 log P
12.4. Mobility in soil	
	The product is soluble in water.
	The product is readily biodegradable. (Soil).

Revision 11 Revision date 2019-02-15

Print date 2019-02-15

	Revision date 2019-02-18	
12.5. Results of PBT and vP	PvB assessment	
	This product does not contain any substances classified as PBT or vPvB.	
12.6. Other adverse effects		
	The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.	
SECTION 13: Disposal c	considerations	
13.1. Waste treatment method	ods	
	Dispose of waste and residues in accordance with local authority requirements.	
General information		
	Dispose of in compliance with all local and national requirements.	
Disposal of packaging		
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.	
SECTION 14: Transport	information	
14.1. UN number		
	The product is not classified as dangerous for carriage.	
14.2. UN proper shipping na	nme	
	The product is not classified as dangerous for carriage.	
14.3. Transport hazard class	s(es)	
	The product is not classified as dangerous for carriage.	
14.4. Packing group		
	The product is not classified as dangerous for carriage.	
14.5. Environmental hazards	S	
	The product is not classified as dangerous for carriage.	
14.6. Special precautions fo	r user	
	The product is not classified as dangerous for carriage.	
14.7. Transport in bulk acco	rding to Annex II of MARPOL 73/78 and the IBC Code	
	The product is not classified as dangerous for carriage.	
SECTION 15: Regulatory	y information	
15.1. Safety, health and env	rironmental regulations/legislation specific for the substance or mixture	
Regulations	REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	
	COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.	
15.2. Chemical safety assessment		
	No information available.	

Copyright @ 2019 ChemSoft. All rights reserved.

Revision 11 Revision date 2019-02-15

SECTION 16: Other information

Other information

Revision	This document differs from the previous version in the following areas:.
	2 - 2.1.2. Classification - EC 1272/2008.
	2 - Hazard pictograms.
	2 - Signal Word.
	2 - Precautionary Statement: Prevention.
	2 - Precautionary Statement: Response.
	2 - Precautionary Statement: Disposal.
	2 - SUPPLEMENTAL HAZARD INFORMATION.
Text of Hazard Statements in	Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin
Section 3	Eye Dam. 1: H318 - Causes serious eye damage.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information

combination with any other materials or in any other process.

relates only to the specific material designated and may not be valid for such material used in