



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/8

Oxalic Acid

Revision 17 Revision date 2022-11-22

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name Oxalic Acid

REACH Registration Number

ETHANEDIOIC ACID,.

01-2119534576-33

Other means of identification CAS No.

6153-56-6

EC No.
Product code

205-634-3 SHP 117

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services,

craftsmen);

Description

A complete list of uses are provided in the annex to this SDS. Industrial uses of aqueous solutions of Oxalic Acid. Industrial uses of Oxalic Acid. Professional uses of aqueous solutions of Oxalic Acid. Professional uses of solid oxalic acid. Consumer use of formulation containing Oxalic Acid.

1.3. Details of the supplier of the safety data sheet

Company Address Superfine Manufacturing Ltd

Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Web Telephone

www.superfine.co.uk Tel: 01307 463538

Fax
Email address of the

competent person

Fax: 01307 468505 nigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number

01307 463538

8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Acute Tox. 4: H302+H312; Eye Dam. 1: H318;

2.2. Label elements

Revision 17 Revision date 2022-11-22

2.2. Label elements

| Hazard pictograms | |
|--|---|
| Signal Word | Danger |
| Hazard Statement | Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin. |
| | Eye Dam. 1: H318 - Causes serious eye damage. |
| Precautionary Statement: Prevention | P280 - Wear protective gloves/protective clothing/eye protection/face protection. |
| Precautionary Statement: | P301+P310+P330+P331 - IF SWALLOWED: Immediately call a POISON CENTER/doctor. Rinse |
| Response | mouth. Do NOT induce vomiting. |
| | P302+P352 - IF ON SKIN: Wash with plenty of water/ . |
| | P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Precautionary Statement: Disposal | P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations. |
| 2.3. Other hazards | |
| Other hazards | This substance/mixture is not classified as PBT or vPvB according to current criteria. The |
| | substance/mixture does not contain substances with endocrine disrupting properties. |
| Further information | |
| | RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY. |
| | |

SECTION 3: Composition/information on ingredients

3.1. Substances

EC 1272/2008

| Chemical Name | Index No. | CAS No. | EC No. | REACH Registration Number | Conc. (%w/w) | Classification |
|---------------------------|-----------|-----------|-----------|------------------------------|-----------------|---|
| Oxalic Acid (Oxalic acid) | | 6153-56-6 | 205-634-3 | 01-2119534576-33 | 90 - 100% | Acute Tox. 4: H302+H312; Eye Dam. 1: H318; |

SECTION 4: First aid measures

4.1. Description of first aid measures

| Inhalation | Move affected person to fresh air at once. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. |
|--------------|--|
| Eye contact | Rinse with water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes and get medical attention. |
| Skin contact | Remove contaminated clothing. Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing. |
| Ingestion | Do not induce vomiting. Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Rinse mouth thoroughly with water. Give plenty of water to drink. Get medical attention. |

4.2. Most important symptoms and effects, both acute and delayed

| | ,,,, | |
|--------------|---|--|
| Inhalation | Irritation of nose, throat and airway. Coughing. Difficulty in breathing. Headache. | |
| Eye contact | Causes serious eye damage. Redness. | |
| Skin contact | Harmful in contact with skin. Prolonged or repeated exposure may cause: Redness and irritation. | |
| Ingestion | Harmful if swallowed. Sore throat. Burning sensation in mouth. Stomach pain. Difficulty in | |
| | breathing. Paralysis. Convulsions, shock. | |

4.3. Indication of any immediate medical attention and special treatment needed

Revision 17 Revision date 2022-11-22

| | Revision date 2022-11-2 |
|------------------------------|---|
| 4.3. Indication of any imme | ediate medical attention and special treatment needed |
| Inhalation | Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Eye contact | Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| Skin contact | Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medica attention. Show this safety data sheet to the doctor in attendance. |
| Ingestion | Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance. |
| General information | |
| | If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically. Never give anything by mouth to an unconscious person. |
| SECTION 5: Firefightin | g measures |
| 5.1. Extinguishing media | |
| | This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials |
| | Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. |
| 5.2. Special hazards arisir | ng from the substance or mixture |
| | Oxides of the following substances: Carbon. |
| 5.3. Advice for firefighters | |
| | Cool containers exposed to flames with water until well after the fire is out. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing., Firefighter's clothing conforming to European standard EN469 (including helmets, protective boots and gloves) will provide a basic level of protection for chemical incidents. |
| Further information | |
| | In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
| SECTION 6: Accidenta | I release measures |
| | , protective equipment and emergency procedures |
| | Avoid generation and spreading of dust. Avoid inhalation of dust. Provide adequate ventilation., Avoid contact with skin and eyes. Wear protective clothing as described in Section 8 of this safety data sheet. Keep unnecessary and unprotected personnel away from the spillage. |
| 6.2. Environmental precau | utions |
| | Do not discharge into drains or watercourses or onto the ground. Keep spilled material dry if possible. |
| 6.3. Methods and material | for containment and cleaning up |
| | Absorb spillage with inert, damp, non-combustible material. Flush contaminated area with plenty o water. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. |
| 6.4. Reference to other se | ections |
| | Wear protective clothing as described in Section 8 of this safety data sheet. For waste disposal, see Section 13. |
| SECTION 7: Handling | and storage |
| | |

7.1. Precautions for safe handling

Revision 17 Revision date 2022-11-22

| | Avoid spilling. Avoid contact with skin and eyes. Do not handle broken packages without protective equipment. Do not wear contact lenses. Provide adequate ventilation. Provide adequate general and local exhaust ventilation. For further information, see Exposure Scenario. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Take off contaminated clothing and wash it before reuse. Contaminated work clothing should not be allowed out of the workplace. | | |
|--|---|--|--|
| 7.2. Conditions for safe storag | e, including any incompatibilities | | |
| | Store in tightly-closed, original container in a dry, cool and well-ventilated place. Keep away from food, drink and animal feeding stuffs. Store away from incompatible materials (see Section 10). | | |
| 7.3. Specific end use(s) | | | |
| | The identified uses for this product are det Exposure Scenario. | ailed in Section 1.2. For further information, see | |
| SECTION 8: Exposure con | trols/personal protection | | |
| | | | |
| 8.1. Control parameters | | | |
| 8.1. Control parameters | Occupational exposure controls. | | |
| · | Occupational exposure controls. | | |
| 8.1. Control parameters 8.1.1. Exposure Limit Values Oxalic Acid (Oxalic acid) | Occupational exposure controls. WEL 8-hr limit ppm: - | WEL 8-hr limit mg/m3: 1 | |
| 8.1.1. Exposure Limit Values | | WEL 8-hr limit mg/m3: 1 WEL 15 min limit mg/m3: 2 | |
| 8.1.1. Exposure Limit Values | WEL 8-hr limit ppm: - | - | |
| 8.1.1. Exposure Limit Values | WEL 8-hr limit ppm: - WEL 15 min limit ppm: - | WEL 15 min limit mg/m3: 2 | |

Exposure Pattern - Workers

7.1. Precautions for safe handling

| Oxalic Acid | Long-term - inhalation - Systemic 3.11 mg/m³ |
|-------------|--|
| | effects |
| | Long-term - dermal - Systemic 0.882 mg/kg |
| | effects |

Exposure Pattern - General population

| Oxalic Acid | Long-term - inhalation - Systemic 0.466 mg/m³ | |
|-------------|---|---|
| | effects | |
| | Long-term - dermal - Systemic 0.315 mg/kg | Long-term - oral - Systemic effects 0.315 mg/m³ |
| | effects | |

8.2. Exposure controls







Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide adequate ventilation. Observe any occupational exposure limits for the product or ingredients. Provide adequate general and local exhaust ventilation. Provide extract ventilation at the points where emissions occur. For further information, see Exposure Scenario.

Revision 17 Revision date 2022-11-22

8.2. Exposure controls

| Eye / face protection | The following protection should be worn: Dust-resistant, chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166. |
|--|---|
| Skin protection - Handprotection | Wear protective gloves. To protect hands from chemicals, gloves should comply with European Standard EN374. It is recommended that gloves are made of the following material: Neoprene. Nitrile rubber. Rubber (natural, latex). Polyvinyl chloride (PVC)., The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. |
| Respiratory protection | If ventilation is inadequate, suitable respiratory protection must be worn., Wear a respirator fitted with the following cartridge: Particulate filter, type P2. Disposable filtering half mask respirators should comply with European Standard EN149 or EN405. |
| 8.2.3. Environmental exposure controls | Do not discharge into drains or watercourses or onto the ground. For further information, see Exposure Scenario. |

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Appearance | Powder/Granules. |
|----------------------------|-------------------------|
| Colour | White/White |
| Odour | Odourless |
| Odour threshold | No data available |
| pH | 1.5 (1% Solution) |
| Melting point | 98 - 101.5 °C |
| Initial boiling point | 165 °C |
| Flash point | Not applicable. |
| Evaporation rate | No data available |
| Flammability (solid, gas) | No data available |
| Vapour pressure | 0.0312 Pa |
| Relative Vapour Density | No data available |
| Density / Relative Density | 1.65 @ 20 degC |
| Water solubility | 108 g/l water @ 25 degC |
| Partition coefficient | -1.7 Log Pow |
| Autoignition temperature | > 400 °C |
| Decomposition temperature | > 110 °C |
| Viscosity | No data available |
| Explosive properties | No data available |
| Oxidising properties | No data available |
| Solubility | Soluble in water |

9.2. Other information

| Conductivity | No data available |
|-----------------------|-------------------|
| Surface tension | No data available |
| Bulk Density | 750 - 900 kg/m3 |
| Sublimation Point | > 160 °C |
| Gas group | No data available |
| Benzene Content | No data available |
| Lead content | No data available |
| VOC (Volatile organic | |
| compounds) | |
| Mass number | 126.07 |
| Chemical Symbol | H2C2O4.2H2O |

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

Revision 17 Revision date 2022-11-22

| 9.2.2. Other safety characteristic | os . |
|-------------------------------------|---|
| | No data is available on this product. |
| SECTION 10: Stability and r | eactivity |
| 10.1. Reactivity | |
| · | No specific reactivity hazards associated with this product. |
| 10.2. Chemical stability | |
| , | Stable at normal ambient temperatures and when used as recommended. |
| 10.3. Possibility of hazardous re | ' · |
| 10.5. I OSSIBILITY OF HAZAI GOUS TO | |
| 10.1.0 | Not determined. |
| 10.4. Conditions to avoid | |
| | Avoid exposure to air. Water, moisture. Avoid heat. Avoid excessive heat for prolonged periods of time. |
| 10.5. Incompatible materials | |
| | Oxidising materials. Alkalis. Ammonia. Halogenated compounds. Metals. Water. |
| 10.6. Hazardous decomposition | products |
| | Oxides of the following substances: Carbon. |
| SECTION 11: Toxicological | information |
| 11.1 Information on hazard clas | |
| Acute toxicity | Acute toxicity - oral. |
| Acute toxicity | ATE oral (mg/kg) 500.0. |
| | Acute toxicity - dermal. |
| | Notes (dermal LD50) - OECD 404. |
| | ATE dermal (mg/kg) 1,100.0. |
| Skin corrosion/irritation | based on available data the classification criteria are not met. |
| Serious eye damage/irritation | Causes serious eye damage. |
| Respiratory or skin sensitisation | based on available data the classification criteria are not met. |
| Germ cell mutagenicity | based on available data the classification criteria are not met. |
| Carcinogenicity | based on available data the classification criteria are not met. |
| Reproductive toxicity | based on available data the classification criteria are not met. |
| STOT-single exposure | based on available data the classification criteria are not met. |
| STOT-repeated exposure | based on available data the classification criteria are not met. |
| Aspiration hazard | based on available data the classification criteria are not met. |
| Repeated or prolonged exposure | based on available data the classification criteria are not met. |
| 11.1.2. Mixtures | |
| | No data available. |
| 11.1.3. Hazard Information | |
| | No data available. |
| 11.1.4. Toxicological Information | ١ |
| Oxalic Acid | Oral Rat LD50: 500.0 mg/kg Dermal Rabbit LD50: 1100.0 mg/kg |
| 11.2 Information on other hazar | de . |
| 11.2 IIIIOIIIIauoii on outei nazar | |
| | No data is available on this product. |

SECTION 12: Ecological information

Revision date 2022-11-22

12.1. Toxicity

| Oxalic Acid | | |
|---|---|---|
| Oxalic Acid | Daphnia EC50/48h: 162.2000 mg/l | Fish LC50/96h: 160 mg/l |
| 12.2. Persistence and degradal | bility | |
| | The substance is readily biodegradable. The product ha | as proven to be degradable under |
| | anaerobic conditions. | |
| | Biodegradation - Degradation 89%: 20 days. | |
| | Biological oxygen demand - 160 mg/g. Chemical oxygen demand - 180 mg/g. | |
| 12.3. Bioaccumulative potential | • | |
| | | |
| | No data available on bioaccumulation. | |
| Partition coefficient | | |
| | Oxalic Acid -1.7 Log Pow | |
| 12.4. Mobility in soil | | |
| | The product is soluble in water. | |
| | Surface tension - 70.1 mN/m @ 25°C. | |
| 12.5. Results of PBT and vPvB | assessment | |
| | This product does not contain any substances classified | d as PBT or vPvB. |
| 12.6 Endocrine disrupting prope | erties | |
| | No data is available on this product. | |
| 12.7. Other adverse effects | | |
| | No data is available on this product. | |
| SECTION 13: Disposal cons | siderations | |
| 13.1. Waste treatment methods | s | |
| | | |
| | Dispose of waste and residues in accordance with loca | authority requirements. |
| General information | Dispose of waste and residues in accordance with loca | authority requirements. |
| General information | Dispose of waste and residues in accordance with local Dispose of in compliance with all local and national req | |
| | | |
| | | uirements. |
| Disposal of packaging | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. | uirements. |
| Disposal of packaging SECTION 14: Transport info | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. | uirements. |
| Disposal of packaging SECTION 14: Transport info | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. | uirements. n be sent to landfill after cleaning, if in |
| Disposal of packaging SECTION 14: Transport info | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. formation The product is not classified as dangerous for carriage. | uirements. n be sent to landfill after cleaning, if in |
| Disposal of packaging SECTION 14: Transport info | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. formation The product is not classified as dangerous for carriage. | uirements. n be sent to landfill after cleaning, if in |
| Disposal of packaging SECTION 14: Transport info 14.1. UN number 14.2. UN proper shipping name | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. formation The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. | uirements. n be sent to landfill after cleaning, if in |
| Disposal of packaging SECTION 14: Transport info 14.1. UN number 14.2. UN proper shipping name | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. formation The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. | uirements. n be sent to landfill after cleaning, if in |
| Disposal of packaging SECTION 14: Transport info 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. Formation The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. | uirements. n be sent to landfill after cleaning, if in |
| General information Disposal of packaging SECTION 14: Transport info 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. Formation The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. | uirements. n be sent to landfill after cleaning, if in |
| Disposal of packaging SECTION 14: Transport info 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. | uirements. n be sent to landfill after cleaning, if in |
| Disposal of packaging SECTION 14: Transport info 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es | Dispose of in compliance with all local and national req Do NOT reuse empty containers. Empty containers car compliance with local and national regulations. The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. The product is not classified as dangerous for carriage. | uirements. n be sent to landfill after cleaning, if in |

Revision 17 Revision date 2022-11-22

14.6. Special precautions for user

The product is not classified as dangerous for carriage.

14.7 Maritime Transport in bulk according to IMO instruments

The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision This document differs from the previous version in the following areas:.

- 1 Other means of identification.
- 2 Other hazards.
- 2 2.1.2. Classification EC 1272/2008.
- 2 Hazard pictograms.
- 2 Signal Word.
- 2 Further information.
- 9 9.2.2. Other safety characteristics.
- 9 9.2.1. Information with regard to physical hazard classes.
- 11 11.2 Information on other hazards.
- 12 12.4. Mobility in soil.
- 12 12.2. Persistence and degradability.
- 12 12.3. Bioaccumulative potential.
- 12 12.6 Endocrine disrupting properties.
- 12 12.7. Other adverse effects.
- 15 Regulations.

Text of Hazard Statements in Section 3

Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin

Eye Dam. 1: H318 - Causes serious eye damage.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.