



Page 1/10

Revision 13 Revision date 2022-11-03

	Revision date 2022-11-03
SECTION 1: Identification of	the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Pine Acid Toilet Cleaner
Product code	QAFS022
1.2. Relevant identified uses of t	he substance or mixture and uses advised against
Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	Toilet Cleaner.
1.3. Details of the supplier of the	e safety data sheet
Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk
1.4. Emergency telephone numb	Der
Emergency telephone number	01307 463538 8.30am to 17.00pm
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
SECTION 2: Hazards identif	ication
2.1. Classification of the substar	nce or mixture
2.1.2. Classification - EC 1272/2008	EUH208; Met. Corr. 1: H290; Skin Corr. 1B: H314;

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH208 - Contains benzisothiazolinone. May produce an allergic reaction.



2.2. Label elements	
	Met. Corr. 1: H290 - May be corrosive to metals.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
Precautionary Statement: Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
	D202 (D204 (D202) IF ON CKIN (or bain). Take off immediately all conteminated elething. Direct
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310 -Immediately call a POISON CENTER/doctor/ .
Precautionary Statement: Storage	P405 - Store locked up.
Precautionary Statement: Disposal	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
SUPPLEMENTAL HAZARD	Ingredients as required by Regulation (EC) No 648/2004:.
INFORMATION	Orthophosphoric Acid, Less than 5% Non-ionic Surfactants, Less than 5% Cationic Surfactants, Benzisothiazolinone (Preservative), Parfum.
	Contains - Phosphoric acid%, Alcohols c11-15 Secondary Ethoxylated,
	1H-Imidazole-1-ethanol,4,5-dihydro,-2-C15-C17 unsaturated alkyl derivatives.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.

Further information

RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
phosphoric acid %, orthophosphoric acid % (Orthophosphoric acid)	015-011-00-6	7664-38-2	231-633-2	01-2119485924-24	10 - 20%	Skin Corr. 1B: H314;
Alcohols C11- 15 Secondary Ethoxylated		68131-40-8			0.5 - 1%	Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Dam. 1: H318;
1H-Imidazole-1-ethanol,4,5-dihydro, -2-C15-C17 unsaturated alkyl derivatives		61791-39-7	263-171-2	01-2119931039-40	0 - 0.5%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Chronic 1: H410;

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses
	should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested
	product.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.

4.2. Most important symptoms and effects, both acute and delayed

Ingestion	Causes burns.
4.3. Indication of any immediate	e medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medica attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting me	asures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials
5.2. Special hazards arising fror	n the substance or mixture
	Corrosive product with a low pH.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental relea	ase measures
6.1. Personal precautions, prote	ective equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precautions	•
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for co	ontainment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other sections	3
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and s	torage
7.1. Precautions for safe handlir	v
7.1. Precautions for safe handlin	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.1. Precautions for safe handlin7.2. Conditions for safe storage,	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.



7.3. Specific end use(s)

Toilet Cleaner.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values	•	
1,1'- Oxydibenzene (Diphenyl	WEL 8-hr limit ppm: 1	WEL 8-hr limit mg/m3: 7.1
ether (vapour))		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
4 7 7 Trimothydhiayala[2 0 4]hant	respirable dust: WEL 8-hr limit ppm: 2	respirable dust:
1,7,7-Trimethylbicyclo[2.2.1]hept an-2-one		WEL 8-hr limit mg/m3: 13
	WEL 15 min limit ppm: 3	WEL 15 min limit mg/m3: 19
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
2,6,6-Trimethylbicyclo[3.1.1]hept -2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	respirable dust:	respirable dust:
6,6-Dimethyl-2-methylenebicyclo [3.1.1]heptane	WEL 8-hr limit ppm: 25	WEL 8-hr limit mg/m3: 140
	WEL 15 min limit ppm: 50	WEL 15 min limit mg/m3: 300
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total
inchutul contato	respirable dust: WEL 8-hr limit ppm: 150	respirable dust:
isobutyl acetate		WEL 8-hr limit mg/m3: 724
	WEL 15 min limit ppm: 187	WEL 15 min limit mg/m3: 903
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total - respirable dust:
phosphoric acid %,	respirable dust: WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: 1
orthophosphoric acid % (Orthophosphoric acid)		
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:
sodium hydroxide	WEL 8-hr limit ppm: -	WEL 8-hr limit mg/m3: -
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: 2
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:



Revision 13 Revision date 2022-11-03

DNEL: Derived no-effect level.

Exposure Pattern - Workers		
2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic 5.98 mg/m ³	
-2-ene	effects	
sodium hydroxide	Acute inhalation - Local effects 2 mg/m ³	
	Acute dermal - Local effects 2 mg/kg	Long-term - inhalation - Local 1 mg/m ³
		effects

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept	Long-term - inhalation - Systemic 1.06 mg/m ³
-2-ene	effects
	Long-term - oral - Systemic 0.31 mg/kg
	effects
sodium hydroxide	Long-term - inhalation - Local 1 mg/m ³
	effects

8.2. Exposure controls

	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.
SECTION 9: Physical and ch	nemical properties

9.1. Information on basic physical and chemical properties



9.1. Information on basic physical and chemical properties

Liquid
Clear
Characteristic
No data available
0.3 - 2
No data available
1.068 - 1.076 g/cm3
No data available
No data available
< 400 centipoise
No data available
No data available
Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	No data available
compounds)	

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

 Strong acids. Strong oxidising agents.

 10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.



Revision date 2022-11-03

SECTION 11: Toxicological information

11.1 Information on hazard classes

	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
	Oral ATE = >10,000 mg/kg.
	Dermal ATE = >10,000 mg/kg.
	Inhalation - Vapours ATE = >10,000 mg/l.
	Inhalation - Dust/Mist ATE = 105.99 mg/l.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - \leq 2.0.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin	based on available data the classification criteria are not met.
sensitisation	
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged	based on available data the classification criteria are not met.
exposure	
11.1.2. Mixtures	

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological	Information
-----------------------	-------------

Oral Rat LD50: 947mg/kg	
Oral Rat LD50: 3500 mg/kg	
Dermal Rat LD50: 133848.9mg/kg	Oral Rat LD50: 37287.23mg/kg
Oral Rat LD50: >500 mg/kg	
	Oral Rat LD50: 3500 mg/kg Dermal Rat LD50: 133848.9mg/kg

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

1H-Imidazole-1-ethanol,4,5-dihy	Fish LC50/96h: 0.6300 mg/l	
dro,-2-C15-C17 unsaturated		
alkyl derivatives		
reaction mass of:	NOEC / EC10 for marine or 0.00064 mg/l	
5-chloro-2-methyl-4-isothiazolin-	freshwater organisms	
3-one [EC no. 247-500-7]		
sodium hydroxide	Daphnia EC50/48h: 40.4 mg/l	Fish LC50/96h: 33.0000 mg/l
	Rainbow trout LC50/96h: 45.5 mg/l	Bluegill sunfish LC50/96h: 125 mg/l

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.



 Revision
 13

 Revision date
 2022-11-03

12.3. Bioaccumulative potential

	The product is not bioaccumulating.
Partition coefficient	1 Francis
	Pine Acid Toilet Cleaner No data available sodium hydroxide No data available
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB	
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
12.6 Endocrine disrupting prope	
	No data is available on this product.
12.7. Other adverse effects	1
	No data is available on this product.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in
	compliance with local and national regulations.
CECTION 44. Transport info	rmation
SECTION 14: Transport info	IIIduoII
Hazard pictograms	
Hazard pictograms	UN1760
Hazard pictograms	8
Hazard pictograms Hazard pictograms 14.1. UN number	8
Hazard pictograms Hazard pictograms 14.1. UN number	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid)
Hazard pictograms Hazard pictograms 14.1. UN number 14.2. UN proper shipping name	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid)
Hazard pictograms 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) ADR/RID Subsidiary risk	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid)
Hazard pictograms Hazard pictograms 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) ADR/RID Subsidiary risk IMDG	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid)
Hazard pictograms 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) ADR/RID Subsidiary risk IMDG Subsidiary risk	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid) 8 - 8 -
Hazard pictograms 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) ADR/RID Subsidiary risk IMDG Subsidiary risk IATA	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid) 8 -
Hazard pictograms 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) ADR/RID Subsidiary risk IMDG Subsidiary risk IATA Subsidiary risk	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid) 8 - 8 -
Hazard pictograms 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) ADR/RID Subsidiary risk IMDG Subsidiary risk IATA Subsidiary risk 14.4. Packing group	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid) 8 - 8 - 8 - 8 -
Hazard pictograms 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) ADR/RID Subsidiary risk IMDG Subsidiary risk IATA Subsidiary risk 14.4. Packing group Packing group	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid) 8 - 8 -
Hazard pictograms 14.1. UN number 14.2. UN proper shipping name 14.3. Transport hazard class(es) ADR/RID Subsidiary risk IMDG Subsidiary risk IATA Subsidiary risk 14.4. Packing group	UN1760 CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid) 8 - 8 - 8 - 8 -



	Revision date 2022-11-03
14.5. Environmental hazards	
Marine pollutant	No
14.6. Special precautions for us	er
	No additional special precautions.
14.7 Maritime Transport in bulk	according to IMO instruments
	Not applicable.
ADR/RID	·
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
ΙΑΤΑ	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L
SECTION 15: Regulatory in	formation
15.1. Safety, health and enviror	mental regulations/legislation specific for the substance or mixture
Regulations	 REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directive 76/769/EEC and Commission Directive 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC. COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).
15.2. Chemical safety assessm	
	No information available.
SECTION 16: Other information	tion
Other information	

Revision	This document differs from the previous version in the following areas:. 2 - Other hazards.
	 2 - Hazard Statement. 2 - Further information. 2 - SUPPLEMENTAL HAZARD INFORMATION. 9 - 9.2.2. Other safety characteristics. 9 - 9.2.1. Information with regard to physical hazard classes.
	10 - 10.2. Chemical stability. 10 - 10.1. Reactivity.



	11 - Repeated or prolonged exposure.
	11 - 11.2 Information on other hazards.
	12 - 12.1. Toxicity.
	12 - 12.1. TOXICITY. 12 - 12.6 Endocrine disrupting properties.
	12 - 12.0 Endocrine disrupting properties.
	15 - Regulations.
	16 - Data sources.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - \leq 2.0. Met. Corr. 1: H290 - May be corrosive to metals Calculation Method.
Text of Hazard Statements in	Met. Corr. 1: H290 - May be corrosive to metals.
Section 3	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled
	Skin Irrit. 2: H315 - Causes skin irritation.
	Eye Dam. 1: H318 - Causes serious eye damage.
	Acute Tox. 4: H302 - Harmful if swallowed.
	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.

