



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/10

Pine Acid Toilet Cleaner

Revision 14
Revision date 2023-01-18

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Pine Acid Toilet Cleaner
Product code	QAFS022

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	Toilet Cleaner.

1.3. Details of the supplier of the safety data sheet

Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number	01307 463538 8.30am to 17.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	EUH208; Met. Corr. 1: H290; Skin Corr. 1B: H314;
--------------------------------------	--

2.2. Label elements

Hazard pictograms	
Signal Word	Danger
Hazard Statement	EUH208 - Contains benzisothiazolinone. May produce an allergic reaction.

Pine Acid Toilet Cleaner

Revision 14
Revision date 2023-01-18

2.2. Label elements

Precautionary Statement: Prevention	Met. Corr. 1: H290 - May be corrosive to metals. Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.
	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P303+P361+P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 -Immediately call a POISON CENTER/doctor/ .
	P405 - Store locked up.
	P501 - Dispose of contents/container to an approved disposal site, in accordance with local regulations.
Precautionary Statement: Storage	
Precautionary Statement: Disposal	
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004: Orthophosphoric Acid, Less than 5% Non-ionic Surfactants, Less than 5% Cationic Surfactants, Benzisothiazolinone (Preservative), Parfum. Contains - Phosphoric acid...%, Alcohols c11-15 Secondary Ethoxylated, 1H-Imidazole-1-ethanol,4,5-dihydro,-2-C15-C17 unsaturated alkyl derivatives.

2.3. Other hazards

Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
----------------------	--

Further information

	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
phosphoric acid ... %, orthophosphoric acid ... % . . (Orthophosphoric acid)	015-011-00-6	7664-38-2	231-633-2	01-2119485924-24	10 - 20%	Skin Corr. 1B: H314;
Alcohols C11- 15 Secondary Ethoxylated		68131-40-8			0.5 - 1%	Acute Tox. 4: H302+H332; Skin Irrit. 2: H315; Eye Dam. 1: H318;
1H-Imidazole-1-ethanol,4,5-dihydro,-2-C15-C17 unsaturated alkyl derivatives		61791-39-7	263-171-2	01-2119931039-40	0 - 0.5%	Acute Tox. 4: H302; Skin Corr. 1B: H314; Aquatic Chronic 1: H410;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Drink plenty of water to dilute ingested product.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Causes burns.
Eye contact	Causes burns. Risk of serious damage to eyes.
Skin contact	Causes burns.

Pine Acid Toilet Cleaner

Revision 14
Revision date 2023-01-18

4.2. Most important symptoms and effects, both acute and delayed

Ingestion	Causes burns.
-----------	---------------

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.

General information

	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
--	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

	This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.
--	---

5.2. Special hazards arising from the substance or mixture

	Corrosive product with a low pH.
--	----------------------------------

5.3. Advice for firefighters

	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
--	--

Further information

	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
--	---

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

	Wear suitable protective equipment.
--	-------------------------------------

6.2. Environmental precautions

	Advise local authorities if large spills cannot be contained.
--	---

6.3. Methods and material for containment and cleaning up

	For large spills: Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills: Flush down the drain with plenty of water.
--	--

6.4. Reference to other sections

	See section 2, 7, 8, 13 for further information.
--	--

SECTION 7: Handling and storage

7.1. Precautions for safe handling

	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing.
--	---

7.2. Conditions for safe storage, including any incompatibilities

	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
--	---

Pine Acid Toilet Cleaner

Revision 14

Revision date 2023-01-18

7.3. Specific end use(s)

Toilet Cleaner.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

1,1'-Oxydibenzene (Diphenyl ether (vapour))	WEL 8-hr limit ppm: 1 WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 7.1 WEL 15 min limit mg/m3: - WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
1,7,7-Trimethylbicyclo[2.2.1]heptan-2-one	WEL 8-hr limit ppm: 2 WEL 15 min limit ppm: 3 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 13 WEL 15 min limit mg/m3: 19 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene (Alpha-Pinene)	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 140 WEL 15 min limit mg/m3: 300 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 140 WEL 15 min limit mg/m3: 300 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
isobutyl acetate	WEL 8-hr limit ppm: 150 WEL 15 min limit ppm: 187 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 724 WEL 15 min limit mg/m3: 903 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
phosphoric acid ... %, orthophosphoric acid ... % . (Orthophosphoric acid)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 1 WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Sodium Hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

Pine Acid Toilet Cleaner

Revision 14

Revision date 2023-01-18

DNEL: Derived no-effect level.


Exposure Pattern - Workers

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Long-term - inhalation - Systemic effects	5.98 mg/m ³
Sodium Hydroxide	Acute inhalation - Local effects	2 mg/m ³
	Acute dermal - Local effects	2 mg/m ³
	Long-term - inhalation - Local effects	1 mg/m ³

Exposure Pattern - General population

2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Long-term - inhalation - Systemic effects	1.06 mg/m ³
	Long-term - oral - Systemic effects	0.31 mg/kg
Sodium Hydroxide	Long-term - inhalation - Local effects	1 mg/m ³

8.2. Exposure controls

	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Pine Acid Toilet Cleaner

Revision 14
Revision date 2023-01-18

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Clear
Odour	Characteristic
Odour threshold	No data available
pH	0.3 - 2
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.068 - 1.076 g/cm ³
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 400 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

9.2.1. Information with regard to physical hazard classes

	No data is available on this product.
--	---------------------------------------

9.2.2. Other safety characteristics

	No data is available on this product.
--	---------------------------------------

SECTION 10: Stability and reactivity

10.1. Reactivity

	Stable under normal conditions.
--	---------------------------------

10.2. Chemical stability

	Stable under normal conditions.
--	---------------------------------

10.3. Possibility of hazardous reactions

	Strong acids. Strong oxidising agents.
--	--

10.4. Conditions to avoid

	Protect from frost. Avoid storing in direct Sun Light.
--	--

10.5. Incompatible materials

	Strong acids. Strong oxidising agents.
--	--

10.6. Hazardous decomposition products

	No Hazardous decomposition products when stored and handled correctly.
--	--

Pine Acid Toilet Cleaner

Revision 14

Revision date 2023-01-18

SECTION 11: Toxicological information**11.1 Information on hazard classes**

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP). based on available data the classification criteria are not met. Oral ATE = >10,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Vapours ATE = >10,000 mg/l. Inhalation - Dust/Mist ATE = 105.99 mg/l.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≤ 2.0 .
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.

11.1.2. Mixtures

	No data available.
--	--------------------

11.1.3. Hazard Information

	No data available.
--	--------------------

11.1.4. Toxicological Information

1H-Imidazole-1-ethanol,4,5-dihydro,-2-C15-C17 unsaturated alkyl derivatives	Oral Rat LD50: 947mg/kg
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene	Oral Rat LD50: 3500 mg/kg
6,6-Dimethyl-2-methylenebicyclo[3.1.1]heptane	Dermal Rat LD50: 133848.9mg/kg Oral Rat LD50: 37287.23mg/kg

11.2 Information on other hazards

	No data is available on this product.
--	---------------------------------------

SECTION 12: Ecological information**12.1. Toxicity**

1H-Imidazole-1-ethanol,4,5-dihydro,-2-C15-C17 unsaturated alkyl derivatives	Fish LC50/96h: 0.6300 mg/l
reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7]	NOEC / EC10 for marine or freshwater organisms 0.00064 mg/l
Sodium Hydroxide	Daphnia EC50/48h: 40.0000 mg/l Fish LC50/96h: 33.0000 mg/l Rainbow trout LC50/96h: 45.5 mg/l

12.2. Persistence and degradability

	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
--	--

12.3. Bioaccumulative potential

Pine Acid Toilet Cleaner

Revision 14
Revision date 2023-01-18

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

Pine Acid Toilet Cleaner No data available

12.4. Mobility in soil

This product is soluble in water.

12.5. Results of PBT and vPvB assessment

This substance/mixture is not classified as PBT or vPvB according to current criteria.

12.6 Endocrine disrupting properties

No data is available on this product.

12.7. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Hazard pictograms



14.1. UN number

UN1760

14.2. UN proper shipping name

CORROSIVE LIQUID, N.O.S. (Contains Phosphoric Acid)

14.3. Transport hazard class(es)

ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk	-
IATA	8
Subsidiary risk	-

14.4. Packing group

Packing group III

14.5. Environmental hazards

Environmental hazards No

Pine Acid Toilet Cleaner

Revision 14

Revision date 2023-01-18

14.5. Environmental hazards

Marine pollutant	No
------------------	----

14.6. Special precautions for user

	No additional special precautions.
--	------------------------------------

14.7 Maritime Transport in bulk according to IMO instruments

	Not applicable.
--	-----------------

ADR/RID

Hazard ID	80
Tunnel Category	(E)

IMDG

EmS Code	F-A S-B
----------	---------

IATA

Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction (Passenger)	852
Maximum quantity	5 L

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations	<p>REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.</p> <p>COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).</p>
-------------	--

15.2. Chemical safety assessment

	No information available.
--	---------------------------

SECTION 16: Other information

Other information

Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. - Extreme pH - ≤ 2.0. Met. Corr. 1: H290 - May be corrosive to metals. - Calculation Method.
Text of Hazard Statements in Section 3	Met. Corr. 1: H290 - May be corrosive to metals. Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled Skin Irrit. 2: H315 - Causes skin irritation. Eye Dam. 1: H318 - Causes serious eye damage. Acute Tox. 4: H302 - Harmful if swallowed.

Pine Acid Toilet Cleaner

Revision 14

Revision date 2023-01-18

Other information

	Skin Corr. 1B: H314 - Causes severe skin burns and eye damage. Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
--	---

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--