



# SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/8

# Pre-diluted Ready to Use windscreen wash

Revision 15

**Revision date** 2023-01-18

	Revision date 2025-01-16		
SECTION 1: Identification of	the substance/mixture and of the company/undertaking		
1.1. Product identifier			
Product name	Pre-diluted Ready to Use windscreen wash		
Product code	QAFS660		
1.2. Relevant identified uses of t	he substance or mixture and uses advised against		
Product Use	[SU21] Consumer uses: Private households (= general public = consumers); [PC35] Washing and cleaning products (including solvent based products);		
	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);		
Description	Ready to use screenwash for vehicles.		
1.3. Details of the supplier of the safety data sheet			
Company	Superfine Manufacturing Ltd		
Address	Orchardbank Industrial Estate		
	Forfar		
	Angus Scotland		
	DD8 1TD		
Web	www.superfine.co.uk		
Telephone	Tel: 01307 463538		
Fax	Fax: 01307 468505		
Email address of the competent person	nigel@superfine.co.uk		
1.4. Emergency telephone number			
Emergency telephone number	01307 463538		
	8.30am to 17.00pm		
	For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)		
	If you are a healthcare professional with an enquiry please visit www.TOXBASE.org		
SECTION 2: Hazards identifi	ication		

#### SECTION 2: Hazards identification

### 2.1. Classification of the substance or mixture

**2.1.2. Classification - EC** Eye Irrit. 2: H319; **1272/2008** 

2.2. Label elements

Revision 15 Revision date 2023-01-18

### 2.2. Label elements

Hazard pictograms	
Signal Word	Warning
Hazard Statement	Eye Irrit. 2: H319 - Causes serious eye irritation.
Precautionary Statement: Prevention	P102 - Keep out of reach of children. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 - If eye irritation persists: Get medical advice/attention.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients - Denatured Alcohol, NTA and salts thereof, Less than 5% Anionic surfactants, Less than 5% Non-ionic surfactants, CI 42090.
	Contains - Denatured Alcohol, Trisodium nitrilotriacetate.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	This product does not sustain combustion as tested under the UN Transport "Manual of Tests and Criteria, Part III, subsection 32.5.2.". The Flash Point is 48.5 degC. See ADR, Chapter 3, Section 2.2.3.1.1, Note 1.
	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.

# SECTION 3: Composition/information on ingredients

## 3.2. Mixtures

## EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration	Conc.	Classification
				Number	(%w/w)	
Ethanol: Ethyl Alcohol (Ethanol)		64-17-5	200-578-6	01-2119457610-43	10 - 20%	Flam. Liq. 2: H225; Eye Irrit. 2: H319;
trisodium nitrilotriacetate	607-620-00-6	5064-31-3	225-768-6	01-2119519239-36	0 - 0.5%	Carc. 2: H351; Acute Tox. 4: H302; Eye Irrit. 2: H319;

# SECTION 4: First aid measures

## 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	
4.2. Most important symptoms and effects, both acute and delayed		
Inhalation	May cause irritation to respiratory system.	
_		

# Eye contact Causes serious eye irritation.

Skin contact

Ingestion

May cause irritation to skin.

May cause irritation to mucous membranes.

## 4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention

Powered by ChemSoft EH&S

Revision 15 Revision date 2023-01-18

4.3 Indication of any imp	nediate medical attention and special treatment needed
4.0. Indication of any limit	if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	<u>'</u>
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighti	
5.1. Extinguishing media	
o. r. Exampaisting modia	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials
5 2 Special hazards aris	ing from the substance or mixture
o.z. oposiai nazarus ans	None known.
5.3. Advice for firefighters	
5.5. Advice for intelligities	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires.  Use extinguishing measures that are appropriate to local circumstances and the surrounding
	environment.
SECTION 6: Accident	al release measures
6.1. Personal precautions	s, protective equipment and emergency procedures
	Wear suitable protective equipment. Avoid contact with eyes and skin.
6.2. Environmental preca	utions
	Advise local authorities if large spills cannot be contained.
6.3. Methods and materia	al for containment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other s	
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling	and storage
7.1. Precautions for safe	
7.1.1 Todadiono for dato	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2 Conditions for safe s	torage, including any incompatibilities
7 izi Gorialiono for Gale o	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in
	original container.
7.3. Specific end use(s)	
	Ready to use screenwash for vehicles.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure	e controls/personal protection
8.1. Control parameters	
	Occupational exposure controls.

Revision 15
Revision date 2023-01-18

#### 8.1.1. Exposure Limit Values

Ethanol: Ethyl Alcohol (Ethanol)	WEL 8-hr limit ppm: 1000	WEL 8-hr limit mg/m3: 1920
	WEL 15 min limit ppm: -	WEL 15 min limit mg/m3: -
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	inhalable dust:	inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

#### **Exposure Pattern - Workers**

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 950 mg/m³	
	effects	
	Long-term - inhalation - Local 1900 mg/m³	Long-term - dermal - Systemic 343 mg/kg
	effects	effects

#### **Exposure Pattern - General population**

Ethanol: Ethyl Alcohol	Long-term - inhalation - Systemic 114	4 mg/m³	
	effects		
	Long-term - inhalation - Local 950	50 mg/m <sup>3</sup> Long-term - dermal - Systemic	206 mg/kg
	effects	effects	;
	Long-term - oral - Systemic 87	′ mg/kg	
	effects		

#### 8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

# 8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

# Eye / face protection Skin protection -

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields.

Handprotection

Rubber gloves.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

# 8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

Revision 15
Revision date 2023-01-18

#### 9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Blue Odour Characteristic 9.5 - 10.9 pН Melting point No data available Initial boiling point No data available Flash point 50 °C **Evaporation rate** No data available No data available Flammability (solid, gas) Vapour pressure No data available **Relative Vapour Density** No data available Density / Relative Density 0.98 - 0.999 g/cm3 Water solubility 100 g/cm<sup>3</sup> Partition coefficient No data available Autoignition temperature No data available Viscosity < 50 centipoise **Explosive properties** No data available Oxidising properties No data available Odour threshold No data available Solubility Soluble in water

#### 9.2. Other information

Conductivity
Surface tension
Gas group
Benzene Content
Lead content
VOC (Volatile organic compounds)
No data available
No data available
No data available
No data available

### 9.2.1. Information with regard to physical hazard classes

No data is available on this product.

# 9.2.2. Other safety characteristics

No data is available on this product.

## SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Stable under normal conditions.

## 10.2. Chemical stability

Stable under normal conditions.

# 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

## 10.5. Incompatible materials

Strong acids. Strong oxidising agents.

#### 10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

Revision 15 Revision date 2023-01-18

# **SECTION 11: Toxicological information**

11.1 Information on hazard classe	11.1	.1 Informat	tion on	hazard	classes
-----------------------------------	------	-------------	---------	--------	---------

11.1 Information on hazard class				
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).			
Acute toxicity	based on available data the classification criteria are not met.			
·	Oral ATE = >10,000 mg/kg.			
	Dermal ATE = >10,000 mg/kg.			
	Inhalation - Vapours ATE = >100 mg/l.			
Skin corrosion/irritation	based on available data the classification criteria are not met.			
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.			
Respiratory or skin	based on available data the classification criteria are not met.			
sensitisation				
Germ cell mutagenicity	based on available data the classification criteria are not met.			
Carcinogenicity	based on available data the classification criteria are not met.			
Reproductive toxicity	based on available data the classification criteria are not met.			
STOT-single exposure	based on available data the classification criteria are not met.			
STOT-repeated exposure	based on available data the classification criteria are not met.			
Aspiration hazard	based on available data the classification criteria are not met.			
Repeated or prolonged	based on available data the classification criteria are not met.			
exposure				
11.1.2. Mixtures				
	No data available.			
11.1.3. Hazard Information				
	No data available.			
11.1.4. Toxicological Information	ו			
Ethanol: Ethyl Alcohol	Oral Rat LD50: 10470.0 mg/kg Dermal Rabbit LD50: 15800.0 mg/kg			
	Inhalation Rat LC50/4 h: 20 mg/l			

### 11.2 Information on other hazards

No data is available on this product.

# SECTION 12: Ecological information

## 12.1. Toxicity

Ethanol: Ethyl Alcohol	Daphnia EC50/48h: 12340.0000 mg/l	<b>Algae EC50/72h:</b> 275 mg/l
	Green Algae EC50/48h: >100mg/l	Fathead minnows LC50/96h: 14200 mg/l
	Rainbow trout LC50/96h: 13000 mg/l	Golden orfe LC50/48h: >100 mg/l
	NOEC / EC10 for marine or 9.6000 mg/l	
	freshwater organisms	
Monopropylene Glycol	EC50 for marine or freshwater 13020.0000 mg/l	LC50 for marine or freshwater 15000.0000 mg/l
	organisms	organisms

# 12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

# 12.3. Bioaccumulative potential

The product is not bioaccumulating.

### Partition coefficient

Revision 15 Revision date 2023-01-18

Partition coefficient				
	Pre-diluted Ready to Use windscreen wash	No data available	Ethanol: Ethyl Alcohol -0.35 log P	
12.4. Mobility in soil				
	This product is soluble in water	:		
12.5. Results of PBT and vPvB	assessment			
	This substance/mixture is not of	lassified as PBT or vPvB	according to current criteria.	
12.6 Endocrine disrupting properties				
	No data is available on this pro	duct.		
12.7. Other adverse effects				
	No data is available on this pro	duct.		
SECTION 13: Disposal considerations				
13.1. Waste treatment methods				
	Dispose of waste and residues	in accordance with local	authority requirements.	
General information				
	Dispose of in compliance with	all local and national requ	irements.	
Disposal of packaging				
	Do NOT reuse empty containe compliance with local and nation		be sent to landfill after cleaning, if in	
SECTION 14: Transport information				
14.1. UN number				
	The product is not classified as	dangerous for carriage.		
14.2. UN proper shipping name				
	The product is not classified as	dangerous for carriage.		
14.3. Transport hazard class(es)				
	The product is not classified as	dangerous for carriage.		
14.4. Packing group				
	The product is not classified as	dangerous for carriage.		
14.5. Environmental hazards	_			
	The product is not classified as	dangerous for carriage.		
14.6. Special precautions for us	er			
	The product is not classified as	dangerous for carriage.		
14.7 Maritime Transport in bulk	according to IMO instruments			
	The product is not classified as	dangerous for carriage.		
SECTION 15: Regulatory information				
15.1. Safety, health and environ	mental regulations/legislation spe	ecific for the substance or	mixture	

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

Revision 15
Revision date 2023-01-18

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

No information available.

### SECTION 16: Other information

#### Other information

Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation	
	(EC) No. 1272/2008, as retained and amended in UK law.	
	Eye Irrit. 2: H319 - Causes serious eye irritation Calculation Method.	
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.	
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	Acute Tox. 4: H302 - Harmful if swallowed.	
	Carc. 2: H351 - Suspected of causing cancer .	

#### **Further information**

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.