



SAFETY DATA SHEET

according to Regulation (EU) 2020/878

Page 1/8

Resin 10

Revision Revision date 2023-01-30

SECTION 1: Identific	ation of the substance/mixtu	ure and of the company/undertaki	ng

1.1. Product identifier

Product name Resin 10 **QAFS919** Product code

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen);

1.3. Details of the supplier of the safety data sheet

Superfine Manufacturing Ltd Company Orchardbank Industrial Estate Address

Forfar Angus Scotland DD8 1TD

Web www.superfine.co.uk Tel: 01307 463538 **Telephone** Fax Fax: 01307 468505 Email address of the nigel@superfine.co.uk competent person

1.4. Emergency telephone number

Emergency telephone number 01307 463538

8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;

2.2. Label elements

Hazard pictograms





Signal Word

Hazard Statement

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Eye Irrit. 2: H319 - Causes serious eye irritation.

Revision 1
Revision date 2023-01-30

2.2.	Label	elements

STOT SE 3: H336 - May cause drowsiness or dizziness.

Precautionary Statement: Prevention P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary Statement: Response

P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Precautionary Statement: Storage SUPPLEMENTAL HAZARD P403+P235 - Store in a well-ventilated place. Keep cool.

Ingredients as required by Regulation (EC) No 648/2004:.

Less than 5% Aromatic Hydrocarbons.

Contains - Propan-2-ol, Hydrocarbons, C11-C13, isoalkanes, <2% aromatics.

2.3. Other hazards

INFORMATION

Other hazards

This substance/mixture is not classified as PBT or vPvB according to current criteria. The

substance/mixture does not contain substances with endocrine disrupting properties.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	80 - 90%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
Hydrocarbons, C11-C13, isoalkanes, <2% aromatics		246538-78-3		01-2119456810-40	1 - 10%	: EUH066; Asp. Tox. 1: H304;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	High concentration of vapour in enclosed space may cause irritation,headaches and nausea. May cause irritation to respiratory system.
Eye contact	Irritating to eyes.
Skin contact	May cause skin dryness and irritation. Prolonged contact may cause defatting of the skin.
Ingestion	May cause irritation to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

TDE AT CVMADTOMATICALLY

	TREAT SYMPTOMATICALLY.	
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.	
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention	
	if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.	

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

Revision 1
Revision date 2023-01-30

		Revision date 2023-01-3
SECTION 5: Firefighting me	asures	
5.1. Extinguishing media		
	Highly flammable liquid and vapour. Use excircumstances and the surrounding environ	ctinguishing measures that are appropriate to local iment.
5.2. Special hazards arising from	m the substance or mixture	
	Highly flammable liquid and vapour.	
5.3. Advice for firefighters		
	Fire fighters should wear self contained posturnout gear.	sitive pressure breathing apparatus (SCBA) and full
Further information		
	·	ot breath fumes. Standard procedure for chemical fires. priate to local circumstances and the surrounding
SECTION 6: Accidental rele	ase measures	
6.1. Personal precautions, prote	ective equipment and emergency procedures	
	Wear suitable protective equipment. Highly heat and sources of ignition.	flammable liquid and vapour. Avoid sparks, flames,
6.2. Environmental precautions		
	Advise local authorities if large spills canno	t be contained.
6.3. Methods and material for c	ontainment and cleaning up	
	Absorb with inert, absorbent material. Sweet disposal. Avoid sparks, flames, heat and so	ep up. Transfer to suitable, labelled containers for ources of ignition.
6.4. Reference to other sections	3	
	See section 2, 7, 8, 13 for further information	on.
SECTION 7: Handling and s	storage	
7.1. Precautions for safe handli	ng	
	Adopt best Manual Handling considerations	s when handling, carrying and dispensing.
7.2. Conditions for safe storage	, including any incompatibilities	
	storing in direct Sun Light. Store in a well-v	sparks, flames, heat and sources of ignition. Avoid entilated place. Keep cool. Store in original container. rom combustible material. Keep out of the reach of
Suitable packaging		
	Plastic containers.	
SECTION 8: Exposure contr	rols/personal protection	
8.1. Control parameters	·	
	Occupational exposure controls.	
8.1.1. Exposure Limit Values		
propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3: 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total - respirable dust:	WEL 15 min limit mg/m3 total - respirable dust:

Revision 1
Revision date 2023-01-30

DNEL: Derived no-effect level.

Exposure Pattern - Workers

propan-2-ol	Long-term - inhalation - Systemic 500 mg/m³
	effects
	Long-term - dermal - Systemic 888 mg/kg
	effects

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic 89 mg/m³	
	effects	
	Long-term - dermal - Systemic 319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg
	effects	

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Skin protection - Other Respiratory protection

Wear suitable protective clothing.

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 1 Revision date 2023-01-30

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Characteristic
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	No data available
Partition coefficient	No data available
Viscosity	No data available
Explosive properties	No data available
Oxidising properties	No data available
Odour threshold	No data available
рН	No data available
Melting point	No data available
Initial boiling point	82 °C
Flash point	12 °C
Autoignition temperature	No data available
Solubility	Soluble in water

9.2. Other information

Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	
Conductivity	No data available
Surface tension	No data available

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

SECTION 10: Stability and reactivity

10.1. Reactivity

	Highly flammable liquid and vapour. Stable under normal conditions.
10.2. Chemical stability	

Flammable liquid. Stable under normal conditions. 10.3. Possibility of hazardous reactions

Oxidising agents. Combustible materials.

10.4. Conditions to avoid

Avoid sparks, flames, heat and sources of ignition. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

Revision 1 Revision date 2023-01-30

SECTION 11: Toxicological information

11	1	Information	on hazard	classes
		пислианся	OH HAZAKI	CHANNEN

11.1 Information on hazard classes							
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).						
Acute toxicity	based on available data the classification criteria are not met.						
Skin corrosion/irritation	based on available data the classification criteria are not met.						
Serious eye damage/irritation	Eye Irrit. 2: H319 - Causes serious eye irritation.						
Respiratory or skin sensitisation	based on available data the classification criteria are not met.						
Germ cell mutagenicity	based on available data the classification criteria are not met.						
Carcinogenicity	based on available data the classification criteria are not met.						
Reproductive toxicity	based on available data the classification criteria are not met.						
STOT-single exposure	STOT SE 3: H336 - May cause drowsiness or dizziness.						
STOT-repeated exposure	based on available data the classification criteria are not met.						
Aspiration hazard	based on available data the classification criteria are not met.						
Repeated or prolonged exposure	based on available data the classification criteria are not met.						
11.1.2. Mixtures							
	No data available.						
11.1.3. Hazard Information							
	No data available.						
11.1.4. Toxicological Information							
	No data available						
11.2 Information on other hazards							
	No data available.						
SECTION 12: Ecological information							
12.1. Toxicity							
	No data available						
12.2. Persistence and degradab	ility						
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.						
12.3. Bioaccumulative potential							
	The product is not bioaccumulating.						
Partition coefficient							
	Resin 10 No data available propan-2-ol 0.05 log P						
12.4. Mobility in soil							
	No data is available on this product.						
12.5. Results of PBT and vPvB	assessment						
This substance/mixture is not classified as PBT or vPvB according to current criteria.							
12.6 Endocrine disrupting properties							
	No data available.						
12.7. Other adverse effects							

No data is available on this product.

Revision 1
Revision date 2023-01-30

	Revision date 2023-01-30
SECTION 13: Disposal cons	siderations
13.1. Waste treatment methods	}
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.
SECTION 14: Transport info	ormation
Hazard pictograms	
	3
14.1. UN number	
	UN1993
14.2. UN proper shipping name	
	FLAMMABLE LIQUID, N.O.S. (Contains Isopropanol)
14.3. Transport hazard class(es	3)
ADR/RID	3
Subsidiary risk] -
IMDG	3
Subsidiary risk	-
IATA	3
Subsidiary risk	I -
14.4. Packing group	1
Packing group	<u> II </u>
14.5. Environmental hazards	Т
Environmental hazards	No No
Marine pollutant	No
14.6. Special precautions for us	
44.7 Monitions Transport in built	No additional special precautions.
14.7 Maritime Transport in bulk	
ADR/RID	Not applicable.
Hazard ID	33
Tunnel Category	(D/E)
IMDG	1 (5,5)
EmS Code	F-E S-E
IATA	1
Packing Instruction (Cargo)	364
Maximum quantity	60 L
quartity	

Revision 1
Revision date 2023-01-30

IATA

Maximum quantity

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Rev	/ision	

This document differs from the previous version in the following areas:.

- 2 Other hazards.
- 2 Hazard pictograms.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 8 Skin protection Handprotection.
- 8 Eye / face protection.
- 8 Skin protection Other.
- 9 9.2.2. Other safety characteristics.
- 9 9.2.1. Information with regard to physical hazard classes.
- 11 11.2 Information on other hazards.
- 12 12.7. Other adverse effects.

Data sources

Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law.

Flam. Liq. 2: H225 - Highly flammable liquid and vapour. - Flash Point 12°C. Eye Irrit. 2: H319 - Causes serious eye irritation. - Calculation Method.

STOT SE 3: H336 - May cause drowsiness or dizziness. - Calculation Method.

Text of Hazard Statements in Section 3

Flam. Liq. 2: H225 - Highly flammable liquid and vapour.

Eye Irrit. 2: H319 - Causes serious eye irritation.

STOT SE 3: H336 - May cause drowsiness or dizziness.

EUH066 - Repeated exposure may cause skin dryness or cracking.

Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.

Further information

The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.