



# SAFETY DATA SHEET

according to Regulation (EU) 2020/878

1/9

### SODIUM HYPOCHLORITE SOLUTION 5% Available Chlorine

35

Revision date 2022-11-02

SECTION	ON 1: I	dentification	of the substance	/mixture and	of the com	oany/undertak	ing

#### 1.1. Product identifier

SODIUM HYPOCHLORITE SOLUTION 5% Available Chlorine Product name

Product code QAFS017

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Product Use** [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products); Description A chlorine cleaning, bleaching and sterilising solution containing 5% Available Chlorine.

#### 1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

> Forfar Angus Scotland DD8 1TD

Web www.superfine.co.uk Telephone Tel: 01307 463538 Fax: 01307 468505 Fax

Email address of the competent person

nigel@superfine.co.uk

#### 1.4. Emergency telephone number

#### **Emergency telephone number**

01307 463538

8.30am to 17.00pm

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

Skin Corr. 1A: H314; Aquatic Acute 1: H400; Aquatic Chronic 2: H411;

### 2.2. Label elements

#### Hazard pictograms





Signal Word

Danger

**Hazard Statement** 

Skin Corr. 1A: H314 - Causes severe skin burns and eye damage.

ChemSoft EH&S

Powered by

Revision 35 Revision date 2022-11-02

2.2. Label elements

ZIZI Zaboi olomonia	
	Aquatic Acute 1: H400 - Very toxic to aquatic life.  Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
	· · · · · · · · · · · · · · · · · · ·
Precautionary Statement:	P260 - Do not breathe dust/fume/gas/mist/vapours/spray.
Prevention	P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement:	P301+P330+P331 - IF SWALLOWED: rinse mouth. Do NOT induce vomiting.
Response	P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.
	P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing.
Precautionary Statement:	P501 - Dispose of contents/container to an approved disposal site, in accordance with local
Disposal	regulations.
SUPPLEMENTAL HAZARD	EUH031 - Contact with acids liberates toxic gas.
INFORMATION	_
	Ingredients as required by Regulation (EC) No 648/2004:.
	Ingredients - Aqua, Chlorine based bleaching agents (Sodium Hypochlorite).
	Active Ingredient - Sodium Hypochlorite Solution 5% Cl active.
	7 / Saive ingression. Couldn't ryposition a column o /s or active.
2.3. Other hazards	
Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The
	substance/mixture does not contain substances with endocrine disrupting properties.
Further information	
	Shelf life 6 months from date of delivery.

# SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

#### EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Sodium Hypochlorite Solution, % CI Active		7681-52-9	231-668-3	01-2119488154-34	1 - 10%	EUH031; Met. Corr. 1: H290; Skin Corr. 1B: H314; Eye Dam. 1: H318; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Sodium Hypochlorite Solution ... % CI Active - M Factor (Acute) = 10, M Factor (Chronic) = 1.

## SECTION 4: First aid measures

#### 4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air. Keep the affected person warm and at rest. Get medical attention immediately.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Get medical attention immediately.
Skin contact	Remove contaminated clothing. Wash off immediately with plenty of soap and water. Get medical attention immediately.
Ingestion	Never give anything by mouth to an unconscious person. DO NOT INDUCE VOMITING. Rinse mouth thoroughly. Get medical attention immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Gas or Vapours in high concentrations may irritate the respiratory system. Contact with acids liberates toxic gas. Chlorine.
Eye contact	Causes burns. Risk of serious damage to eyes. May cause permanent damage if eye is not immediately irrigated.
Skin contact	Causes burns.
Ingestion	Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

Revision date 2022-11-02

4.2 Indication of any immo	Revision date 2022-11-0
-	diate medical attention and special treatment needed
Inhalation	Move the exposed person to fresh air. In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Seek medical attention. Show this safety data sheet to the doctor in attendance.
Eye contact	Rinse immediately with plenty of water for 15 minutes holding the eyelids open. Contact lenses should be removed. Seek medical attention. Show this safety data sheet to the doctor in attendance.
Skin contact	Remove contaminated clothing immediately. Rinse immediately with plenty of water. Seek medica attention. Show this safety data sheet to the doctor in attendance.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention. Show this safety data sheet to the doctor in attendance.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting	g measures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials Extinguishing media Water spray.
5.2. Special hazards arising	g from the substance or mixture
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental	release measures
6.1. Personal precautions,	protective equipment and emergency procedures
	Wear personal protective equipment listed in section 8. Avoid contact with skin and eyes. Avoid inhalation of vapour or spray/mist. Provide adequate ventilation.
6.2. Environmental precaut	ions
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material	for containment and cleaning up
	Absorb with inert, absorbent material. Flush contaminated area with plenty of water. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Contain and collect extinguishing water.
6.4. Reference to other sec	otions
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling a	nd storage
7.1. Precautions for safe ha	andling
	Avoid contact with eyes and skin. Do not breathe vapours or spray mist. Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid release to the environment. Refer to special instructions/Safety data sheets. Provide adequate ventilation. Contact with acids liberates toxic gas. Chlorine.
7.2. Conditions for safe sto	rage, including any incompatibilities
	Protect from frost, heat and sunlight. Store in a cool, dry area. Store in original container. Keep

35

Revision date 2022-11-02

7.2. Conditions for safe storage	including any incompatibilities
	container tightly closed. Keep away from acids, Combustible materials, Ammonia. May be corrosive to metals.
7.3. Specific end use(s)	
	A chlorine cleaning, bleaching and sterilising solution containing 5% Available Chlorine.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure conti	rols/personal protection
8.1. Control parameters	
	Occupational exposure controls.
	No exposure limits noted for ingredient(s).
8.2. Exposure controls	
	Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Avoid inhalation of vapour or spray/mist. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection. Provide eyewash station and safety shower. Remove contaminated clothing and wash the skin thoroughly with soap and water after work.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety

controls

vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location. Avoid inhalation of vapour or spray/mist.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection -Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Skin protection - Other Respiratory protection

Wear rubber apron. Wear rubber footwear. Wear suitable protective clothing.

If ventilation is inadequate, suitable respiratory protection must be worn. EN 136/140/141/145/143/149.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

### SECTION 9: Physical and chemical properties

## 9.1. Information on basic physical and chemical properties

Revision 35
Revision date 2022-11-02

9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless
Odour	Chlorine
Odour threshold	No data available
pH	> 12.5
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.08 - 1.087
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 20 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

#### 9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic	
compounds)	

## Water solubility

		soluble.			
•	9.2.1. Information with regard to physical hazard classes				
•		No data is available on this product.			

#### 9.2.2. Other safety characteristics

No data is available on this product.

#### SECTION 10: Stability and reactivity

10	1	Reactivity	
IV.	. I.	Reactivity	

Stable under normal conditions. Contact with acids liberates Toxic Gas (CHLORINE).

#### 10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

#### 10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents. Contact with acids liberates Toxic Gas (CHLORINE).

#### 10.4. Conditions to avoid

Protect from frost. Avoid excessive heat for prolonged periods of time. Avoid storing in direct Sun Light.

# 10.5. Incompatible materials

Strong acids. Amines. contact with metals may result in decomposition with the formation of

Revision 35

	Revision 3:
40 E. Incompetible metarials	Novision date 2022-11-0.
10.5. Incompatible materials	Owen
40.0 Herenders de como eltim	Oxygen.
10.6. Hazardous decomposition	
	No Hazardous decomposition products when stored and handled correctly. Oxygen. hypochlorus acid Chlorine.
SECTION 11: Toxicological	information
11.1 Information on hazard clas	ses
	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	Skin Corr. 1A: H314 - Causes severe skin burns and eye damage. Extreme pH - ≥ 11.5. Corrosive to skin.
Serious eye damage/irritation	Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	<b>'</b>
	No data available.
11.1.4. Toxicological Information	1
SODIUM HYPOCHLORITE SOLUTION 5% Available Chlorine	Oral Rat LD50: 1,100 mg/kg Dermal Rabbit LD50: 2,000 mg/kg
	Inhalation Rat LC50/4 h: 10,500 mg/l
11.2 Information on other hazard	de
The information of out of real and	No data is available on this product.
SECTION 12: Ecological info	ormation
12.1. Toxicity	
SODIUM HYPOCHLORITE SOLUTION 5% Available	Daphnia EC50/48h: 0.1410 mg/l Fish LC50/96h: 0.0600 mg/l
Chlorine	<b>Algae EC50/72h:</b> 0.04 mg/l
12.2. Persistence and degradab	ility
and a constant	Substance is inorganic.
40.0 Diagonium delici in the first	Oubstance is interganic.
12.3. Bioaccumulative potential	

The product is not bioaccumulating.

Revision 35

	Revision date 2022-11-02
Partition coefficient	
	SODIUM HYPOCHLORITE No data available SOLUTION 5% Available Chlorine
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB	assessment
	This substance/mixture is not classified as PBT or vPvB according to current criteria.
12.6 Endocrine disrupting prop	erties
	No data is available on this product.
12.7. Other adverse effects	•
	No data is available on this product.
SECTION 13: Disposal con	siderations
13.1. Waste treatment methods	3
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in
	compliance with local and national regulations.
SECTION 14: Transport info	ormation
Hazard pictograms	
14.1. UN number	
	UN1791
14.2. UN proper shipping name	
	HYPOCHLORITE SOLUTION
14.3. Transport hazard class(e	s)
ADR/RID	8
Subsidiary risk	-
IMDG	8
Subsidiary risk IATA	8
Subsidiary risk	-
14.4. Packing group	
14.4. Packing group Packing group	

Yes

Yes

**Environmental hazards** 

Marine pollutant

Revision date 2022-11-02

	Revision date 2022-11-02
14.6. Special precautions for user	
	No additional special precautions.
14.7 Maritime Transport in bulk	according to IMO instruments
	Not applicable.
ADR/RID	
Hazard ID	80
Tunnel Category	(E)
IMDG	
EmS Code	F-A S-B
IATA	
Packing Instruction (Cargo)	856
Maximum quantity	60 L
Packing Instruction	852
(Passenger)	
Maximum quantity	5 L

#### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

#### 15.2. Chemical safety assessment

No information available.

#### **SECTION 16: Other information**

#### Other information

#### Revision

This document differs from the previous version in the following areas:.

- 1 Product Use.
- 2 Other hazards.
- 2 Further information.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 8 Eye / face protection.
- 8 Skin protection Other.
- 9 9.2.2. Other safety characteristics.
- 9 9.2.1. Information with regard to physical hazard classes.
- 11 Repeated or prolonged exposure.
- 11 11.2 Information on other hazards.
- 12 12.6 Endocrine disrupting properties.

Revision 35 Revision date 2022-11-02

Other information		
	12 - 12.7. Other adverse effects. 15 - Regulations.	
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law.  Skin Corr. 1A: H314 - Causes severe skin burns and eye damage Extreme pH - ≥ 11.5.  Aquatic Acute 1: H400 - Very toxic to aquatic life Calculation Method, M Factor (Acute) = 10.  Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects Calculation Method, M Factor (Chronic) = 1.	
Text of Hazard Statements in Section 3	EUH031 - Contact with acids liberates toxic gas.  Met. Corr. 1: H290 - May be corrosive to metals.  Skin Corr. 1B: H314 - Causes severe skin burns and eye damage.  Eye Dam. 1: H318 - Causes serious eye damage.  Aquatic Acute 1: H400 - Very toxic to aquatic life.  Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.	
Further information		
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.	