



SAFETY DATA SHEET

according to Regulation (EU) 2015/830

Page 1/8

SPEED CLEAN 21

Revision 33

Revision date 2020-11-04

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name SPEED CLEAN 21
Product code QAFS020

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use [SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);

DescriptionProduct is a ready to use, spray on wipe off cleaner. For the regular cleaning of windows, worktops, hard surfaces etc.

1.3. Details of the supplier of the safety data sheet

Company Superfine Manufacturing Ltd

Address Orchardbank Industrial Estate

Forfar Angus Scotland DD8 1TD

Webwww.superfine.co.ukTelephoneTel: 01307 463538FaxFax: 01307 468505Emailnigel@superfine.co.ukEmail address of thenigel@superfine.co.uk

competent person

1.4. Emergency telephone number

Emergency telephone number | 01307 463538

8.30am to 17.00pm

National Poisons Information Service:

For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in

Scotland) on 111 (for 24 hour health advice)

If you are a healthcare professional with an enquiry please visit www.TOXBASE.org

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008

This product does not meet the criteria for classification in any hazard class according to Regulation (EC) No. 1272/2008 on classification, labelling and packaging of substances and mixtures.

2.2. Label elements

Precautionary Statement: Response

P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 - If eye irritation persists: Get medical advice/attention.

Revision 33 Revision date 2020-11-04

2.2.	12	ıhel	e	lem	en	ıts
4.4.			_		G I	

Hazard Statement	No Significant Hazard		
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004:. Isopropyl Alcohol, Less than 5% Non-Ionic Surfactants, CI 42090, Parfum, Linalool, Hexyl Cinnamal, Citronellol, Coumarin, Geraniol, Benzyl Benzoate, Citral.		
2.3. Other hazards			
Other hazards	This mixture is not classified as PBT or vPvB according to current EU criteria.		
Further information	Further information		
	This product does not sustain combustion as tested under the UN Transport "Manual of Tests and Criteria, Part III, subsection 32.5.2.". The Flash Point is 48.5 degC. See ADR, Chapter 3, Section 2.2.3.1.1, Note 1.		

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
propan-2-ol	603-117-00-0	67-63-0	200-661-7	01-2119457558-25	1 - 10%	Flam. Liq. 2: H225; Eye Irrit. 2: H319; STOT SE 3: H336;
1,3,3-trimethyl-2-oxabicyclo{2.2.2]o ctane		470-82-6	207-431-5		0 - 0.5%	Flam. Liq. 3: H226; Skin Sens. 1: H317;
1,7,7-Trimethylbicyclo[2.2.1]heptan- 2-one		464-49-3	207-355-2			Flam. Sol. 2: H228; Acute Tox. 4: H302+H332; STOT SE 2: H371;
Hydrocarbons, a natural component of essential: oils - alicylic and aliphatic					0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304;
D-Limonene	601-029-00-7	5989-27-5	227-813-5		0 - 0.5%	Flam. Liq. 3: H226; Asp. Tox. 1: H304; Skin Irrit. 2: H315; Skin Sens. 1: H317; Aquatic Acute 1: H400; Aquatic Chronic 1: H410;

Further information

Product Shelf Life	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.			
SECTION 4: First aid measu	SECTION 4: First aid measures			

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.	
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.	
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.	
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.	

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	May cause irritation to respiratory system.	
Eye contact	May cause irritation to eyes.	
Skin contact	May cause skin dryness and irritation.	
Ingestion	May cause irritation to mucous membranes.	

4.3. Indication of any immediate medical attention and special treatment needed

	TREAT SYMPTOMATICALLY.	
Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.	
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention	
	if irritation or symptoms persist.	
Skin contact	Seek medical attention if irritation or symptoms persist.	

Revision 33 Revision date 2020-11-04

	Revision date 2020-11-0-
4.3. Indication of any immedia	te medical attention and special treatment needed
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.
General information	
	If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.
SECTION 5: Firefighting m	neasures
5.1. Extinguishing media	
	This product is not flammable. Use fire-extinguishing media appropriate for surrounding materials.
5.2. Special hazards arising fr	
	Burning produces irritating, toxic and obnoxious fumes.
5.3. Advice for firefighters	
	Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.
Further information	
	In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
SECTION 6: Accidental rel	ease measures
6.1. Personal precautions, pro	tective equipment and emergency procedures
	Wear suitable protective equipment.
6.2. Environmental precaution	s
	Advise local authorities if large spills cannot be contained.
6.3. Methods and material for	containment and cleaning up
	For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.
6.4. Reference to other section	ns
	See section 2, 7, 8, 13 for further information.
SECTION 7: Handling and	storage
7.1. Precautions for safe hand	lling
	Adopt best Manual Handling considerations when handling, carrying and dispensing.
7.2. Conditions for safe storage	e, including any incompatibilities
	Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.
7.3. Specific end use(s)	
	Product is a ready to use, spray on wipe off cleaner. For the regular cleaning of windows, worktops, hard surfaces etc.
Suitable packaging	
	Plastic containers.
SECTION 8: Exposure cor	ntrols/personal protection
8.1. Control parameters	
-	
	Occupational exposure controls.

Revision 33 Revision date 2020-11-04

8.1.1. Exposure Limit Values

propan-2-ol	WEL 8-hr limit ppm: 400	WEL 8-hr limit mg/m3 : 999
	WEL 15 min limit ppm: 500	WEL 15 min limit mg/m3: 1250
	WEL 8-hr limit mg/m3 total - inhalable dust:	WEL 15 min limit mg/m3 total - inhalable dust:
	WEL 8-hr limit mg/m3 total -	WEL 15 min limit mg/m3 total -
	respirable dust:	respirable dust:

DNEL: Derived no-effect level.

Exposure Pattern - Workers

propan-2-ol	Long-term - inhalation - Systemic 500 mg/m³
	effects
	Long-term - dermal - Systemic 888 mg/kg
	effects

Exposure Pattern - General population

propan-2-ol	Long-term - inhalation - Systemic 89 mg/m³	
	effects	
	Long-term - dermal - Systemic 319 mg/kg	Long-term - oral - Systemic effects 26 mg/kg
	effects	

8.2. Exposure controls





Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.

8.2.1. Appropriate engineering controls

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below there respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.

Eye / face protection

Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.

Skin protection - Handprotection

Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.

Respiratory protection

No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.

8.2.3. Environmental exposure controls

Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Revision 33 Revision date 2020-11-04

9.1. Information on basic physical and chemical properties

Appearance Liquid Colour Blue Odour Characteristic No data available Odour threshold 6.3 - 8.6 pН Melting point Not applicable. Initial boiling point No data available Flash point 48.5 °C No data available Evaporation rate Flammability (solid, gas) No data available Vapour pressure No data available Vapour density No data available Relative density No data available Partition coefficient No data available Autoignition temperature No data available Viscosity < 50 centipoise **Explosive properties** No data available Oxidising properties Not applicable. Solubility Soluble in water

9.2. Other information

VOC (Volatile organic compounds)
Conductivity
Surface tension
Specific gravity
Gas group
Benzene Content
Lead content

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

Revision 33 Revision date 2020-11-04

	Revision date 2020-11-0
11.1. Information on toxicologica	al effects
Acute toxicity	based on available data the classification criteria are not met.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	based on available data the classification criteria are not met.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
11.1.2. Mixtures	
	No data available.
11.1.3. Hazard Information	
	No data available.
11.1.4. Toxicological Information	
	No data available
SECTION 12: Ecological info	ormation
12.1. Toxicity	
	No data available
12.2. Persistence and degradab	ility
	Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.
12.3. Bioaccumulative potential	
	The product is not bioaccumulating.
Partition coefficient	•
	SPEED CLEAN 21 No data available propan-2-ol 0.05 log P
12.4. Mobility in soil	
	This product is soluble in water.
12.5. Results of PBT and vPvB	assessment
	This mixture is not classified as PBT or vPvB according to current EU criteria.
12.6. Other adverse effects	
	No data available.
SECTION 13: Disposal cons	iderations
13.1. Waste treatment methods	
	Dispose of waste and residues in accordance with local authority requirements.
General information	
	Dispose of in compliance with all local and national requirements.
Disposal of packaging	
	Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

Revision 33 Revision date 2020-11-04

SECTION 14: Transport information 14.1. UN number The product is not classified as dangerous for carriage. 14.2. UN proper shipping name The product is not classified as dangerous for carriage. 14.3. Transport hazard class(es) The product is not classified as dangerous for carriage. 14.4. Packing group The product is not classified as dangerous for carriage. 14.5. Environmental hazards The product is not classified as dangerous for carriage. 14.6. Special precautions for user The product is not classified as dangerous for carriage. 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code The product is not classified as dangerous for carriage.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

15.2. Chemical safety assessment

No information available

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 1 Product Use.
- 2 Further information.
- 2 SUPPLEMENTAL HAZARD INFORMATION.
- 5 5.3. Advice for firefighters.
- 8 Skin protection Handprotection.
- 8 Eye / face protection.
- 9 9.2. Other information (VOC (Volatile organic compounds)).
- 9 9.2. Other information (Product Subcategory).
- 10 10.4. Conditions to avoid.
- 10 10.6. Hazardous decomposition products.
- 10 10.5. Incompatible materials.
- 11 11.1. Information on toxicological effects.
- 12 12.1. Toxicity.

Revision date 2020-11-04

Other information	
	12 - 12.4. Mobility in soil.
	12 - 12.3. Bioaccumulative potential.
	12 - 12.5. Results of PBT and vPvB assessment.
	16 - Maximum content of VOC.
Text of Hazard Statements in	Flam. Liq. 2: H225 - Highly flammable liquid and vapour.
Section 3	Eye Irrit. 2: H319 - Causes serious eye irritation.
	STOT SE 3: H336 - May cause drowsiness or dizziness.
	Flam. Liq. 3: H226 - Flammable liquid and vapour.
	Skin Sens. 1: H317 - May cause an allergic skin reaction.
	Flam. Sol. 2: H228 - Flammable solid.
	Acute Tox. 4: H302+H332 - Harmful if swallowed or if inhaled
	STOT SE 2: H371 - May cause damage to organs .
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.
	Skin Irrit. 2: H315 - Causes skin irritation.
	Aquatic Acute 1: H400 - Very toxic to aquatic life.
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Further information	
	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use,
	storage and handling of the product. This information is correct to the best of our knowledge and
	belief at the date of publication however no guarantee is made to its accuracy. This information
	relates only to the specific material designated and may not be valid for such material used in
	combination with any other materials or in any other process.