



SAFETY DATA SHEET according to Regulation (EU) 2020/878

Page 1/9

Thickened Exmover

Revision 24

Revision date 2022-11-02

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Thickened Exmover
Product code	QAFS010

1.2. Relevant identified uses of the substance or mixture and uses advised against

Product Use	[SU22] Professional uses: Public domain (administration, education, entertainment, services, craftsmen); [PC35] Washing and cleaning products (including solvent based products);
Description	A ready to use thickened 4.5% Oxalic Acid cleaning solution for the removal of iron brake block dust from railway rolling stock.

1.3. Details of the supplier of the safety data sheet

Company	Superfine Manufacturing Ltd
Address	Orchardbank Industrial Estate Forfar Angus Scotland DD8 1TD
Web	www.superfine.co.uk
Telephone	Tel: 01307 463538
Fax	Fax: 01307 468505
Email address of the competent person	nigel@superfine.co.uk

1.4. Emergency telephone number

Emergency telephone number	01307 463538 8.30am to 17.00pm For medical advice or information you should contact your GP or NHS 111 (or NHS 24 in Scotland) on 111 (for 24 hour health advice) If you are a healthcare professional with an enquiry please visit www.TOXBASE.org
----------------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

2.1.2. Classification - EC 1272/2008	Eye Dam. 1: H318;
--------------------------------------	-------------------

2.2. Label elements

Hazard pictograms	
Signal Word	Danger

Thickened Exmover

Revision 24

Revision date 2022-11-02

2.2. Label elements

Hazard Statement	Eye Dam. 1: H318 - Causes serious eye damage.
Precautionary Statement: Prevention	P264 - Wash hands and other contacted skin thoroughly after handling. P280 - Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary Statement: Response	P302+P352 - IF ON SKIN: Wash with plenty of water/ . P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313 - If skin irritation occurs: Get medical advice/attention. P337+P313 - If eye irritation persists: Get medical advice/attention.
SUPPLEMENTAL HAZARD INFORMATION	Ingredients as required by Regulation (EC) No 648/2004: Ethanedioic Acid (Oxalic Acid), Less than 5% Anionic Surfactants, Less than 5% Non-ionic Surfactants. Contains - Oxalic Acid, 2-butoxyethanol.

2.3. Other hazards

Other hazards	This substance/mixture is not classified as PBT or vPvB according to current criteria. The substance/mixture does not contain substances with endocrine disrupting properties.
----------------------	--

Further information

	RECOMMENDED SHELF LIFE 1 YEAR FROM DATE OF DELIVERY.
--	--

SECTION 3: Composition/information on ingredients

3.2. Mixtures

EC 1272/2008

Chemical Name	Index No.	CAS No.	EC No.	REACH Registration Number	Conc. (%w/w)	Classification
Oxalic Acid (Oxalic acid)		6153-56-6	205-634-3	01-2119534576-33	1 - 10%	Acute Tox. 4: H302+H312; Eye Dam. 1: H318;
2-butoxyethanol	603-014-00-0	111-76-2	203-905-0	01-2119475108-36	1 - 10%	Acute Tox. 4: H332; Acute Tox. 4: H312; Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Irrit. 2: H315;

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation	Move the exposed person to fresh air.
Eye contact	Rinse immediately with plenty of water. Contact lenses should be removed.
Skin contact	Remove contaminated clothing. Wash with water and soap as a precaution.
Ingestion	DO NOT INDUCE VOMITING. Rinse mouth thoroughly.

4.2. Most important symptoms and effects, both acute and delayed

Inhalation	Irritating to respiratory system.
Eye contact	Causes serious eye damage.
Skin contact	Irritating to skin.
Ingestion	Irritating to mucous membranes.

4.3. Indication of any immediate medical attention and special treatment needed

Inhalation	Move the exposed person to fresh air. Seek medical attention if irritation or symptoms persist.
Eye contact	Contact lenses should be removed. Rinse immediately with plenty of water. Seek medical attention if irritation or symptoms persist.
Skin contact	Seek medical attention if irritation or symptoms persist.
Ingestion	Drink 1 to 2 glasses of water. Seek medical attention if irritation or symptoms persist.

General information

Thickened Exmover

Revision 24

Revision date 2022-11-02

General information

If you feel unwell, seek medical advice (show the label where possible). Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

This product is not flammable . Use fire-extinguishing media appropriate for surrounding materials.

5.2. Special hazards arising from the substance or mixture

Oxides of Carbon.

5.3. Advice for firefighters

Fire fighters should wear self contained positive pressure breathing apparatus (SCBA) and full turnout gear.

Further information

In the event of a fire and/or explosion do not breath fumes. Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear suitable protective equipment.

6.2. Environmental precautions

Advise local authorities if large spills cannot be contained.

6.3. Methods and material for containment and cleaning up

For large spills:. Absorb with inert, absorbent material. Sweep up. Transfer to suitable, labelled containers for disposal. Clean spillage area thoroughly with plenty of water. For small spills:. Flush down the drain with plenty of water.

6.4. Reference to other sections

See section 2, 7, 8, 13 for further information.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Adopt best Manual Handling considerations when handling, carrying and dispensing.

7.2. Conditions for safe storage, including any incompatibilities

Store in a cool, dry area. Keep container tightly closed. Keep out of the reach of children. Store in original container.

7.3. Specific end use(s)

A ready to use thickened 4.5% Oxalic Acid cleaning solution for the removal of iron brake block dust from railway rolling stock.

Suitable packaging

Plastic containers.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure controls.

8.1.1. Exposure Limit Values

Thickened Exmover

Revision 24
Revision date 2022-11-02

8.1.1. Exposure Limit Values

2-butoxyethanol	WEL 8-hr limit ppm: 25 WEL 15 min limit ppm: 50 WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 123 WEL 15 min limit mg/m3: 101.2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
Oxalic Acid (Oxalic acid)	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: 1 WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -
sodium hydroxide	WEL 8-hr limit ppm: - WEL 15 min limit ppm: - WEL 8-hr limit mg/m3 total inhalable dust: - WEL 8-hr limit mg/m3 total respirable dust: -	WEL 8-hr limit mg/m3: - WEL 15 min limit mg/m3: 2 WEL 15 min limit mg/m3 total inhalable dust: - WEL 15 min limit mg/m3 total respirable dust: -

DNEL: Derived no-effect level.

Exposure Pattern - Workers

2-butoxyethanol	Acute inhalation - Systemic effects 1091 mg/m ³ Acute inhalation - Local effects 246 mg/m ³ Long-term - inhalation - Systemic effects 98 mg/m ³	Acute dermal - Systemic effects 89 mg/kg Long-term - dermal - Systemic effects 125 mg/kg
Oxalic Acid	Long-term - inhalation - Systemic effects 3.11 mg/m ³ Long-term - dermal - Systemic effects 0.882 mg/kg	
sodium hydroxide	Acute inhalation - Local effects 2 mg/m ³ Acute dermal - Local effects 2 mg/kg	Long-term - inhalation - Local effects 1 mg/m ³

Exposure Pattern - General population

2-butoxyethanol	Acute inhalation - Systemic effects 426 mg/m ³ Acute dermal - Systemic effects 89 mg/kg Long-term - inhalation - Systemic effects 59 mg/m ³ Long-term - dermal - Systemic effects 75 mg/kg	Acute oral - Systemic effects 26.7 mg/kg Long-term - inhalation - Local effects 147 mg/m ³ Long-term - oral - Systemic effects 6.3 mg/kg
Oxalic Acid	Long-term - inhalation - Systemic effects 0.466 mg/m ³ Long-term - dermal - Systemic effects 0.315 mg/kg	Long-term - oral - Systemic effects 0.315 mg/m ³
sodium hydroxide	Long-term - inhalation - Local effects 1 mg/m ³	

8.2. Exposure controls

	
Adopt best Manual Handling considerations when handling, carrying and dispensing. Avoid contact	

Thickened Exmover

Revision 24

Revision date 2022-11-02

8.2. Exposure controls

	with skin and eyes. Handle in accordance with good industrial hygiene and safety practice. Use appropriate personal protective equipment. Wear suitable protective clothing and eye/face protection.
8.2.1. Appropriate engineering controls	Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapours below their respective threshold limit value. Ensure eyewash stations and safety showers are close to the workstation location.
Eye / face protection	Avoid contact with eyes. If splashes are likely to occur, wear: safety glasses with side-shields. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Wear chemical splash goggles. Personal protective equipment for eye and face protection should comply with European Standard EN166.
Skin protection - Handprotection	Rubber gloves. Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer.
Respiratory protection	No personal respiratory protective equipment normally required. In case of insufficient ventilation wear suitable respiratory equipment.
8.2.3. Environmental exposure controls	Prevent further leakage or spillage if safe to do so.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Viscous liquid.
Colour	Off white
Odour	Characteristic
Odour threshold	No data available
pH	2 - 2.5
Melting point	No data available
Initial boiling point	No data available
Flash point	No data available
Evaporation rate	No data available
Flammability (solid, gas)	No data available
Vapour pressure	No data available
Relative Vapour Density	No data available
Density / Relative Density	1.01 - 1.02 (H ₂ O = 1 @ 20 °C)
Partition coefficient	No data available
Autoignition temperature	No data available
Viscosity	< 500 centipoise
Explosive properties	No data available
Oxidising properties	No data available
Solubility	Soluble in water

9.2. Other information

Conductivity	No data available
Surface tension	No data available
Gas group	No data available
Benzene Content	No data available
Lead content	No data available
VOC (Volatile organic compounds)	No data available

Water solubility

	Soluble.
--	----------

Thickened Exmover

Revision 24

Revision date 2022-11-02

9.2.1. Information with regard to physical hazard classes

No data is available on this product.

9.2.2. Other safety characteristics

No data is available on this product.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions. No specific reactivity hazards associated with this product.

10.2. Chemical stability

Stable under normal conditions. No particular stability concerns.

10.3. Possibility of hazardous reactions

Strong acids. Strong oxidising agents.

10.4. Conditions to avoid

Protect from frost. Avoid storing in direct Sun Light.

10.5. Incompatible materials

Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

No Hazardous decomposition products when stored and handled correctly.

SECTION 11: Toxicological information

11.1 Information on hazard classes

Acute toxicity	This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).
	based on available data the classification criteria are not met. Oral ATE = >2,000 mg/kg. Dermal ATE = >10,000 mg/kg. Inhalation - Dust/Mist ATE = >20 mg/l.
Skin corrosion/irritation	based on available data the classification criteria are not met.
Serious eye damage/irritation	Eye Dam. 1: H318 - Causes serious eye damage.
Respiratory or skin sensitisation	based on available data the classification criteria are not met.
Germ cell mutagenicity	based on available data the classification criteria are not met.
Carcinogenicity	based on available data the classification criteria are not met.
Reproductive toxicity	based on available data the classification criteria are not met.
STOT-single exposure	based on available data the classification criteria are not met.
STOT-repeated exposure	based on available data the classification criteria are not met.
Aspiration hazard	based on available data the classification criteria are not met.
Repeated or prolonged exposure	based on available data the classification criteria are not met.

11.1.2. Mixtures

No data available.

11.1.3. Hazard Information

No data available.

11.1.4. Toxicological Information

Thickened Exmover

Revision 24

Revision date 2022-11-02

11.1.4. Toxicological Information

2-butoxyethanol	Dermal Rat LD50: 1100 mg/kg Inhalation Rat LC50/4 h: 11.0 mg/l	Oral Rat LD50: 1300 mg/kg
Oxalic Acid	Oral Rat LD50: 500.0 mg/kg	Dermal Rabbit LD50: 1100.0 mg/kg
sodium hydroxide	Oral Rat LD50: >500 mg/kg	

11.2 Information on other hazards

No data is available on this product.

SECTION 12: Ecological information

12.1. Toxicity

2-butoxyethanol	Daphnia EC50/48h: 1550.0000 mg/l Rainbow trout LC50/96h: 1474 mg/l EC50 for marine or freshwater organisms >100.0000 mg/l	Algae EC50/72h: 1840 mg/l LC50 for marine or freshwater organisms >100.0000 mg/l
Oxalic Acid	Daphnia EC50/48h: 162.2000 mg/l	Fish LC50/96h: 160 mg/l
sodium hydroxide	Daphnia EC50/48h: 40.4 mg/l Rainbow trout LC50/96h: 45.5 mg/l	Fish LC50/96h: 33.0000 mg/l Bluegill sunfish LC50/96h: 125 mg/l

12.2. Persistence and degradability

Substance biodegrades at a moderate rate and inherently biodegradable according to the OECD guide lines.

12.3. Bioaccumulative potential

The product is not bioaccumulating.

Partition coefficient

	Thickened Exmover No data available 2-butoxyethanol 0.8 log P	Oxalic Acid -1.7 Log Pow sodium hydroxide No data available
--	--	--

12.4. Mobility in soil

This product is soluble in water.

12.5. Results of PBT and vPvB assessment

This substance/mixture is not classified as PBT or vPvB according to current criteria.

12.6 Endocrine disrupting properties

No data is available on this product.

12.7. Other adverse effects

No data is available on this product.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Dispose of waste and residues in accordance with local authority requirements.

General information

Dispose of in compliance with all local and national requirements.

Disposal of packaging

Do NOT reuse empty containers. Empty containers can be sent to landfill after cleaning, if in compliance with local and national regulations.

SECTION 14: Transport information

Thickened Exmover

Revision 24

Revision date 2022-11-02

14.1. UN number

	The product is not classified as dangerous for carriage.
--	--

14.2. UN proper shipping name

	The product is not classified as dangerous for carriage.
--	--

14.3. Transport hazard class(es)

	The product is not classified as dangerous for carriage.
--	--

14.4. Packing group

	The product is not classified as dangerous for carriage.
--	--

14.5. Environmental hazards

	The product is not classified as dangerous for carriage.
--	--

14.6. Special precautions for user

	The product is not classified as dangerous for carriage.
--	--

14.7 Maritime Transport in bulk according to IMO instruments

	The product is not classified as dangerous for carriage.
--	--

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulations

REGULATION (EC) No 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) No 453/2010 of 20 May 2010 amending Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.

COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH).

15.2. Chemical safety assessment

	No information available.
--	---------------------------

SECTION 16: Other information

Other information

Revision

This document differs from the previous version in the following areas:.

- 2 - Other hazards.
- 2 - Further information.
- 2 - SUPPLEMENTAL HAZARD INFORMATION.
- 9 - 9.2.2. Other safety characteristics.
- 9 - 9.2.1. Information with regard to physical hazard classes.
- 11 - Acute toxicity.
- 11 - Repeated or prolonged exposure.
- 11 - 11.2 Information on other hazards.
- 12 - 12.1. Toxicity.
- 12 - 12.6 Endocrine disrupting properties.
- 12 - 12.7. Other adverse effects.

Thickened Exmover

Revision 24

Revision date 2022-11-02

Other information

	15 - Regulations.
Data sources	Classification and Procedure used to derive the classification for mixtures according to Regulation (EC) No. 1272/2008, as retained and amended in UK law. Eye Dam. 1: H318 - Causes serious eye damage. - Calculation Method.
Text of Hazard Statements in Section 3	Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin Eye Dam. 1: H318 - Causes serious eye damage. Acute Tox. 4: H302+H312+H332 - Harmful if swallowed, in contact with skin or if inhaled Skin Irrit. 2: H315 - Causes skin irritation. Eye Irrit. 2: H319 - Causes serious eye irritation.

Further information

	The information supplied in this Safety Data Sheet is designed only as guidance for the safe use, storage and handling of the product. This information is correct to the best of our knowledge and belief at the date of publication however no guarantee is made to its accuracy. This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any other process.
--	--